

## APPENDIX A: DISTRICT TABLES

Table D.HH.1:	Results of household, women's and children under-5 interviews.....	222
Table D.HH.3:	Household composition .....	223
Table D.HH.4:	Women's background characteristics.....	224
Table D.HH.5:	Under-5's background characteristics .....	225
Table D.HH.8:	Wealth quintiles.....	226
Table D.CM.3:	Infant and under-5 mortality rates by background characteristics .....	227
Table D.NU.1:	Low birth weight infants .....	228
Table D.NU.2:	Nutritional status of children .....	229
Table D.NU.3:	Initial breastfeeding .....	231
Table D.NU.4:	Breastfeeding .....	232
Table D.NU.5:	Duration of breastfeeding .....	234
Table D.NU.6:	Age-appropriate breastfeeding .....	235
Table D.NU.8:	Infant and young child feeding (IYCF) practices.....	236
Table D.NU.9:	Bottle feeding .....	238
Table D.NU.10:	Iodized salt consumption.....	239
Table D.NU.11:	Children's vitamin A supplementation .....	240
Table D.CH.2:	Vaccinations by background characteristics .....	241
Table D.CH.3:	Neonatal tetanus protection .....	243
Table D.CH.4:	Reported disease episodes .....	244
Table D.CH.5:	Care-seeking during diarrhoea .....	245
Table D.CH.6:	Feeding practices during diarrhoea .....	246
Table D.CH.7:	Oral rehydration solutions, recommended homemade fluids, and zinc .....	248
Table D.CH.8:	Oral rehydration therapy with continued feeding and other treatments .....	250
Table D.CH.11:	Knowledge of the two danger signs of pneumonia .....	252
Table D.CH.12:	Solid fuel use.....	254
Table D.CH.13:	Solid fuel use by place of cooking.....	256
Table D.CH.14:	Care-seeking during fever .....	257
Table D.CH.15:	Treatment of children with fever.....	258
Table D.CH.16:	Diagnostics and anti-malarial treatment of children .....	259
Table D.CH.18:	Intermittent preventive treatment for malaria .....	260
Table D.WS.1:	Use of improved water sources .....	261
Table D.WS.2:	Household water treatment .....	263
Table D.WS.3:	Time to source of drinking water.....	264
Table D.WS.4:	Person collecting water .....	265
Table D.WS.5:	Types of sanitation facilities .....	266
Table D.WS.6:	Use and sharing of sanitation facilities .....	268
Table D.WS.7:	Drinking water and sanitation ladders.....	270
Table D.WS.8:	Disposal of child's faeces .....	272
Table D.WS.9:	Water and soap at place for handwashing .....	273
Table D.WS.10:	Availability of soap or other cleansing agent.....	275
Table D.RH.2:	Adolescent birth rate and total fertility rate .....	277
Table D.RH.5:	Use of contraception .....	278
Table D.RH.6:	Unmet need for contraception .....	280
Table D.RH.7:	Antenatal care coverage .....	281
Table D.RH.8:	Number of antenatal care visits and timing of first visit.....	282
Table D.RH.9:	Content of antenatal care .....	284
Table D.RH.10:	Assistance during delivery and caesarian section.....	285
Table D.RH.11:	Place of delivery.....	287
Table D.RH.12:	Post-partum stay in health facility.....	288

Table D.RH.13:	Post-natal health checks for newborns .....	289
Table D.RH.15:	Post-natal health checks for mothers .....	290
Table D.RH.17:	Post-natal health checks for mothers and newborns .....	291
Table D.CD.1:	Early childhood education .....	292
Table D.CD.2:	Support for learning.....	293
Table D.CD.3:	Learning materials .....	295
Table D.CD.4:	Inadequate care.....	296
Table D.CD.5:	Early child development index.....	297
Table D.ED.1:	Literacy (young women) .....	298
Table D.ED.2:	School readiness .....	299
Table D.ED.2A:	Pre-school attendance.....	300
Table D.ED.3:	Primary school entry.....	301
Table D.ED.4:	Primary school net attendance and out of school children .....	302
Table D.ED.4B:	Primary school gross attendance ratio of school children (5-9) years.....	304
Table D.ED.5:	Secondary school attendance and out of school children .....	305
Table D.ED.6:	Children reaching last grade of primary school .....	307
Table D.ED.7:	Primary school completion and transition to secondary school.....	308
Table D.ED.8:	Education gender parity index (GPI) .....	309
Table D.ED.9:	Out of school gender parity .....	310
Table D.ED.10:	Literacy rate 10+ .....	311
Table D.ED.11:	Literacy rate 15+ .....	312
Table D.ED.12:	Literacy rate 15-24 years .....	313
Table D.ED.13:	Public and private primary school attendance rate.....	314
Table D.CP.1:	Birth registration.....	315
Table D.CP.2:	Children's involvement in economic activities .....	316
Table D.CP.3:	Children's involvement in household chores.....	317
Table D.CP.4:	Child labour.....	318
Table D.CP.5:	Child discipline .....	319
Table D.CP.6:	Attitudes toward physical punishment.....	320
Table D.CP.7:	Early marriage and polygyny (women) .....	321
Table D.CP.10:	Attitudes toward domestic violence (women) .....	322
Table D.CP.11:	Children's living arrangements and orphanhood .....	323
Table D.CP.12:	Children with parents living abroad.....	325
Table D.HA.1:	Knowledge about HIV transmission, misconceptions about HIV/AIDS, and comprehensive knowledge about HIV transmission (women).....	326
Table D.HA.2:	Knowledge of mother-to-child HIV transmission (women) .....	328
Table D.HA.3:	Accepting attitudes toward people living with HIV/AIDS (women).....	329
Table D.HA.4:	Knowledge of a place for HIV testing (women) .....	330
Table D.HA.5:	HIV counselling and testing during antenatal care .....	331
Table D.HA.6:	Key HIV/AIDS indicators (young women) .....	332
Table D.MT.1:	Exposure to mass media (women).....	333
Table D.MT.2:	Use of computers and internet (women) .....	334
Table D.SW.1:	Domains of life satisfaction (women) .....	335
Table D.SW.2:	Overall life satisfaction and happiness (women) .....	337
Table D.SW.3:	Perception of a better life (women) .....	338
Table D.TA.1:	Current and ever use of tobacco (women) .....	339
Table D.HC.1:	Prevalence of Cough, TB and Hepatitis.....	341
Table D.HC.2:	Care provided by Lady health worker (LHW) .....	342
Table D.SED.1:	House, agricultural land, and livestock ownership .....	343

Table D.SED.2: Working outside village/city/country .....	344
Table D.SED.6: Pension Benefits .....	345
Table D.SED.8: Safety nets (utility store) .....	346
Table D.SED.9: Possession of Bank Account .....	347
Table D.SED.10: Marital status of household members .....	348
Table D.SED.11: Un-employment rate 10 years and above .....	349

Table D.HH.1: Results of household, women's and under-5 interviews by Districts																			
Number of households, women and children under 5 by results of the household, women's and under-5's interviews, and household and women's and under-5's response rates, Punjab, 2014.																			
		Districts																	
	Punjab	Bahawalpur	Bahawalnagar	RY Khan	DG Khan	Layyah	Muzaffargarh	Rajapur	Faisalabad	Chiniot	Jhang	TT Singh	Gujranwala	Gujrat	Hafizabad	Mandi Bahaudin	Narowal	Sialkot	Lahore
<b>Households</b>																			
Sampled	41,413	1,322	1,185	1,509	1,114	906	1,425	911	1,923	784	1,101	1,022	1,586	1,192	760	878	911	1,388	2,174
Occupied	39,333	1,246	1,121	1,434	1,050	875	1,352	850	1,869	763	1,073	984	1,512	1,125	707	826	886	1,325	2,009
Interviewed	38,405	1,224	1,099	1,367	1,020	862	1,333	836	1,853	762	1,059	973	1,473	1,100	690	799	883	1,309	1,837
Household response rate	97.6	98.2	98.0	95.3	97.1	98.5	98.6	98.4	99.1	99.9	98.7	98.9	97.4	97.8	97.6	96.7	99.7	98.8	91.4
<b>Women</b>																			
Eligible	61,286	1,783	1,693	2,099	1,595	1,370	1,962	1,253	3,016	1,159	1,581	1,547	2,536	1,826	1,141	1,378	1,437	2,264	3,099
Interviewed	53,668	1,524	1,460	1,863	1,395	1,192	1,734	1,125	2,752	1,064	1,490	1,418	2,147	1,620	974	1,213	1,320	1,958	2,401
Women's response rate	87.6	85.5	86.2	88.8	87.5	87.0	88.4	89.8	91.2	91.8	94.2	91.7	84.7	88.7	85.4	88.0	91.9	86.5	77.5
Women's overall response rate	85.5	84.0	84.5	84.6	85.0	85.7	87.1	88.3	90.5	91.7	93.0	90.6	82.5	86.7	83.3	85.1	91.5	85.4	70.8
<b>Children under 5</b>																			
Eligible	31,083	980	861	1,271	1,082	800	1,269	934	1,363	577	818	685	1,284	873	530	606	829	1,023	1,456
Mothers/caretakers interviewed	27,495	849	728	1,128	1,006	709	1,140	845	1,196	493	761	617	1,088	765	462	555	761	873	1,186
Under-5's response rate	88.5	86.6	84.6	88.7	93.0	88.6	89.8	90.5	87.7	85.4	93.0	90.1	84.7	87.6	87.2	91.6	91.8	85.3	81.5
Under-5's overall response rate	86.4	85.1	82.9	84.6	90.3	87.3	88.6	89.0	87.0	85.3	91.8	89.1	82.5	85.7	85.1	88.6	91.5	84.3	74.5

Table D.HH.1: Results of household, women's and under-5 interviews by Districts																			
Number of households, women and children under 5 by results of the household, women's and under-5's interviews, and household and women's and under-5's response rates, Punjab, 2014.																			
		Districts																	
	Punjab	Kasur	Nankana Sahib	Sheikhpura	Multan	Khaneval	Lodhran	Vehari	Sahiwal	Pakpattan	Okara	Rawalpindi	Attock	Chakwal	Jhelum	Sargodha	Bhakkar	Khushab	Mianwali
<b>Households</b>																			
Sampled	41,413	1,295	835	1,260	1,460	1,181	904	1,200	1,115	979	1,222	1,520	927	844	801	1,302	860	764	853
Occupied	39,333	1,185	776	1,167	1,399	1,146	882	1,169	1,068	911	1,148	1,435	895	807	754	1,236	816	719	813
Interviewed	38,405	1,146	758	1,133	1,374	1,135	866	1,151	1,031	896	1,127	1,356	869	790	741	1,228	813	710	802
Household response rate	97.6	96.7	97.7	97.1	98.2	99.0	98.2	98.5	96.5	98.4	98.2	94.5	97.1	97.9	98.3	99.4	99.6	98.7	98.6
<b>Women</b>																			
Eligible	61,286	1,805	1,219	1,941	1,958	1,639	1,291	1,787	1,705	1,398	1,780	2,182	1,396	1,188	1,166	1,939	1,444	1,199	1,510
Interviewed	53,668	1,561	1,020	1,648	1,683	1,474	1,157	1,639	1,514	1,259	1,574	1,815	1,233	1,079	1,042	1,672	1,266	1,062	1,320
Women's response rate	87.6	86.5	83.7	84.9	86.0	89.9	89.6	91.7	88.8	90.1	88.4	83.2	88.3	90.8	89.4	86.2	87.7	88.6	87.4
Women's overall response rate	85.5	83.6	81.7	82.4	84.4	89.1	88.0	90.3	85.7	88.6	86.8	78.6	85.8	88.9	87.8	85.7	87.4	87.5	86.2
<b>Children under 5</b>																			
Eligible	31,083	1,011	637	912	995	811	675	819	850	733	1,004	950	613	497	467	883	717	551	717
Mothers/caretakers interviewed	27,495	900	572	791	876	739	602	717	757	678	910	817	557	474	416	760	650	478	639
Under-5's response rate	88.5	89.0	89.8	86.7	88.0	91.1	89.2	87.5	89.1	92.5	90.6	86.0	90.9	95.4	89.1	86.1	90.7	86.8	89.1
Under-5's overall response rate	86.4	86.1	87.7	84.2	86.5	90.2	87.6	86.2	86.0	91.0	89.0	81.3	88.2	93.4	87.5	85.5	90.3	85.7	87.9

<b>Table D.HH.3: Household composition</b>			
Percent and frequency distribution of households Punjab, 2014.			
	Weighted percent	Number of households	
		Weighted	Unweighted
<b>Punjab</b>	100.0	38,405	38,405
<b>District</b>			
<b>Bahawalpur</b>	3.4	1,299	1,224
Bahawalnagar	2.8	1,074	1,099
RY Khan	4.5	1,719	1,367
<b>DG Khan</b>	2.4	935	1,020
Layyah	1.6	597	862
Muzaffargarh	3.4	1,303	1,333
Rajanpur	1.6	600	836
<b>Faisalabad</b>	7.1	2,711	1,853
Chiniot	1.3	504	762
Jhang	2.3	893	1,059
TT Singh	2.0	780	973
<b>Gujranwala</b>	4.1	1,589	1,473
Gujrat	2.7	1,024	1,100
Hafizabad	1.1	433	690
Mandi Bahauddin	1.5	589	799
Narowal	1.7	634	883
Sialkot	3.4	1,299	1,309
<b>Lahore</b>	9.4	3,614	1,837
Kasur	3.0	1,171	1,146
Nankana Sahib	1.5	580	758
Sheikhupura	3.3	1,266	1,133
<b>Multan</b>	4.8	1,835	1,374
Khanewal	2.9	1,123	1,135
Lodhran	1.7	647	866
Vehari	2.7	1,028	1,151
<b>Sahiwal</b>	2.2	832	1,031
Pakpattan	1.9	718	896
Okara	2.8	1,088	1,127
<b>Rawalpindi</b>	5.0	1,923	1,356
Attock	1.8	689	869
Chakwal	1.5	568	790
Jhelum	1.2	452	741
<b>Sargodha</b>	3.4	1,324	1,228
Bhakkar	1.4	544	813
Khushab	1.2	471	710
Mianwali	1.4	545	802

<b>Table D.HH.4: Women's background characteristics</b>			
Percent and frequency distribution of women age 15-49 years by selected background characteristics, Punjab, 2014.			
	Weighted percent	Number of women	
		Weighted	Unweighted
<b>Punjab</b>	100.0	53,668	53,668
<b>District</b>			
<b>Bahawalpur</b>	3.1	1,666	1,524
Bahawalnagar	2.6	1,421	1,460
RY Khan	4.3	2,282	1,863
<b>DG Khan</b>	2.4	1,273	1,395
Layyah	1.5	825	1,192
Muzaffargarh	3.2	1,705	1,734
Rajanpur	1.4	758	1,125
<b>Faisalabad</b>	7.2	3,880	2,752
Chiniot	1.3	672	1,064
Jhang	2.2	1,162	1,490
TT Singh	2.0	1,081	1,418
<b>Gujranwala</b>	4.5	2,401	2,147
Gujrat	2.8	1,521	1,620
Hafizabad	1.2	642	974
Mandi Bahauddin	1.6	884	1,213
Narowal	1.7	891	1,320
Sialkot	3.7	1,987	1,958
<b>Lahore</b>	10.0	5,357	2,401
Kasur	3.0	1,602	1,561
Nankana Sahib	1.5	821	1,020
Sheikhupura	3.6	1,905	1,648
<b>Multan</b>	4.2	2,263	1,683
Khanewal	2.6	1,412	1,474
Lodhran	1.5	826	1,157
Vehari	2.6	1,386	1,639
<b>Sahiwal</b>	2.2	1,205	1,514
Pakpattan	1.8	984	1,259
Okara	2.8	1,497	1,574
<b>Rawalpindi</b>	5.1	2,741	1,815
Attock	1.8	972	1,233
Chakwal	1.4	756	1,079
Jhelum	1.2	617	1,042
<b>Sargodha</b>	3.4	1,833	1,672
Bhakkar	1.5	824	1,266
Khushab	1.3	706	1,062
Mianwali	1.7	907	1,320

<b>Table D.HH.5: Under-5's background characteristics</b>			
Percent and frequency distribution of children under five years of age by selected characteristics, Punjab, 2014.			
	Weighted percent	Number of under-5 children	
		Weighted	Unweighted
<b>Punjab</b>	100.0	27,495	27,495
<b>District</b>			
<b>Bahawalpur</b>	3.3	912	849
Bahawalnagar	2.7	751	728
RY Khan	5.2	1,417	1,128
<b>DG Khan</b>	3.3	898	1,006
Layyah	1.9	514	709
Muzaffargarh	4.1	1,118	1,140
Rajanpur	2.3	621	845
<b>Faisalabad</b>	6.6	1,807	1,196
Chiniot	1.2	335	493
Jhang	2.3	626	761
TT Singh	1.8	503	617
<b>Gujranwala</b>	4.4	1,210	1,088
Gujrat	2.7	744	765
Hafizabad	1.1	310	462
Mandi Bahauddin	1.5	401	555
Narowal	1.9	529	761
Sialkot	3.3	906	873
<b>Lahore</b>	9.0	2,467	1,186
Kasur	3.3	898	900
Nankana Sahib	1.5	418	572
Sheikhupura	3.2	887	791
<b>Multan</b>	4.3	1,179	876
Khanewal	2.6	720	739
Lodhran	1.6	451	602
Vehari	2.4	668	717
<b>Sahiwal</b>	2.3	628	757
Pakpattan	1.9	526	678
Okara	3.2	878	910
<b>Rawalpindi</b>	4.3	1,180	817
Attock	1.6	429	557
Chakwal	1.1	310	474
Jhelum	0.9	246	416
<b>Sargodha</b>	3.0	823	760
Bhakkar	1.5	416	650
Khushab	1.2	325	478
Mianwali	1.6	440	639
<sup>a</sup> In this table and throughout the report, mother's education refers to educational attainment of mothers as well as caretakers of children under 5, who are the respondents to the under-5 questionnaire if the mother is deceased or is living elsewhere.			

**Table D.HH.8: Wealth quintiles**

Percent distribution of the household population by wealth index quintiles, according to divisions and districts, Punjab, 2014.

	Wealth index quintiles					Total	Number of household members
	Lowest	Second	Middle	Fourth	Highest		
<b>Total</b>	20.0	20.0	20.0	20.0	20.0	100.0	246,396
<b>District</b>							
<b>Bahawalpur</b>	31.5	24.5	20.4	14.9	8.8	100.0	8,013
Bahawalnagar	36.9	29.3	19.4	9.9	4.5	100.0	6,704
RY Khan	42.3	24.2	15.0	8.6	10.0	100.0	11,240
<b>DG Khan</b>	55.8	21.6	8.6	8.9	5.0	100.0	6,498
Layyah	49.8	25.6	16.5	5.3	2.9	100.0	3,927
Muzaffargarh	55.7	22.7	12.0	5.9	3.7	100.0	8,664
Rajanpur	65.6	17.9	8.2	7.4	0.9	100.0	4,329
<b>Faisalabad</b>	6.8	16.1	21.9	28.7	26.5	100.0	17,101
Chiniot	31.4	25.7	19.2	15.1	8.5	100.0	3,198
Jhang	40.8	22.9	18.4	12.5	5.5	100.0	5,787
TT Singh	11.4	24.6	26.1	21.9	16.1	100.0	4,885
<b>Gujranwala</b>	2.0	10.8	23.5	32.4	31.3	100.0	10,545
Gujrat	1.4	7.4	24.4	32.2	34.6	100.0	6,553
Hafizabad	14.4	23.5	27.3	23.5	11.2	100.0	2,855
Mandi Bahauddin	12.5	21.3	31.1	21.1	14.0	100.0	3,748
Narowal	9.7	27.9	33.9	22.9	5.6	100.0	4,028
Sialkot	1.6	10.7	22.0	34.3	31.5	100.0	8,584
<b>Lahore</b>	0.7	2.8	8.2	27.0	61.2	100.0	23,671
Kasur	11.4	30.9	30.0	18.0	9.8	100.0	7,752
Nankana Sahib	10.3	26.2	28.3	22.3	12.9	100.0	3,811
Sheikhupura	6.7	16.9	26.9	29.3	20.1	100.0	8,613
<b>Multan</b>	22.8	20.3	18.9	20.2	17.8	100.0	10,610
Khanewal	28.4	27.1	23.2	13.9	7.4	100.0	6,794
Lodhran	31.5	30.6	21.3	11.1	5.5	100.0	3,976
Vehari	19.2	28.1	28.6	15.8	8.3	100.0	6,409
<b>Sahiwal</b>	20.1	25.9	22.5	18.9	12.6	100.0	5,531
Pakpattan	17.5	40.0	25.6	12.1	4.8	100.0	4,520
Okara	21.3	27.8	21.2	17.6	12.1	100.0	7,204
<b>Rawalpindi</b>	4.2	9.5	13.3	27.7	45.4	100.0	11,568
Attock	9.7	22.2	23.9	21.4	22.7	100.0	4,214
Chakwal	5.9	20.2	35.3	27.7	10.9	100.0	3,285
Jhelum	7.1	12.2	29.1	31.2	20.3	100.0	2,700
<b>Sargodha</b>	20.8	25.6	22.5	17.4	13.7	100.0	8,167
Bhakkar	48.7	27.5	14.3	7.5	2.0	100.0	3,807
Khushab	40.3	25.6	17.0	11.0	6.0	100.0	3,104
Mianwali	27.4	38.3	20.7	8.6	5.1	100.0	4,004



**Table D.CM.3: Infant and under-5 mortality rates**

Indirect estimates of infant and under-five mortality rates by district, Time Since First Birth (TSFB) version, (by using East Model), Punjab, 2014.

	Infant mortality rate <sup>1</sup>	Under-five mortality rate <sup>2</sup>
Punjab	75	93
District		
Bahawalpur	83	106
Bahawalnagar	106	139
RY Khan	85	109
DG Khan	98	127
Layyah	74	93
Muzaffargarh	88	112
Rajanpur	105	137
Faisalabad	65	80
Chiniot	68	84
Jhang	85	108
TT Singh	93	121
Gujranwala	60	73
Gujrat	53	64
Hafizabad	96	124
Mandi Bahauddin	111	145
Narowal	49	59
Sialkot	67	83
Lahore	44	52
Kasur	93	120
Nankana Sahib	86	110
Sheikhupura	78	99
Multan	62	76
Khanewal	93	120
Lodhran	93	120
Vehari	59	72
Sahiwal	84	107
Pakpattan	99	128
Okara	84	107
Rawalpindi	62	76
Attock	62	76
Chakwal	37	44
Jhelum	60	74
Sargodha	84	107
Bhakkar	67	83
Khushab	60	75
Mianwali	55	67

<sup>1</sup> MICS indicator 1.2; MDG indicator 4.2 - Infant mortality rate

<sup>2</sup> MICS indicator 1.5; MDG indicator 4.1 - Under-five mortality rate

Rates refer to April 2011. The East Model was assumed to approximate the age pattern of mortality in Punjab, Pakistan.

**Table D.NU.1: Low birth weight infants**

Percentage of last live-born children in the last two years that are estimated to have weighed below 2,500 grams at birth and percentage of live births weighed at birth, Punjab, 2014.

	Percent distribution of births by mother's assessment of size at birth					Total	Percentage of live births:		Number of last live-born children in the last two years
	Very small	Smaller than average	Average	Larger than average or very large	DK		Below 2,500 grams <sup>1</sup>	Weighed at birth <sup>2</sup>	
<b>Punjab</b>	3.9	16.6	70.2	8.4	0.8	100.0	29.4	25.6	10,653
<b>District</b>									
<b>Bahawalpur</b>	7.9	21.9	53.1	13.1	4.0	100.0	33.9	18.8	342
Bahawalnagar	4.8	23.7	63.1	8.2	0.2	100.0	33.2	13.7	254
RY Khan	2.4	20.2	66.6	9.4	1.4	100.0	29.8	14.1	472
<b>DG Khan</b>	3.7	30.3	59.1	6.2	0.6	100.0	35.9	7.4	361
Layyah	3.8	20.7	69.3	5.8	0.4	100.0	31.6	6.7	182
Muzaffargarh	2.5	28.2	61.9	6.9	0.5	100.0	34.1	6.3	414
Rajapur	5.0	30.0	61.6	3.4	0.0	100.0	36.9	2.3	223
<b>Faisalabad</b>	3.9	8.6	78.3	8.7	0.4	100.0	25.7	29.3	692
Chiniot	1.8	9.0	87.1	1.5	0.6	100.0	25.3	19.4	123
Jhang	1.8	19.6	70.3	7.8	0.5	100.0	29.6	10.7	237
TT Singh	0.0	14.1	80.3	5.7	0.0	100.0	26.3	12.2	185
<b>Gujranwala</b>	6.9	14.3	72.1	6.7	0.0	100.0	30.4	34.4	481
Gujrat	2.5	16.7	73.9	6.7	0.3	100.0	28.8	41.4	258
Hafizabad	7.2	12.8	72.7	7.3	0.0	100.0	29.7	20.3	129
Mandi Bahauddin	1.9	14.0	74.6	9.5	0.0	100.0	26.9	17.5	173
Narowal	3.8	19.2	71.8	5.0	0.2	100.0	30.9	15.2	200
Sialkot	4.7	15.6	70.2	8.9	0.5	100.0	29.5	37.1	336
<b>Lahore</b>	5.0	12.8	68.0	14.2	0.0	100.0	27.8	48.5	988
Kasur	8.7	15.8	64.9	10.0	0.6	100.0	31.7	16.1	376
Nankana Sahib	6.8	13.9	72.1	6.6	0.6	100.0	29.9	25.4	182
Sheikhupura	6.2	19.3	60.0	11.5	3.0	100.0	31.7	27.1	369
<b>Multan</b>	2.0	11.6	75.7	9.2	1.5	100.0	25.7	26.5	465
Khanewal	1.1	12.3	77.2	7.6	1.8	100.0	25.5	19.6	289
Lodhran	1.7	14.0	76.4	6.7	1.3	100.0	27.0	11.9	176
Vehari	1.6	19.8	71.5	6.5	0.6	100.0	29.6	17.4	232
<b>Sahiwal</b>	2.4	18.4	72.0	6.8	0.4	100.0	29.5	29.9	261
Pakpattan	4.8	16.8	69.8	8.6	0.0	100.0	30.0	13.9	221
Okara	3.9	15.7	73.3	6.6	0.4	100.0	29.1	19.8	344
<b>Rawalpindi</b>	4.8	13.3	69.7	10.5	1.7	100.0	28.0	57.3	496
Attock	3.5	14.6	70.2	10.4	1.4	100.0	27.8	37.9	168
Chakwal	2.3	16.7	70.6	8.5	1.9	100.0	28.2	47.3	120
Jhelum	2.4	13.9	74.3	8.3	1.1	100.0	27.1	44.6	97
<b>Sargodha</b>	0.8	16.1	74.0	7.6	1.5	100.0	27.5	36.0	319
Bhakkar	1.4	16.4	78.2	2.2	1.8	100.0	28.7	13.9	174
Khushab	4.7	12.8	78.7	3.8	0.0	100.0	28.7	21.8	127
Mianwali	2.1	12.7	82.0	2.0	1.1	100.0	27.1	8.3	184

<sup>1</sup> MICS indicator 2.20 - Low-birthweight infants

<sup>2</sup> MICS indicator 2.21 - Infants weighed at birth

**Table D.NU.2: Nutritional status of children**

Percentage of children under age 5 by nutritional status according to three anthropometric indices: weight for age, height for age, and weight for height, Punjab, 2014.

	Weight for age				Height for age				Weight for height				Number of children under age 5
	Underweight		Mean Z-Score (SD)	Number of children under age 5	Stunted		Mean Z-Score (SD)	Number of children under age 5	Wasted		Overweight	Mean Z-Score (SD)	
	Percent below - 2 SD <sup>1</sup>	- 3 SD <sup>2</sup>			Percent below - 2 SD <sup>3</sup>	- 3 SD <sup>4</sup>			Percent below - 2 SD <sup>5</sup>	- 3 SD <sup>6</sup>	Percent above + 2 SD <sup>7</sup>		
<b>Punjab<sup>a</sup></b>	33.7	11.3	-1.6	26,490	33.5	13.3	-1.4	26,280	17.5	4.4	0.8	-1.0	26,421
<b>District</b>													
<b>Bahawalpur</b>	35.9	13.3	-1.7	866	36.7	17.1	-1.5	861	18.9	5.8	1.0	-1.1	871
Bahawalnagar	42.7	15.9	-1.8	722	39.6	14.5	-1.6	716	21.7	4.5	0.5	-1.2	713
RY Khan	46.8	19.0	-1.9	1,352	45.3	23.1	-1.8	1,324	21.6	6.9	1.3	-1.2	1,348
<b>DG Khan</b>	48.7	20.9	-1.9	837	50.9	28.0	-2.0	827	21.4	5.3	0.5	-1.1	853
Layyah	37.0	14.2	-1.7	496	38.8	14.8	-1.6	489	18.9	3.8	1.4	-1.1	494
Muzaffargarh	42.4	16.0	-1.8	1,079	46.3	21.4	-1.9	1,064	18.0	3.8	1.4	-1.0	1,071
Rajanpur	45.7	17.2	-1.9	600	47.6	25.8	-2.0	596	16.3	4.6	0.7	-1.1	599
<b>Faisalabad</b>	30.8	8.6	-1.4	1,762	25.0	8.6	-1.1	1,756	21.1	6.8	1.7	-1.1	1,746
Chiniot	39.0	14.3	-1.7	333	35.5	12.9	-1.5	332	23.2	10.0	0.2	-1.2	328
Jhang	37.1	13.2	-1.7	614	36.9	15.8	-1.5	604	19.4	6.0	1.3	-1.1	606
TT Singh	36.9	12.8	-1.7	501	32.4	10.8	-1.4	500	21.2	5.0	0.1	-1.2	493
<b>Gujranwala</b>	22.9	6.7	-1.3	1,176	27.7	7.5	-1.2	1,167	11.7	3.0	0.6	-0.8	1,174
Gujrat	21.8	6.6	-1.2	739	27.7	7.7	-1.2	737	11.7	3.4	1.1	-0.7	736
Hafizabad	29.8	7.3	-1.5	300	34.0	11.4	-1.6	298	11.3	1.8	0.8	-0.8	298
Mandi Bahauddin	23.6	7.4	-1.3	392	33.3	11.5	-1.5	387	10.8	1.6	0.6	-0.6	385
Narowal	29.1	8.4	-1.5	519	32.3	11.7	-1.4	520	14.6	4.1	0.8	-0.9	520
Sialkot	24.5	5.9	-1.3	879	24.0	7.8	-1.1	876	17.5	4.1	0.9	-0.9	871
<b>Lahore</b>	28.3	7.9	-1.4	2,341	29.2	10.3	-1.3	2,326	13.5	2.3	0.9	-0.9	2,351
Kasur	36.4	11.7	-1.6	856	35.4	13.5	-1.5	848	17.9	5.4	0.5	-1.1	853
Nankana Sahib	34.4	10.5	-1.6	406	35.0	12.9	-1.5	403	16.8	4.5	0.2	-1.1	402
Sheikhupura	32.6	11.7	-1.5	849	33.2	13.7	-1.5	837	16.4	4.0	0.8	-0.9	858
<b>Multan</b>	38.0	12.9	-1.7	1,120	34.1	15.6	-1.5	1,103	23.1	5.0	1.2	-1.2	1,117
Khanewal	36.1	11.4	-1.6	693	34.5	13.5	-1.5	691	19.9	5.1	0.5	-1.1	698
Lodhran	35.6	13.2	-1.7	430	38.0	18.4	-1.7	427	17.0	5.0	0.7	-1.0	426
Vehari	36.4	12.9	-1.7	641	34.0	12.2	-1.5	635	19.1	4.9	0.8	-1.1	636
<b>Sahiwal</b>	33.9	11.2	-1.6	616	32.3	10.6	-1.4	615	18.7	4.3	0.3	-1.1	613
Pakpattan	38.1	12.6	-1.7	516	36.9	14.8	-1.6	511	17.6	4.2	0.2	-1.1	510
Okara	36.2	12.6	-1.6	848	33.5	14.1	-1.5	845	18.4	4.4	0.1	-1.1	854

Table D.NU.2: Nutritional status of children													
Percentage of children under age 5 by nutritional status according to three anthropometric indices: weight for age, height for age, and weight for height, Punjab, 2014.													
	Weight for age				Height for age				Weight for height				
	Underweight		Mean Z-Score (SD)	Number of children under age 5	Stunted		Mean Z-Score (SD)	Number of children under age 5	Wasted		Overweight	Mean Z-Score (SD)	Number of children under age 5
	Percent below - 2 SD <sup>1</sup>	- 3 SD <sup>2</sup>			Percent below - 2 SD <sup>3</sup>	- 3 SD <sup>4</sup>			Percent below - 2 SD <sup>5</sup>	- 3 SD <sup>6</sup>	Percent above  + 2 SD <sup>7</sup>		
<b>Rawalpindi</b>	18.5	5.0	-1.1	1,118	18.2	5.9	-0.9	1,115	13.6	2.5	1.5	-0.8	1,123
Attock	24.4	6.9	-1.3	415	23.9	7.6	-1.1	413	13.4	2.7	0.4	-0.9	413
Chakwal	25.1	5.5	-1.3	309	24.1	5.6	-1.2	307	13.4	2.2	0.1	-0.9	306
Jhelum	24.7	5.5	-1.2	238	28.8	9.2	-1.3	234	11.5	3.6	1.2	-0.8	234
<b>Sargodha</b>	36.6	11.8	-1.6	791	34.1	11.7	-1.5	787	20.6	5.4	0.5	-1.1	794
Bhakkar	36.5	13.8	-1.8	405	35.0	12.3	-1.5	399	19.7	3.8	0.5	-1.2	397
Khushab	35.0	10.2	-1.6	312	34.7	13.1	-1.5	312	16.6	3.8	0.1	-1.1	311
Mianwali	29.8	8.7	-1.5	419	28.9	10.7	-1.4	417	14.9	2.3	0.1	-1.0	416
<b>Punjab<sup>a</sup></b>	33.7	11.3	-1.6	26,490	33.5	13.3	-1.4	26,280	17.5	4.4	0.8	-1.0	26,421
<sup>1</sup> MICS indicator 2.1a and MDG indicator 1.8 - Underweight prevalence (moderate and severe)													
<sup>2</sup> MICS indicator 2.1b - Underweight prevalence (severe)													
<sup>3</sup> MICS indicator 2.2a - Stunting prevalence (moderate and severe)													
<sup>4</sup> MICS indicator 2.2b - Stunting prevalence (severe)													
<sup>5</sup> MICS indicator 2.3a - Wasting prevalence (moderate and severe)													
<sup>6</sup> MICS indicator 2.3b - Wasting prevalence (severe)													
<sup>7</sup> MICS indicator 2.4 - Overweight prevalence													
<sup>a</sup> Number of children under age 5 in each case differ as children are excluded from one or more anthropometric indicators when their weight heights have not been measured													

<b>Table D.NU.3: Initial breastfeeding</b>					
Percentage of last live-born children in the last two years who were ever breastfed, breastfed within one hour of birth and within one day of birth, and percentage who received a prelacteal feed, Punjab, 2014.					
	Percentage who were ever breastfed <sup>1</sup>	Percentage who were first breastfed:		Percentage who received a prelacteal feed	Number of last live-born children in the last two years
		Within one hour of birth <sup>2</sup>	Within one day of birth		
<b>Punjab</b>	93.7	10.6	45.2	74.5	10,653
<b>District</b>					
<b>Bahawalpur</b>	93.2	20.3	41.6	62.3	342
Bahawalnagar	97.6	9.7	37.2	74.0	254
RY Khan	95.2	5.5	39.6	72.1	472
<b>DG Khan</b>	95.5	22.8	62.6	48.9	361
Layyah	95.4	21.7	56.0	54.9	182
Muzaffargarh	95.7	19.4	48.1	64.7	414
Rajanpur	96.1	26.9	62.1	60.8	223
<b>Faisalabad</b>	93.4	6.0	40.4	81.5	692
Chiniot	92.2	7.9	33.2	78.4	123
Jhang	94.7	5.0	49.1	84.4	237
TT Singh	94.2	7.1	36.6	88.0	185
<b>Gujranwala</b>	89.3	3.3	40.5	82.6	481
Gujrat	91.2	8.4	47.6	85.2	258
Hafizabad	94.9	3.4	33.6	87.5	129
Mandi Bahauddin	93.5	8.3	50.0	85.1	173
Narowal	91.7	8.8	47.5	85.9	200
Sialkot	94.1	3.8	37.5	88.7	336
<b>Lahore</b>	94.6	14.6	47.4	72.1	988
Kasur	92.5	3.8	29.8	81.7	376
Nankana Sahib	93.6	9.7	36.6	81.8	182
Sheikhupura	88.0	6.5	42.5	71.8	369
<b>Multan</b>	94.8	8.3	51.6	59.2	465
Khanewal	92.0	11.6	42.8	65.1	289
Lodhran	95.7	7.5	41.9	63.5	176
Vehari	94.5	10.7	48.7	72.3	232
<b>Sahiwal</b>	94.9	2.9	29.0	84.8	261
Pakpattan	91.5	8.2	29.4	81.1	221
Okara	94.4	3.3	25.1	85.4	344
<b>Rawalpindi</b>	92.2	14.9	66.3	65.4	496
Attock	92.5	23.6	68.6	73.4	168
Chakwal	94.3	21.4	64.3	79.3	120
Jhelum	94.5	16.1	65.7	74.3	97
<b>Sargodha</b>	93.5	8.7	45.2	79.1	319
Bhakkar	96.3	10.8	43.4	87.5	174
Khushab	96.4	12.0	49.8	82.5	127
Mianwali	95.9	10.7	57.2	81.2	184
<sup>1</sup> MICS indicator 2.5 - Children ever breastfed					
<sup>2</sup> MICS indicator 2.6 - Early initiation of breastfeeding					

**Table D.NU.4: Breastfeeding**

Percentage of living children according to breastfeeding status at selected age groups, Punjab, 2014.

	Children age 0-3 months				Children age 0-5 months				Children age 12-15 months		Children age 20-23 months	
	Percent ever breastfed	Percent exclusively breastfed <sup>1</sup>	Percent predominantly breastfed <sup>2</sup>	Number of children	Percent ever breastfed	Percent exclusively breastfed <sup>1</sup>	Percent predominantly breastfed <sup>2</sup>	Number of children	Percent breastfed (Continued breastfeeding at 1 year) <sup>3</sup>	Number of children	Percent breastfed (Continued breastfeeding at 2 years) <sup>4</sup>	Number of children
<b>Punjab</b>	96.6	22.6	55.5	1,583	96.5	16.8	47.8	2,333	65.6	1,854	34.5	1,728
<b>District</b>												
<b>Bahawalpur</b>	(100.0)	(3.7)	(38.0)	35	100.0	5.6	35.7	61	(65.3)	51	38.0	54
Bahawalnagar	(98.7)	(8.3)	(53.5)	40	99.1	5.8	45.7	57	72.8	55	(32.7)	29
RY Khan	100.0	13.4	66.9	74	100.0	9.4	59.6	106	73.6	95	32.5	67
<b>DG Khan</b>	(97.8)	(21.2)	(60.7)	37	96.7	12.7	44.2	66	70.6	57	47.3	51
Layyah	(94.7)	(29.8)	(72.6)	30	95.5	20.9	56.6	43	76.6	36	(37.3)	29
Muzaffargarh	96.2	13.2	55.7	67	97.5	9.5	46.7	103	72.7	75	(38.6)	44
Rajanpur	92.8	29.7	68.7	35	94.3	27.2	65.8	44	(67.9)	36	(48.4)	30
<b>Faisalabad</b>	96.1	11.7	38.9	90	96.1	8.0	38.3	157	69.8	103	35.2	139
Chiniot	(98.0)	(27.3)	(72.7)	21	(96.9)	(17.1)	(62.1)	34	(62.2)	24	(26.7)	22
Jhang	(97.1)	(24.1)	(58.6)	26	98.4	13.2	41.0	48	(64.9)	33	37.4	44
TT Singh	(86.0)	(9.5)	(44.5)	31	(88.4)	(7.9)	(42.9)	37	73.2	39	(31.5)	23
<b>Gujranwala</b>	(96.0)	(12.2)	(46.3)	52	93.9	7.3	34.7	86	63.7	86	30.3	100
Gujrat	(93.9)	(35.4)	(40.8)	45	95.7	30.0	36.5	64	54.6	44	15.8	57
Hafizabad	(92.0)	(28.5)	(45.0)	17	(94.2)	(20.5)	(40.4)	24	(49.9)	28	(31.0)	20
Mandi	(100.0)	(57.6)	(73.4)	25	(99.0)	(44.7)	(61.4)	33	(58.3)	35	(26.7)	28
Narowal	(94.9)	(18.7)	(53.5)	29	96.1	14.2	39.9	46	70.1	43	29.3	36
Sialkot	(91.5)	(20.7)	(30.7)	48	94.2	15.6	26.9	70	63.7	61	29.6	61
<b>Lahore</b>	99.1	17.0	43.3	159	99.3	13.6	39.9	204	52.8	163	30.2	145
Kasur	99.2	12.8	59.6	66	97.1	9.0	52.1	104	54.8	49	(27.3)	39
Nankana	(91.7)	(23.1)	(53.9)	26	90.3	15.8	41.6	39	65.4	39	(37.7)	27
Sheikhupura	(95.0)	(33.9)	(50.3)	39	94.1	24.0	39.7	58	55.4	64	(38.5)	56
<b>Multan</b>	96.5	24.5	63.7	80	96.4	19.2	54.5	110	54.1	72	34.6	80
Khanewal	(93.6)	(16.7)	(63.1)	42	95.8	11.1	54.0	63	61.4	52	47.0	49
Lodhran	93.6	17.4	62.1	45	93.8	17.7	64.3	55	71.8	36	(28.7)	30
Vehari	(100.0)	(38.4)	(79.9)	44	100.0	34.2	74.4	57	77.1	43	32.8	44
<b>Sahiwal</b>	94.0	45.5	63.7	43	92.1	35.3	55.6	57	72.3	44	34.2	51
Pakpattan	(97.8)	(23.1)	(48.2)	39	97.4	19.1	42.1	50	79.5	49	(42.6)	38
Okara	(100.0)	(24.4)	(57.5)	48	98.9	18.9	48.9	68	61.0	71	41.5	61

**Table D.NU.4: Breastfeeding**

Percentage of living children according to breastfeeding status at selected age groups, Punjab, 2014.

	Children age 0-3 months				Children age 0-5 months				Children age 12-15 months		Children age 20-23 months	
	Percent ever breastfed	Percent exclusively breastfed <sup>1</sup>	Percent predominantly breastfed <sup>2</sup>	Number of children	Percent ever breastfed	Percent exclusively breastfed <sup>1</sup>	Percent predominantly breastfed <sup>2</sup>	Number of children	Percent breastfed (Continued breastfeeding at 1 year) <sup>3</sup>	Number of children	Percent breastfed (Continued breastfeeding at 2 years) <sup>4</sup>	Number of children
<b>Rawalpindi</b>	(97.8)	(23.8)	(53.8)	59	93.7	15.6	42.8	116	62.5	75	33.9	69
Attock	(91.7)	(47.6)	(56.6)	28	(90.8)	(39.3)	(48.6)	34	(64.0)	25	(38.0)	27
Chakwal	(100.0)	(29.4)	(62.4)	20	(100.0)	(23.9)	(53.1)	27	(*)	10	(33.3)	25
Jhelum	(*)	(*)	(*)	13	(100.0)	(51.4)	(62.1)	17	(75.0)	18	(32.8)	18
<b>Sargodha</b>	(97.4)	(30.6)	(62.6)	44	98.4	22.0	51.8	73	70.7	55	34.7	60
Bhakkar	(100.0)	(21.2)	(60.3)	27	97.4	15.0	57.1	38	(83.3)	34	(29.9)	22
Khushab	(96.5)	(29.5)	(84.5)	27	(97.4)	(26.9)	(82.3)	37	(76.3)	20	(*)	16
Mianwali	(96.2)	(29.6)	(56.5)	32	95.2	21.8	48.0	46	(76.0)	33	42.5	36
<b>Punjab</b>	96.6	22.6	55.5	1,583	96.5	16.8	47.8	2,333	65.6	1,854	34.5	1,728
<sup>1</sup> MICS indicator 2.7 - Exclusive breastfeeding under 6 months												
<sup>2</sup> MICS indicator 2.8 - Predominant breastfeeding under 6 months												
<sup>3</sup> MICS indicator 2.9 - Continued breastfeeding at 1 year												
<sup>4</sup> MICS indicator 2.10 - Continued breastfeeding at 2 years												
( ) Figures that are based on 25-49 unweighted cases												
(*) Figures that are based on fewer than 25 unweighted cases												

**Table D.NU.5: Duration of breastfeeding**

Median duration of any breastfeeding, exclusive breastfeeding, and predominant breastfeeding among children age 0-35 months, Punjab, 2014.

	Median duration (in months) of:			Number of children age 0-35 months
	Any breastfeeding <sup>1</sup>	Exclusive breastfeeding	Predominant breastfeeding	
<b>Median (Punjab)</b>	17.4	0.6	2.2	15,968
<b>District</b>				
<b>Bahawalpur</b>	15.5	0.0	0.6	513
Bahawalnagar	17.8	0.4	2.2	408
RY Khan	19.3	0.5	5.1	762
<b>DG Khan</b>	20.1	0.6	2.1	511
Layyah	18.8	0.6	2.9	289
Muzaffargarh	19.8	0.4	1.6	624
Rajanpur	20.7	0.6	4.1	343
<b>Faisalabad</b>	16.7	0.4	0.6	1,078
Chiniot	17.9	0.5	3.6	188
Jhang	16.4	0.7	1.8	369
TT Singh	18.2	0.4	1.7	286
<b>Gujranwala</b>	15.3	0.5	1.3	711
Gujrat	13.5	1.3	1.7	433
Hafizabad	15.2	0.6	0.9	183
Mandi Bahauddin	16.7	2.1	3.8	229
Narowal	17.9	0.5	1.9	315
Sialkot	15.5	0.5	0.5	528
<b>Lahore</b>	14.0	0.6	0.6	1,422
Kasur	16.6	0.5	2.7	535
Nankana Sahib	15.9	0.5	1.9	260
Sheikhupura	15.2	0.7	1.3	522
<b>Multan</b>	19.4	0.5	3.4	711
Khanewal	16.3	0.5	2.9	432
Lodhran	18.0	0.5	5.0	260
Vehari	18.0	0.7	4.6	368
<b>Sahiwal</b>	17.4	1.6	3.0	397
Pakpattan	16.6	0.5	0.7	311
Okara	16.6	0.5	2.4	510
<b>Rawalpindi</b>	19.8	0.6	1.4	696
Attock	20.1	0.9	2.3	245
Chakwal	17.1	1.2	2.8	179
Jhelum	17.8	2.6	3.2	147
<b>Sargodha</b>	16.0	0.7	2.7	503
Bhakkar	19.5	0.5	3.2	244
Khushab	21.0	0.6	5.6	184
Mianwali	20.8	0.5	2.1	275
<b>Mean (Punjab)</b>	16.7	1.0	3.6	15,968

<sup>1</sup> MICS indicator 2.11 - Duration of breastfeeding



**Table D.NU.6: Age-appropriate breastfeeding**

Percentage of children age 0-23 months who were appropriately breastfed during the previous day, Punjab, 2014.

	Children age 0-5 months		Children age 6-23 months		Children age 0-23 months	
	Percent exclusively breastfed <sup>1</sup>	Number of children	Percent currently breastfeeding and receiving solid, semi-solid or soft foods	Number of children	Percent appropriately breastfed <sup>2</sup>	Number of children
<b>Punjab</b>	16.8	2,333	48.0	8,310	41.2	10,642
<b>District</b>						
<b>Bahawalpur</b>	5.6	61	42.1	274	35.4	335
Bahawalnagar	5.8	57	43.7	203	35.3	260
RY Khan	9.4	106	43.3	372	35.8	478
<b>DG Khan</b>	12.7	66	56.1	280	47.8	346
Layyah	20.9	43	52.4	139	44.9	182
Muzaffargarh	9.5	103	51.9	305	41.2	408
Rajanpur	27.2	44	58.2	182	52.2	226
<b>Faisalabad</b>	8.0	157	49.0	577	40.2	734
Chiniot	(17.1)	34	47.7	101	40.0	135
Jhang	13.2	48	48.8	197	41.7	246
TT Singh	(7.9)	37	60.3	158	50.3	195
<b>Gujranwala</b>	7.3	86	41.7	415	35.8	501
Gujrat	30.0	64	40.3	217	38.0	281
Hafizabad	(20.5)	24	44.1	104	39.6	128
Mandi Bahauddin	(44.7)	33	45.1	127	45.0	159
Narowal	14.2	46	50.3	154	41.9	200
Sialkot	15.6	70	51.7	281	44.5	350
<b>Lahore</b>	13.6	204	41.1	732	35.1	936
Kasur	9.0	104	48.5	258	37.1	362
Nankana Sahib	15.8	39	48.4	135	41.1	173
Sheikhupura	24.0	58	44.8	294	41.4	352
<b>Multan</b>	19.2	110	41.0	371	36.0	481
Khanewal	11.1	63	47.2	220	39.1	284
Lodhran	17.7	55	49.8	122	39.9	177
Vehari	34.2	57	57.0	179	51.5	235
<b>Sahiwal</b>	35.3	57	48.0	207	45.2	264
Pakpattan	19.1	50	51.7	161	44.0	210
Okara	18.9	68	41.8	283	37.3	351
<b>Rawalpindi</b>	15.6	116	57.7	366	47.6	482
Attock	(39.3)	34	57.1	122	53.2	156
Chakwal	(23.9)	27	50.7	86	44.3	114
Jhelum	(51.4)	17	55.1	81	54.5	98
<b>Sargodha</b>	22.0	73	43.3	253	38.5	325
Bhakkar	15.0	38	55.6	134	46.7	171
Khushab	(26.9)	37	59.1	88	49.6	125
Mianwali	21.8	46	56.9	134	48.0	180

<sup>1</sup> MICS indicator 2.7 - Exclusive breastfeeding under 6 months<sup>2</sup> MICS indicator 2.12 - Age-appropriate breastfeeding

( ) Figures that are based on 25-49 unweighted cases

**Table D.NU.8: Infant and young child feeding (IYCF) practices**

Percentage of children age 6-23 months who received appropriate liquids and solid, semi-solid, or soft foods the minimum number of times or more during the previous day, by breastfeeding status, Punjab, 2014.

	Currently breastfeeding				Currently not breastfeeding					All			
	Percent of children who received:			Number of children age 6-23 months	Percent of children who received:				Number of children age 6-23 months	Percent of children who received:			Number of children age 6-23 months
	Minimum dietary diversity <sup>a</sup>	Minimum meal frequency <sup>b</sup>	Minimum acceptable diet <sup>1, c</sup>		Minimum dietary diversity <sup>a</sup>	Minimum meal frequency <sup>b</sup>	Minimum acceptable diet <sup>2, c</sup>	At least 2 milk feeds <sup>3</sup>		Minimum dietary diversity <sup>4, a</sup>	Minimum meal frequency <sup>5, b</sup>	Minimum acceptable diet <sup>c</sup>	
<b>Punjab</b>	12.5	49.8	11.2	4,992	25.2	92.2	7.3	90.8	2,866	17.3	65.3	9.7	8,310
<b>District</b>													
<b>Bahawalpur</b>	5.6	29.8	3.3	165	8.2	71.7	1.8	83.5	89	6.7	44.5	2.8	274
Bahawalnagar	3.2	28.1	2.5	136	8.1	84.6	0.0	85.2	62	4.6	45.8	1.7	203
RY Khan	6.2	35.9	6.2	245	18.1	89.4	3.4	86.7	119	9.9	53.4	5.3	372
<b>DG Khan</b>	11.3	40.6	9.5	199	22.3	85.5	6.4	88.2	71	13.9	52.4	8.7	280
Layyah	12.7	58.6	11.4	89	32.8	93.6	13.5	95.3	46	19.8	70.5	12.1	139
Muzaffargarh	12.9	38.3	9.8	216	27.8	89.2	9.4	86.9	79	17.1	51.9	9.7	305
Rajanpur	10.3	48.9	8.0	135	26.8	89.0	5.9	81.2	44	14.0	58.7	7.5	182
<b>Faisalabad</b>	14.0	58.9	13.4	341	27.5	98.4	10.1	94.5	196	19.6	73.3	12.2	577
Chiniot	15.8	61.0	15.8	61	24.9	97.7	11.7	93.6	33	18.2	73.8	14.4	101
Jhang	11.2	67.7	11.2	118	15.9	94.9	6.0	94.9	70	12.6	77.9	9.2	197
TT Singh	15.4	70.3	15.4	103	26.1	99.2	2.0	95.2	49	18.5	79.6	11.1	158
<b>Gujranwala</b>	7.8	47.4	5.7	208	24.1	95.0	5.7	90.5	161	16.8	68.2	5.7	415
Gujrat	9.6	66.2	9.6	100	18.8	96.8	7.2	98.3	95	15.7	81.0	8.4	217
Hafizabad	10.4	58.1	10.4	55	28.0	90.9	5.2	89.1	47	18.0	73.2	8.0	104
Mandi	14.9	65.9	14.9	67	25.2	91.6	4.6	86.9	57	19.2	77.8	10.1	127
Narowal	11.9	66.4	11.9	96	26.6	96.2	4.9	91.4	44	16.6	75.8	9.7	154
Sialkot	15.4	60.9	13.3	156	25.2	96.2	7.8	93.1	110	20.1	75.5	11.0	281
<b>Lahore</b>	19.9	54.1	18.6	380	37.6	92.1	10.0	90.9	303	27.8	70.9	14.8	732
Kasur	11.2	49.8	11.2	154	31.9	94.2	7.5	87.7	93	18.5	66.5	9.8	258
Nankana Sahib	12.0	53.3	11.3	80	33.2	93.6	6.1	92.9	49	20.1	68.6	9.3	135
Sheikhupura	13.2	52.0	13.2	159	28.5	98.8	9.1	94.5	111	18.8	71.3	11.5	294
<b>Multan</b>	5.5	26.2	4.2	222	13.5	84.3	3.4	94.3	125	9.5	47.2	3.9	371
Khanewal	5.4	45.4	4.9	139	24.5	86.9	4.1	90.3	67	11.9	59.0	4.6	220
Lodhran	8.7	43.4	8.2	78	23.1	94.0	3.5	98.1	42	14.0	61.1	6.6	122
Vehari	4.7	51.9	4.7	114	24.6	93.2	4.4	89.9	62	11.5	66.4	4.6	179
<b>Sahiwal</b>	8.8	58.6	8.8	123	25.5	97.8	9.0	88.4	78	14.9	73.8	8.9	207
Pakpattan	12.5	60.1	12.5	103	16.8	95.1	2.7	82.4	50	13.7	71.6	9.3	161
Okara	11.2	43.6	10.7	164	18.7	88.0	8.4	92.5	103	14.3	60.7	9.8	283

**Table D.NU.8: Infant and young child feeding (IYCF) practices**

Percentage of children age 6-23 months who received appropriate liquids and solid, semi-solid, or soft foods the minimum number of times or more during the previous day, by breastfeeding status, Punjab, 2014.

	Currently breastfeeding				Currently not breastfeeding					All			
	Percent of children who received:			Number of children age 6-23 months	Percent of children who received:				Number of children age 6-23 months	Percent of children who received:			Number of children age 6-23 months
	Minimum dietary diversity <sup>a</sup>	Minimum meal frequency <sup>b</sup>	Minimum acceptable diet <sup>1, c</sup>		Minimum dietary diversity <sup>a</sup>	Minimum meal frequency <sup>b</sup>	Minimum acceptable diet <sup>2, c</sup>	At least 2 milk feeds <sup>3</sup>		Minimum dietary diversity <sup>4, a</sup>	Minimum meal frequency <sup>5, b</sup>	Minimum acceptable diet <sup>c</sup>	
<b>Rawalpindi</b>	28.4	54.8	23.2	225	31.7	90.4	14.2	85.6	113	29.5	66.7	20.2	366
Attock	25.5	60.2	16.6	78	33.3	96.6	15.3	89.4	41	27.3	72.7	16.1	122
Chakwal	22.4	59.6	19.3	47	47.8	95.8	21.7	84.2	33	34.2	74.4	20.3	86
Jhelum	18.3	65.9	15.8	49	39.9	93.2	11.5	88.4	27	26.7	75.7	14.3	81
<b>Sargodha</b>	17.4	44.2	15.1	144	21.5	92.2	7.7	97.0	93	18.4	63.1	12.2	253
Bhakkar	6.9	43.5	6.9	93	14.1	94.3	1.5	92.1	39	9.0	58.6	5.3	134
Khushab	18.3	52.9	18.3	62	(28.3)	(94.7)	(5.8)	(94.7)	24	20.7	64.6	14.8	88
Mianwali	11.9	51.4	10.7	89	21.7	89.4	3.3	88.3	42	15.7	63.6	8.3	134
<b>Punjab</b>	12.5	49.8	11.2	4,992	25.2	92.2	7.3	90.8	2,866	17.3	65.3	9.7	8,310

<sup>1</sup> MICS indicator 2.17a - Minimum acceptable diet (breastfed)

<sup>2</sup> MICS indicator 2.17b - Minimum acceptable diet (non-breastfed)

<sup>3</sup> MICS indicator 2.14 - Milk feeding frequency for non-breastfed children

<sup>4</sup> MICS indicator 2.16 - Minimum dietary diversity

<sup>5</sup> MICS indicator 2.15 - Minimum meal frequency

<sup>a</sup> Minimum dietary diversity is defined as receiving foods from at least 4 of 7 food groups: 1) Grains, roots and tubers, 2) legumes and nuts, 3) dairy products (milk, yogurt, cheese), 4) flesh foods (meat, fish, poultry and liver/organ meats), 5) eggs, 6) vitamin-A rich fruits and vegetables, and 7) other fruits and vegetables.

<sup>b</sup> Minimum meal frequency among currently breastfeeding children is defined as children who also received solid, semi-solid, or soft foods 2 times or more daily for children age 6-8 months and 3 times or more daily for children age 9-23 months. For non-breastfeeding children age 6-23 months it is defined as receiving solid, semi-solid or soft foods, or milk feeds, at least 4 times daily.

<sup>c</sup> The minimum acceptable diet for breastfed children age 6-23 months is defined as receiving the minimum dietary diversity and the minimum meal frequency, while it for non-breastfed children further requires at least 2 milk feedings and that the minimum dietary diversity is achieved without counting milk feeds.

( ) Figures that are based on 25-49 unweighted cases

<b>Table D.NU.9: Bottle feeding</b>		
Percentage of children age 0-23 months who were fed with a bottle with a nipple during the previous day, Punjab, 2014.		
	Percentage of children age 0-23 months fed with a bottle with a nipple <sup>1</sup>	Number of children age 0-23 months
<b>Punjab</b>	57.7	10,642
<b>District</b>		
<b>Bahawalpur</b>	51.8	335
Bahawalnagar	47.3	260
RY Khan	37.6	478
<b>DG Khan</b>	51.4	346
Layyah	58.1	182
Muzaffargarh	51.4	408
Rajanpur	44.6	226
<b>Faisalabad</b>	56.8	734
Chiniot	55.4	135
Jhang	58.7	246
TT Singh	60.8	195
<b>Gujranwala</b>	69.6	501
Gujrat	75.3	281
Hafizabad	57.3	128
Mandi Bahauddin	67.2	159
Narowal	64.7	200
Sialkot	68.1	350
<b>Lahore</b>	71.4	936
Kasur	57.8	362
Nankana Sahib	60.2	173
Sheikhupura	65.8	352
<b>Multan</b>	60.2	481
Khanewal	52.8	284
Lodhran	43.6	177
Vehari	45.4	235
<b>Sahiwal</b>	48.8	264
Pakpattan	52.8	210
Okara	59.3	351
<b>Rawalpindi</b>	64.0	482
Attock	53.4	156
Chakwal	59.0	114
Jhelum	63.1	98
<b>Sargodha</b>	56.5	325
Bhakkar	49.5	171
Khushab	35.9	125
Mianwali	45.9	180
<sup>1</sup> MICS indicator 2.18 - Bottle feeding		

**Table D.NU.10: Iodized salt consumption**

Percent distribution of households by consumption of iodized salt, Punjab, 2014.

	Percentage of households in which salt was tested	Number of households	Percent of households with:				Total	Number of households in which salt was tested or with no salt
			No salt	Salt test result				
				Not iodized 0 PPM	>0 and <15 PPM	15+ PPM <sup>1</sup>		
<b>Punjab</b>	98.2	38,405	1.1	30.2	19.6	49.2	100.0	38,119
<b>District</b>								
<b>Bahawalpur</b>	98.2	1,299	1.3	26.5	31.6	40.6	100.0	1,292
Bahawalnagar	98.6	1,074	0.9	17.8	20.2	61.1	100.0	1,069
RY Khan	98.1	1,719	1.8	47.7	15.0	35.5	100.0	1,717
<b>DG Khan</b>	99.1	935	0.5	47.4	21.6	30.5	100.0	931
Layyah	98.8	597	1.1	36.5	25.7	36.7	100.0	597
Muzaffargarh	98.1	1,303	1.4	30.6	25.8	42.2	100.0	1,296
Rajanpur	98.2	600	1.8	57.8	22.2	18.3	100.0	600
<b>Faisalabad</b>	98.6	2,711	0.8	27.9	15.7	55.5	100.0	2,695
Chiniot	98.8	504	0.7	28.3	22.5	48.6	100.0	502
Jhang	99.2	893	0.6	35.1	19.2	45.0	100.0	892
TT Singh	98.8	780	0.9	26.0	21.1	52.0	100.0	778
<b>Gujranwala</b>	98.5	1,589	0.4	20.7	18.1	60.8	100.0	1,572
Gujrat	98.6	1,024	0.8	18.4	18.2	62.5	100.0	1,018
Hafizabad	97.4	433	1.2	12.3	10.7	75.7	100.0	427
Mandi Bahauddin	97.9	589	1.2	22.0	18.4	58.3	100.0	584
Narowal	99.3	634	0.4	40.7	13.9	44.9	100.0	632
Sialkot	98.1	1,299	1.6	10.1	17.4	71.0	100.0	1,294
<b>Lahore</b>	97.1	3,614	1.0	31.0	15.3	52.8	100.0	3,544
Kasur	97.5	1,171	1.6	25.4	21.8	51.2	100.0	1,160
Nankana Sahib	98.7	580	0.8	6.0	15.0	78.2	100.0	577
Sheikhupura	98.3	1,266	1.0	23.8	15.2	60.0	100.0	1,257
<b>Multan</b>	97.1	1,835	1.5	55.0	10.1	33.4	100.0	1,809
Khanewal	97.2	1,123	2.2	31.3	20.2	46.3	100.0	1,116
Lodhran	98.7	647	1.3	30.4	19.9	48.4	100.0	647
Vehari	98.3	1,028	1.3	23.4	15.0	60.2	100.0	1,025
<b>Sahiwal</b>	98.4	832	1.5	10.7	16.4	71.5	100.0	831
Pakpattan	98.5	718	1.5	19.5	24.8	54.2	100.0	717
Okara	99.0	1,088	1.0	32.6	18.6	47.9	100.0	1,088
<b>Rawalpindi</b>	96.6	1,923	1.4	19.7	29.7	49.2	100.0	1,883
Attock	98.8	689	0.5	30.4	32.5	36.7	100.0	683
Chakwal	98.1	568	1.1	28.3	31.5	39.2	100.0	563
Jhelum	98.0	452	1.3	29.8	17.9	51.0	100.0	449
<b>Sargodha</b>	98.5	1,324	0.9	60.5	13.7	24.9	100.0	1,316
Bhakkar	99.5	544	0.5	21.3	35.4	42.9	100.0	544
Khushab	99.6	471	0.2	47.4	23.4	29.1	100.0	471
Mianwali	99.6	545	0.2	27.4	28.4	44.1	100.0	543

<sup>1</sup> MICS indicator 2.19 - Iodized salt consumption

<b>Table D.NU.11: Children's vitamin A supplementation</b>		
Percent distribution of children age 6-59 months by receipt of a high dose vitamin A supplement in the last 6 months, Punjab, 2014.		
	Percentage of children who received Vitamin A during the last 6 months <sup>1</sup>	Number of children age 6-59 months
<b>Punjab</b>	64.8	24,706
<b>District</b>		
<b>Bahawalpur</b>	81.7	846
Bahawalnagar	95.5	676
RY Khan	94.5	1,285
<b>DG Khan</b>	33.0	827
Layyah	65.5	467
Muzaffargarh	46.1	993
Rajanpur	53.3	572
<b>Faisalabad</b>	67.0	1,611
Chiniot	81.0	298
Jhang	68.5	566
TT Singh	79.7	462
<b>Gujranwala</b>	50.5	1,092
Gujrat	64.1	659
Hafizabad	82.2	281
Mandi Bahauddin	80.3	355
Narowal	87.1	475
Sialkot	79.7	811
<b>Lahore</b>	52.4	2,217
Kasur	64.7	788
Nankana Sahib	74.4	372
Sheikhupura	64.6	814
<b>Multan</b>	32.8	1,049
Khanewal	37.5	652
Lodhran	66.6	387
Vehari	59.8	603
<b>Sahiwal</b>	85.0	561
Pakpattan	81.6	471
Okara	61.5	805
<b>Rawalpindi</b>	56.6	1,043
Attock	63.0	381
Chakwal	61.4	276
Jhelum	72.2	224
<b>Sargodha</b>	68.8	744
Bhakkar	69.5	371
Khushab	71.5	283
Mianwali	84.8	389
<sup>1</sup> MICS indicator 2.S1 - Vitamin A supplementation		

**Table D.CH.2: Vaccinations by background characteristics**

Percentage of children age 12-23 months currently vaccinated against vaccine preventable childhood diseases, Punjab, 2014.

	Percentage of children age 12-23 months who received:											Percentage with vaccination card seen	Number of children age 12-23 months	Percentage of children age 24-35 months who received:			Percentage with vaccination card seen	Number of children age 24-35 months
	BCG	Polio				DPT / PENTA			Measles s-1 (MCV1)	Full <sup>a</sup>	None			Measles 2	Full <sup>a</sup>	None		
		At birth	1	2	3	1	2	3										
Punjab	93.1	91.4	95.3	90.8	86.6	85.7	81.8	73.3	77.8	62.3	3.5	58.5	5,300	30.7	58.7	4.5	36.8	5,326
District																		
Bahawalpur	93.6	91.4	92.6	85.9	81.1	90.4	83.7	69.8	76.2	61.1	3.4	61.3	165	26.8	48.2	8.5	32.3	177
Bahawalnagar	86.3	86.6	96.4	92.4	83.2	81.0	78.0	63.1	65.0	50.9	0.6	45.0	120	28.2	67.3	1.3	39.3	148
RY Khan	88.2	86.5	96.4	92.8	87.5	85.3	80.9	68.5	55.9	45.9	2.9	33.5	259	13.3	55.8	2.3	16.1	284
DG Khan	68.9	75.3	79.4	75.8	69.0	59.8	51.1	43.1	46.6	29.6	16.5	36.3	175	10.0	21.5	23.5	16.2	165
Layyah	92.5	87.6	96.2	92.1	86.8	91.9	85.2	70.1	77.2	61.3	3.8	60.1	95	31.9	57.3	3.6	42.2	107
Muzaffargarh	87.3	87.7	92.7	86.9	84.5	84.6	75.5	56.5	62.6	42.0	5.8	45.8	184	10.7	33.7	10.5	18.3	216
Rajanpur	80.7	74.2	92.8	89.5	85.2	71.2	61.5	42.9	41.0	27.0	6.5	32.1	104	8.2	30.1	6.0	15.1	117
Faisalabad	95.1	92.7	95.8	89.7	88.5	93.6	90.9	82.6	82.2	71.2	2.7	64.8	353	30.1	71.3	2.2	36.6	343
Chiniot	94.1	88.9	95.2	92.8	88.7	93.2	89.5	71.6	82.9	65.7	4.8	43.7	62	28.4	82.6	1.2	32.9	53
Jhang	86.9	87.0	91.2	89.3	81.1	83.0	78.7	62.6	63.2	46.4	8.2	38.1	113	17.2	55.8	7.5	22.5	123
TT Singh	96.8	96.8	100.0	97.5	90.1	92.3	92.3	86.4	80.7	71.4	0.0	68.1	90	30.3	74.7	3.8	36.5	90
Gujranwala	92.4	91.7	90.7	85.5	78.9	91.6	87.1	77.4	80.7	65.2	6.2	64.3	278	38.7	65.6	3.7	47.7	210
Gujrat	100.0	98.9	100.0	98.6	93.8	100.0	100.0	97.5	98.1	90.8	0.0	85.6	140	65.0	91.6	0.0	69.1	152
Hafizabad	99.4	98.9	100.0	100.0	97.6	68.1	68.1	67.4	94.2	65.1	0.0	67.1	71	48.7	53.1	0.0	54.0	55
Mandi Bahauddin	99.6	99.6	98.6	97.8	95.3	77.6	77.6	75.3	87.9	68.7	0.4	72.5	91	38.7	46.4	3.1	44.9	69
Narowal	98.6	96.7	100.0	100.0	97.5	98.3	98.3	95.7	92.1	84.8	0.0	81.5	96	55.0	86.9	0.5	62.0	115
Sialkot	99.0	96.9	98.3	92.1	88.6	98.4	91.9	90.1	95.3	80.7	0.5	63.9	174	45.1	78.2	1.3	48.0	177
Lahore	94.9	94.4	96.8	87.4	83.5	91.6	89.1	73.0	75.5	63.3	2.7	50.6	462	21.5	62.3	2.6	26.4	486
Kasur	86.7	80.4	92.7	85.8	75.4	82.4	72.4	61.4	65.9	52.9	5.1	49.4	159	22.8	45.6	3.4	28.8	173
Nankana Sahib	100.0	98.9	100.0	100.0	98.9	78.1	78.1	78.1	92.5	70.0	0.0	76.7	90	41.7	49.6	2.2	44.1	87
Sheikhupura	92.7	93.2	94.3	90.5	84.4	77.0	76.3	71.0	77.9	59.0	5.7	60.0	175	27.7	48.0	10.0	33.7	170
Multan	89.3	85.4	90.9	87.1	84.5	85.8	80.4	73.7	76.8	66.7	8.0	62.3	222	26.1	53.5	9.6	35.5	230
Khanewal	93.6	88.2	96.3	91.2	88.7	88.9	86.6	71.8	78.2	57.0	3.7	51.3	150	21.6	50.8	6.6	30.1	148
Lodhran	96.9	91.5	98.3	97.2	94.6	93.5	91.4	79.1	71.4	58.7	1.7	36.5	82	18.2	71.6	1.7	21.7	83
Vehari	99.3	99.1	98.5	96.1	96.1	97.1	95.4	93.1	85.4	83.7	0.0	71.4	126	43.5	84.7	0.8	45.2	133
Sahiwal	98.8	95.6	99.2	96.5	93.3	66.1	65.4	65.4	87.0	59.1	0.8	65.5	132	56.2	59.8	0.0	59.4	133
Pakpattan	97.7	96.3	98.4	97.0	94.1	73.0	72.3	70.8	79.8	61.2	0.7	73.9	116	32.4	39.4	2.2	43.6	100
Okara	97.5	95.7	98.1	96.5	93.7	83.7	79.8	76.6	90.1	71.8	1.4	70.4	185	43.3	56.5	3.4	46.2	159

**Table D.CH.2: Vaccinations by background characteristics**

Percentage of children age 12-23 months currently vaccinated against vaccine preventable childhood diseases, Punjab, 2014.

	Percentage of children age 12-23 months who received:												Number of children age 12-23 months	Percentage of children age 24-35 months who received:					Number of children age 24-35 months
	Percentage of children age 12-23 months who received:											Percentage of children age 24-35 months who received:							
	BCG	Polio			DPT / PENTA			Measles-1 (MCV1)	Full <sup>a</sup>	None	Percentage with vaccination card seen	Measles 2		Full [a]	None	Percentage with vaccination card seen			
		At birth	1	2	3	1	2										3		
<b>Rawalpindi</b>	93.9	95.2	94.6	82.5	77.3	92.4	82.1	79.7	84.9	64.9	3.8	61.4	236	31.5	56.7	5.9	34.9	215	
Attock	100.0	96.9	98.2	91.5	85.9	96.8	91.0	82.3	84.9	72.0	0.0	70.5	75	48.1	74.2	2.4	54.2	89	
Chakwal	99.0	97.6	97.9	93.6	90.4	93.8	91.9	86.1	91.8	80.2	1.0	68.2	56	48.1	87.2	0.0	50.5	65	
Jhelum	100.0	97.8	100.0	97.1	94.9	100.0	98.8	91.0	91.4	81.8	0.0	69.0	56	51.4	88.1	1.3	55.8	49	
<b>Sargodha</b>	92.1	91.4	93.2	90.1	88.0	82.8	81.8	77.9	87.7	70.7	5.6	62.4	180	39.4	61.2	4.3	45.9	178	
Bhakkar	91.4	88.1	95.3	93.6	92.8	61.8	61.1	60.3	76.9	52.1	3.4	58.2	82	23.6	27.3	4.5	31.3	72	
Khushab	96.2	86.6	98.7	97.4	90.9	69.5	68.2	62.9	87.3	50.1	1.3	66.4	53	42.2	50.2	4.7	53.4	60	
Mianwali	99.0	92.9	99.5	98.2	91.8	69.4	68.1	63.2	83.0	53.7	0.0	69.4	94	37.0	45.3	1.2	51.3	95	
<b>Punjab</b>	93.1	91.4	95.3	90.8	86.6	85.7	81.8	73.3	77.8	62.3	3.5	58.5	5,300	30.7	58.7	4.5	36.8	5,326	
<sup>a</sup> Includes: BCG, Polio3, PENTA3 and Measles-1 (MCV1) as per the vaccination schedule in Puniab																			

<sup>a</sup> Includes: BCG, Polio3, PENTA3 and Measles-1 (MCV1) as per the vaccination schedule in Punjab



**Table D.CH.3: Neonatal tetanus protection**

Percentage of women age 15-49 years with a live birth in the last 2 years protected against neonatal tetanus, Punjab, 2014.

	Percentage of women who received at least 2 doses during last pregnancy	Percentage of women who did not receive two or more doses during last pregnancy but received:				Protected against tetanus <sup>1</sup>	Number of women with a live birth in the last 2 years
		2 doses, the last within prior 3 years	3 doses, the last within prior 5 years	4 doses, the last within prior 10 years	5 or more doses during lifetime		
<b>Punjab</b>	70.5	4.7	0.8	0.4	0.1	76.4	10,653
<b>District</b>							
<b>Bahawalpur</b>	67.0	4.0	0.7	0.7	0.3	72.8	342
Bahawalnagar	63.8	1.9	1.7	0.0	0.0	67.4	254
RY Khan	60.0	1.1	0.8	0.0	0.0	62.0	472
<b>DG Khan</b>	50.5	6.6	0.3	0.1	0.0	57.4	361
Layyah	77.1	4.4	1.1	0.2	0.0	82.9	182
Muzaffargarh	66.6	4.6	0.3	0.7	0.0	72.2	414
Rajanpur	48.0	5.6	1.0	0.8	0.4	55.7	223
<b>Faisalabad</b>	73.7	4.8	0.2	0.3	0.0	79.0	692
Chiniot	76.9	6.1	1.8	0.3	0.0	85.1	123
Jhang	62.9	4.1	1.6	0.5	0.3	69.5	237
TT Singh	70.1	6.5	1.0	0.0	0.0	77.7	185
<b>Gujranwala</b>	75.0	5.4	0.6	0.3	0.0	81.3	481
Gujrat	85.7	7.2	0.0	0.8	0.0	93.8	258
Hafizabad	71.9	9.3	0.6	0.3	0.0	82.1	129
Mandi Bahauddin	77.8	1.7	0.7	0.0	0.0	80.2	173
Narowal	85.2	7.0	1.8	1.7	0.5	96.1	200
Sialkot	90.7	1.1	0.0	0.2	0.0	92.0	336
<b>Lahore</b>	73.7	5.1	2.2	0.4	0.1	81.6	988
Kasur	51.9	6.9	1.3	0.8	0.3	61.3	376
Nankana Sahib	84.9	3.1	0.0	0.0	0.0	87.9	182
Sheikhupura	67.4	3.0	0.7	1.1	0.3	72.4	369
<b>Multan</b>	68.8	3.4	0.4	0.0	0.0	72.5	465
Khanewal	61.2	3.0	0.3	0.7	0.0	65.2	289
Lodhran	75.8	0.6	0.7	0.0	0.0	77.0	176
Vehari	70.9	3.6	1.6	0.0	0.9	77.0	232
<b>Sahiwal</b>	79.4	5.0	0.5	0.4	0.0	85.5	261
Pakpattan	71.6	4.5	0.4	1.3	0.0	77.8	221
Okara	61.9	3.0	0.9	0.7	0.0	66.4	344
<b>Rawalpindi</b>	79.0	5.6	0.6	0.2	0.0	85.4	496
Attock	77.4	2.9	0.0	0.0	0.0	80.3	168
Chakwal	79.1	5.6	0.0	0.0	0.7	85.4	120
Jhelum	84.7	5.8	1.1	0.0	0.0	91.5	97
<b>Sargodha</b>	69.2	5.2	0.3	0.3	0.2	75.2	319
Bhakkar	68.5	5.6	1.7	0.0	0.9	76.8	174
Khushab	62.9	12.7	1.0	0.4	0.0	77.0	127
Mianwali	74.4	11.5	0.8	0.0	0.4	87.1	184

<sup>1</sup> MICS indicator 3.9 - Neonatal tetanus protection

**Table D.CH.4: Reported disease episodes**

Percentage of children age 0-59 months for whom the mother/caretaker reported an episode of diarrhoea, symptoms of acute respiratory infection (ARI), and/or fever in the last two weeks, Punjab, 2014.

	Percentage of children who in the last two weeks had:			Number of children age 0-59 months
	An episode of diarrhoea	Symptoms of ARI	An episode of fever	
<b>Punjab</b>	17.4	2.5	20.8	27,495
<b>District</b>				
<b>Bahawalpur</b>	15.1	2.6	15.3	912
Bahawalnagar	11.5	3.2	15.3	751
RY Khan	11.4	2.5	14.2	1,417
<b>DG Khan</b>	20.4	4.8	22.1	898
Layyah	13.6	3.5	20.3	514
Muzaffargarh	18.8	5.0	25.8	1,118
Rajanpur	22.8	5.5	26.7	621
<b>Faisalabad</b>	15.9	2.6	21.3	1,807
Chiniot	15.5	1.2	24.8	335
Jhang	12.9	1.4	12.1	626
TT Singh	15.8	1.3	19.8	503
<b>Gujranwala</b>	22.3	2.1	25.1	1,210
Gujrat	15.0	1.4	21.0	744
Hafizabad	23.5	2.5	31.7	310
Mandi Bahauddin	11.5	3.5	32.4	401
Narowal	16.1	1.1	19.1	529
Sialkot	21.0	2.4	20.2	906
<b>Lahore</b>	18.6	1.4	20.5	2,467
Kasur	20.5	2.7	24.6	898
Nankana Sahib	18.0	2.5	23.5	418
Sheikhupura	22.7	2.0	23.7	887
<b>Multan</b>	20.4	1.5	18.4	1,179
Khanewal	16.3	2.8	18.2	720
Lodhran	15.3	1.2	15.3	451
Vehari	16.8	1.5	18.5	668
<b>Sahiwal</b>	19.4	3.4	26.0	628
Pakpattan	19.4	3.8	26.1	526
Okara	21.8	2.8	22.2	878
<b>Rawalpindi</b>	15.9	1.9	17.5	1,180
Attock	10.5	1.1	15.9	429
Chakwal	7.5	0.8	11.0	310
Jhelum	11.7	0.7	16.7	246
<b>Sargodha</b>	20.3	3.4	21.6	823
Bhakkar	17.2	3.5	23.6	416
Khushab	11.9	1.9	18.9	325
Mianwali	18.6	2.3	29.0	440

**Table D.CH.5: Care-seeking during diarrhea**

Percentage of children age 0-59 months with diarrhoea in the last two weeks for whom advice or treatment was sought, by source of advice or treatment, Punjab, 2014.

	Percentage of children with diarrhoea for whom: Advice or treatment was sought from:						Number of children age 0-59 months with diarrhoea in the last two weeks
	Health facilities or providers				A health facility or provider <sup>1, b</sup>	No advice or treatment sought	
	Public	Private	Community health provider <sup>a</sup>	Other source			
<b>Punjab</b>	11.1	63.6	0.4	8.1	72.1	18.8	4,784
<b>District</b>							
<b>Bahawalpur</b>	13.5	56.7	0.0	2.0	65.3	27.9	138
Bahawalnagar	12.3	64.8	1.3	5.1	73.1	17.9	87
RY Khan	5.9	72.6	1.7	10.9	70.6	11.3	161
<b>DG Khan</b>	13.7	46.8	0.0	18.4	56.9	25.7	183
Layyah	5.9	52.5	0.0	11.7	58.4	31.0	70
Muzaffargarh	9.0	42.3	0.0	14.6	49.1	34.3	210
Rajanpur	10.7	44.0	0.0	14.6	53.9	32.1	142
<b>Faisalabad</b>	13.5	71.9	0.6	4.8	84.0	10.4	288
Chiniot	6.5	63.1	0.0	16.4	63.4	17.1	52
Jhang	6.3	67.6	0.0	17.6	70.3	12.0	81
TT Singh	5.8	73.1	0.0	12.1	75.6	11.0	80
<b>Gujranwala</b>	9.1	67.6	0.0	3.6	74.6	19.9	270
Gujrat	5.1	75.9	2.2	1.3	79.6	17.6	112
Hafizabad	4.9	77.4	0.9	6.9	81.0	11.6	73
Mandi Bahauddin	11.7	73.2	0.0	2.9	80.8	12.2	46
Narowal	6.3	72.7	1.1	17.8	73.6	12.7	85
Sialkot	8.4	72.4	0.6	5.5	77.5	15.2	190
<b>Lahore</b>	15.7	72.6	0.3	2.9	86.7	10.6	458
Kasur	14.5	58.8	0.0	10.8	69.9	20.4	184
Nankana Sahib	7.4	60.8	0.0	9.4	63.3	22.4	75
Sheikhupura	9.8	56.6	0.0	7.4	65.8	26.6	201
<b>Multan</b>	13.3	65.4	0.0	11.4	76.8	11.0	241
Khanewal	4.6	67.3	0.0	17.6	71.9	16.1	118
Lodhran	16.7	66.9	2.3	3.2	74.8	15.8	69
Vehari	20.2	56.4	0.0	0.5	75.6	24.4	112
<b>Sahiwal</b>	11.8	68.1	0.0	4.4	78.4	16.5	122
Pakpattan	3.3	67.0	0.0	7.9	70.3	22.2	102
Okara	6.5	71.4	1.5	1.5	77.3	21.0	192
<b>Rawalpindi</b>	15.4	55.8	0.8	3.2	70.8	25.6	188
Attock	15.8	53.4	1.6	4.4	69.3	26.3	45
Chakwal	(16.8)	(50.6)	(0.0)	(2.3)	(67.4)	(30.3)	23
Jhelum	(27.9)	(61.1)	(0.0)	(1.6)	(84.0)	(14.4)	29
<b>Sargodha</b>	14.7	60.1	0.0	12.6	70.4	15.8	167
Bhakkar	7.8	50.2	0.0	19.6	54.6	22.5	72
Khushab	6.7	56.7	0.0	17.4	59.7	20.5	39
Mianwali	10.6	69.1	0.8	6.6	74.3	14.8	82

<sup>1</sup> MICS indicator 3.10 - Care-seeking for diarrhea

<sup>a</sup> Community health providers includes both public (*Community health worker and Mobile/Outreach clinic*) and private (*Mobile clinic*) health facilities

<sup>b</sup> Includes all public and private health facilities and providers, but excludes private pharmacy

**Table D.CH.6: Feeding practices during diarrhea**

Percent distribution of children age 0-59 months with diarrhoea in the last two weeks by amount of liquids and food given during episode of diarrhoea, Punjab, 2014.

	Drinking practices during diarrhoea							Eating practices during diarrhoea							Number of children aged 0-59 months with diarrhoea
	Child was given to drink:							Child was given to eat:							
	Much less	Somewhat less	About the same	More	Nothing	Missing/DK	Total	Much less	Somewhat less	About the same	More	Nothing	Missing/DK	Total	
Punjab	7.6	30.0	51.3	9.6	1.3	0.2	100.0	9.2	32.3	47.3	3.6	7.4	0.1	100.0	4,784
District															
Bahawalpur	1.8	18.3	62.8	15.4	1.6	0.0	100.0	13.8	23.7	44.8	8.4	9.2	0.0	100.0	138
Bahawalnagar	1.9	39.0	38.0	21.1	0.0	0.0	100.0	6.1	34.8	42.4	4.5	12.2	0.0	100.0	87
RY Khan	1.9	17.1	50.0	31.0	0.0	0.0	100.0	4.5	21.6	54.4	11.4	8.1	0.0	100.0	161
DG Khan	8.0	45.3	34.5	11.8	0.5	0.0	100.0	7.1	46.7	38.1	5.1	3.1	0.0	100.0	183
Layyah	7.4	42.1	50.5	0.0	0.0	0.0	100.0	13.9	37.3	40.2	2.2	6.5	0.0	100.0	70
Muzaffargarh	7.1	56.6	34.7	1.2	0.4	0.0	100.0	8.3	54.1	33.2	1.6	2.8	0.0	100.0	210
Rajanpur	8.8	26.8	60.2	2.9	1.3	0.0	100.0	11.0	28.1	56.9	1.7	2.2	0.0	100.0	142
Faisalabad	9.7	24.8	58.6	4.4	2.4	0.0	100.0	9.5	30.6	50.9	0.6	8.3	0.0	100.0	288
Chiniot	1.3	25.6	68.8	2.8	0.0	1.4	100.0	4.4	22.9	65.6	0.0	5.7	1.4	100.0	52
Jhang	10.6	32.1	53.5	3.7	0.0	0.0	100.0	7.9	32.9	53.9	2.3	3.1	0.0	100.0	81
TT Singh	4.4	26.9	49.9	18.0	0.8	0.0	100.0	4.4	29.5	50.3	13.7	2.1	0.0	100.0	80
Gujranwala	11.8	21.3	57.1	7.8	1.9	0.0	100.0	9.5	24.5	58.9	2.5	4.6	0.0	100.0	270
Gujrat	5.7	35.9	55.0	3.5	0.0	0.0	100.0	4.9	40.0	52.4	0.0	2.8	0.0	100.0	112
Hafizabad	6.0	31.4	47.7	13.0	1.9	0.0	100.0	6.0	32.2	48.8	5.5	7.5	0.0	100.0	73
Mandi Bahauddin	2.6	34.0	53.0	10.4	0.0	0.0	100.0	2.6	33.9	55.1	1.9	6.4	0.0	100.0	46
Narowal	5.3	41.4	52.4	0.9	0.0	0.0	100.0	8.5	38.7	48.1	0.9	3.8	0.0	100.0	85
Sialkot	9.3	32.4	47.4	7.6	3.2	0.0	100.0	13.5	32.8	40.1	3.2	10.4	0.0	100.0	190
Lahore	10.2	34.0	46.6	9.0	0.2	0.0	100.0	11.1	38.2	41.5	2.0	7.2	0.0	100.0	458
Kasur	4.1	17.2	63.5	14.1	1.1	0.0	100.0	4.8	31.5	54.3	4.7	4.1	0.5	100.0	184
Nankana Sahib	8.1	25.6	59.1	6.3	0.9	0.0	100.0	10.6	29.4	46.8	4.4	8.7	0.0	100.0	75
Sheikhupura	9.0	25.9	49.0	11.2	3.6	1.3	100.0	9.3	32.6	40.2	9.5	8.4	0.0	100.0	201
Multan	13.5	32.2	46.1	8.0	0.0	0.1	100.0	14.0	33.2	39.5	1.9	11.3	0.0	100.0	241
Khanewal	7.7	43.3	49.0	0.0	0.0	0.0	100.0	13.6	28.1	48.3	3.0	7.0	0.0	100.0	118
Lodhran	7.2	25.5	58.7	8.6	0.0	0.0	100.0	3.0	24.6	59.8	2.9	9.8	0.0	100.0	69
Vehari	9.1	27.5	56.6	5.9	0.0	0.9	100.0	15.6	27.9	48.5	1.9	5.3	0.9	100.0	112
Sahiwal	0.0	18.0	52.5	22.8	5.8	1.0	100.0	3.5	13.8	53.6	5.5	23.7	0.0	100.0	122
Pakpattan	2.9	17.1	55.2	22.4	2.5	0.0	100.0	3.8	24.0	59.2	0.0	13.0	0.0	100.0	102
Okara	2.3	28.2	54.5	13.3	1.2	0.5	100.0	7.0	24.7	57.1	4.1	5.9	1.2	100.0	192

Table D.CH.6: Feeding practices during diarrhea																
Percent distribution of children age 0-59 months with diarrhoea in the last two weeks by amount of liquids and food given during episode of diarrhoea, Punjab, 2014.																
	Drinking practices during diarrhoea							Eating practices during diarrhoea							Number of children aged 0-59 months with diarrhoea	
	Child was given to drink:							Child was given to eat:								
	Much less	Somewhat less	About the same	More	Nothing	Missing/DK	Total	Much less	Somewhat less	About the same	More	Nothing	Missing/DK	Total		
Rawalpindi	7.8	32.2	42.1	13.2	4.1	0.5	100.0	9.4	42.4	33.3	6.1	8.7	0.0	100.0	188	
Attock	3.1	38.1	52.4	6.3	0.0	0.0	100.0	7.9	43.4	40.5	2.6	5.6	0.0	100.0	45	
Chakwal	6.4	26.4	59.9	7.2	0.0	0.0	100.0	(2.8)	(41.4)	(48.5)	(1.6)	(5.7)	(0.0)	100.0	23	
Jhelum	2.3	47.0	50.8	0.0	0.0	0.0	100.0	(4.6)	(37.8)	(42.0)	(2.2)	(13.4)	(0.0)	100.0	29	
Sargodha	11.3	23.5	54.5	8.8	1.3	0.6	100.0	13.2	28.9	46.7	2.8	7.5	0.8	100.0	167	
Bhakkar	11.1	29.1	53.2	5.5	1.1	0.0	100.0	11.1	23.8	50.6	0.0	14.5	0.0	100.0	72	
Khushab	3.5	19.1	64.0	13.4	0.0	0.0	100.0	4.9	26.3	51.7	6.6	10.5	0.0	100.0	39	
Mianwali	15.6	25.8	55.7	2.2	0.7	0.0	100.0	15.6	27.1	51.0	2.2	4.0	0.0	100.0	82	
Punjab	7.6	30.0	51.3	9.6	1.3	0.2	100.0	9.2	32.3	47.3	3.6	7.4	0.1	100.0	4,784	
( ) Figures that are based on 25-49 unweighted cases																

**Table D.CH.7: Oral rehydration solutions, recommended homemade fluids, and zinc**

Percentage of children age 0-59 months with diarrhoea in the last two weeks, and treatment with oral rehydration salts (ORS), recommended homemade fluids, and zinc, MICS Punjab, 2014.

	Percentage of children with diarrhoea who received:											Number of children age 0-59 months with diarrhoea in the last two weeks
	Oral rehydration salts (ORS)			Recommended homemade fluids			ORS or any recommended homemade fluid	Zinc			ORS and zinc <sup>1</sup>	
	Fluid from packet	Pre-packaged fluid	Any ORS	Homemade fluid (Boiled water, sugar & salt)	Other	Any recommended homemade fluid		Tablet	Syrup	Any zinc		
Punjab	33.6	5.8	37.2	11.4	6.5	17.3	45.2	3.8	17.8	19.1	9.7	4,784
District												
Bahawalpur	29.0	7.2	33.7	18.4	11.4	28.7	46.2	2.9	19.0	20.4	10.8	138
Bahawalnagar	43.0	3.5	46.5	20.9	5.8	24.8	56.6	3.4	41.3	43.7	24.5	87
RY Khan	38.2	2.3	40.2	15.8	1.2	16.4	48.2	1.5	32.3	33.0	19.3	161
DG Khan	33.2	4.5	34.6	10.6	13.3	23.6	44.3	10.7	17.7	21.0	11.8	183
Layyah	16.0	6.5	21.6	4.8	8.6	13.4	29.9	7.7	23.5	26.2	7.6	70
Muzaffargarh	19.3	4.5	22.8	9.6	1.6	11.0	27.7	4.2	13.9	16.4	5.3	210
Rajanpur	32.8	6.8	35.0	6.0	2.1	8.1	38.9	7.4	16.3	18.6	10.6	142
Faisalabad	40.4	5.1	44.2	14.0	8.0	21.6	52.9	13.9	37.0	38.4	19.1	288
Chiniot	21.4	7.1	28.4	5.8	2.8	8.6	35.2	5.2	28.8	28.8	11.4	52
Jhang	45.2	9.3	52.5	11.1	17.6	28.7	63.7	2.9	14.3	16.3	8.3	81
TT Singh	49.4	4.7	52.6	10.6	3.2	13.8	62.8	10.4	34.7	39.5	25.4	80
Gujranwala	22.6	5.1	26.8	14.6	5.9	19.5	38.1	2.6	9.5	11.2	3.2	270
Gujrat	23.1	4.8	26.9	12.3	2.2	13.6	31.6	1.4	8.6	9.5	4.5	112
Hafizabad	35.2	4.3	38.2	6.6	2.0	7.9	42.6	4.1	17.5	19.9	8.3	73
Mandi Bahauddin	40.2	3.3	42.9	13.1	3.7	14.8	50.5	0.0	7.0	7.0	5.6	46
Narowal	28.9	3.4	29.9	6.9	1.8	8.7	37.1	2.4	5.0	7.0	3.6	85
Sialkot	35.6	10.2	40.2	8.6	2.9	11.5	45.7	1.3	11.1	11.1	7.5	190
Lahore	44.3	4.8	48.5	6.2	4.1	10.3	53.5	2.2	16.9	17.2	11.0	458
Kasur	30.5	5.0	34.3	7.5	3.1	10.6	40.9	4.6	20.0	21.6	9.7	184
Nankana Sahib	28.2	4.2	31.4	8.1	2.9	11.0	39.1	4.5	15.2	16.5	4.4	75
Sheikhupura	35.5	2.6	37.1	13.0	8.4	20.7	48.2	4.5	34.2	35.9	13.8	201
Multan	53.9	5.7	56.7	16.2	6.7	21.8	61.0	2.3	24.3	25.4	12.4	241
Khanewal	40.3	5.2	42.9	25.0	6.0	31.0	55.9	3.7	11.4	12.2	5.5	118
Lodhran	34.6	6.6	39.3	16.3	0.0	16.3	46.4	0.0	19.8	19.8	13.5	69
Vehari	28.9	10.7	35.2	7.7	3.8	11.0	40.5	0.0	5.3	5.3	2.6	112
Sahiwal	17.1	4.5	19.9	4.6	4.1	8.6	27.3	0.0	4.7	4.7	0.7	122
Pakpattan	14.6	1.3	15.0	0.4	4.6	5.0	19.1	0.0	3.7	3.7	0.5	102
Okara	19.6	5.3	21.9	4.7	7.4	11.8	27.0	0.5	6.8	7.3	2.9	192

**Table D.CH.7: Oral rehydration solutions, recommended homemade fluids, and zinc**

Percentage of children age 0-59 months with diarrhoea in the last two weeks, and treatment with oral rehydration salts (ORS), recommended homemade fluids, and zinc, MICS Punjab, 2014.

	Percentage of children with diarrhoea who received:											Number of children age 0-59 months with diarrhoea in the last two weeks
	Oral rehydration salts (ORS)			Recommended homemade fluids			Zinc					
	Fluid from packet	Pre-packaged fluid	Any ORS	Homemade fluid (Boiled water, sugar & salt)	Other	Any recommended homemade fluid	ORS or any recommended homemade fluid	Tablet	Syrup	Any zinc	ORS and zinc <sup>1</sup>	
Rawalpindi	48.9	15.0	56.2	32.9	25.4	51.8	74.1	2.9	25.0	25.8	19.1	188
Attock	42.2	13.0	49.2	15.2	19.5	34.7	62.2	1.7	22.8	22.8	14.7	45
Chakwal	48.2	9.2	52.5	22.6	15.6	38.2	57.5	0.0	17.3	17.3	13.0	23
Jhelum	36.2	7.0	40.9	4.6	20.6	25.3	53.4	5.1	17.4	17.4	6.6	29
Sargodha	27.0	10.6	33.4	7.9	5.5	13.3	42.1	3.5	7.8	10.8	5.2	167
Bhakkar	26.7	2.9	29.7	6.5	8.4	12.7	37.1	4.0	8.3	12.3	3.8	72
Khushab	21.4	1.7	21.4	8.8	8.2	17.0	37.5	1.8	6.9	6.9	0.0	39
Mianwali	21.1	1.6	22.7	5.1	4.5	9.6	30.1	0.0	1.9	1.9	1.9	82
Punjab	33.6	5.8	37.2	11.4	6.5	17.3	45.2	3.8	17.8	19.1	9.7	4,784
<sup>1</sup> MICS indicator 3.11 - Diarrhoea treatment with oral rehydration salts (ORS) and zinc												

<sup>1</sup> MICS indicator 3.11 - Diarrhoea treatment with oral rehydration salts (ORS) and zinc

**Table D.CH.8: Oral rehydration therapy with continued feeding and other treatments**

Percentage of children age 0-59 months with diarrhoea in the last two weeks who were given oral rehydration therapy with continued feeding and percentage who were given other treatments, Punjab, 2014.

	Children with diarrhoea who were given:															Number of children age 0-59 months with diarrhoea in the last two weeks
	Other treatments															
	Pill or syrup				Injection											
Zinc	ORS or increased fluids	ORT (ORS or recommended homemade fluids or increased fluids)	ORT with continued feeding <sup>1</sup>	Anti-biotic	Anti-motility	Other	Unknown	Anti-biotic	Non-antibiotic	Unknown	Intra-venous	Home remedy, herbal medicine	Other	Not given any treatment or drug		
Punjab	19.1	42.1	46.7	38.9	4.0	14.5	0.5	21.7	1.6	0.2	4.3	1.5	2.7	6.7	17.7	4,784
District																
Bahawalpur	20.4	41.3	48.7	36.4	5.7	6.7	0.0	15.0	1.7	0.0	1.5	1.4	5.0	4.1	29.2	138
Bahawalnagar	43.7	53.9	61.0	52.5	5.5	12.5	0.0	11.8	3.4	0.0	3.9	0.0	8.5	7.3	11.9	87
RY Khan	33.0	56.3	62.7	56.2	13.6	22.8	0.0	17.4	3.2	1.0	15.2	3.7	4.3	5.3	9.3	161
DG Khan	21.0	42.1	47.4	43.1	3.0	26.5	1.5	7.3	2.3	0.0	7.8	0.0	1.0	4.4	23.6	183
Layyah	26.2	21.6	25.4	22.1	7.4	13.3	0.0	12.1	1.9	0.0	5.3	1.1	9.4	14.0	15.8	70
Muzaffargarh	16.4	22.8	26.6	23.6	1.8	18.6	0.0	14.7	2.2	0.0	5.8	1.3	5.9	6.6	28.0	210
Rajanpur	18.6	37.9	41.2	34.9	3.3	19.4	0.0	13.5	1.8	0.0	5.3	2.2	4.1	7.4	20.7	142
Faisalabad	38.4	45.5	50.4	42.3	0.0	8.7	0.0	20.5	1.2	0.0	2.5	1.5	1.7	4.0	10.2	288
Chiniot	28.8	29.5	33.5	29.8	0.0	10.8	1.8	24.4	0.0	0.0	0.0	1.5	0.7	0.8	24.6	52
Jhang	16.3	52.5	59.5	52.5	3.4	4.7	1.3	15.9	4.1	0.0	1.4	1.5	10.7	4.8	17.5	81
TT Singh	39.5	56.0	63.5	61.7	1.4	10.9	0.0	19.1	0.0	0.0	3.1	2.6	8.6	1.8	5.9	80
Gujranwala	11.2	32.0	38.9	33.7	4.4	7.5	0.2	15.9	0.4	0.0	1.1	0.2	0.8	10.1	27.8	270
Gujrat	9.5	28.2	32.6	30.9	5.8	13.3	2.8	24.2	1.8	0.0	1.6	0.8	2.7	18.1	19.4	112
Hafizabad	19.9	44.1	46.9	40.0	6.7	14.3	0.0	35.9	6.7	3.2	2.7	2.0	1.7	1.1	7.2	73
Mandi Bahauddin	7.0	44.2	50.2	44.2	3.9	5.6	0.0	34.0	2.7	0.0	0.6	0.0	0.0	9.9	16.2	46
Narowal	7.0	30.8	36.2	31.8	1.8	20.8	0.0	42.3	3.3	0.0	3.8	6.4	2.5	11.1	10.9	85
Sialkot	11.1	41.8	44.3	33.4	4.2	41.1	0.4	21.3	0.9	0.0	8.1	3.8	1.7	7.1	10.1	190
Lahore	17.2	52.6	55.0	43.7	5.4	8.2	0.3	26.3	2.2	0.0	1.7	0.4	0.6	4.0	15.4	458
Kasur	21.6	40.2	43.0	39.6	4.9	13.3	0.4	21.7	3.8	0.4	3.5	1.0	2.4	6.4	19.1	184
Nankana Sahib	16.5	33.1	38.7	34.4	8.2	9.3	0.7	25.1	1.1	0.0	3.5	1.3	0.0	2.3	24.2	75
Sheikhupura	35.9	41.3	46.9	41.0	4.7	16.3	2.6	16.9	2.7	0.0	3.2	2.2	2.6	0.9	19.2	201
Multan	25.4	59.1	62.1	45.4	1.8	14.6	1.1	15.8	0.0	0.3	0.7	1.1	2.8	6.5	12.8	241
Khanewal	12.2	42.9	52.5	37.5	5.4	25.3	0.8	29.6	0.0	0.0	3.8	0.5	2.1	4.4	10.8	118
Lodhran	19.8	44.4	50.3	45.3	5.1	30.4	1.9	31.1	1.8	0.0	5.2	1.6	1.1	1.5	8.9	69
Vehari	5.3	38.6	42.3	28.8	2.6	23.5	0.0	46.0	0.0	0.0	8.7	0.4	4.0	1.6	17.7	112
Sahiwal	4.7	36.1	39.3	31.4	5.1	2.3	0.5	41.7	0.7	0.0	16.4	3.0	0.0	15.6	20.2	122
Pakpattan	3.7	35.6	35.6	29.8	3.5	4.1	0.0	40.8	0.8	0.0	11.1	3.6	0.4	21.3	15.0	102
Okara	7.3	32.3	33.3	28.5	3.8	4.8	0.0	41.6	0.5	0.0	11.0	2.0	0.7	4.5	22.7	192



**Table D.CH.8: Oral rehydration therapy with continued feeding and other treatments**

Percentage of children age 0-59 months with diarrhoea in the last two weeks who were given oral rehydration therapy with continued feeding and percentage who were given other treatments, Punjab, 2014.

	Children with diarrhoea who were given:															Number of children age 0-59 months with diarrhoea in the last two weeks
	Other treatments															
	Pill or syrup				Injection											
	Zinc	ORS or increased fluids	ORT (ORS or recommended homemade fluids or increased fluids)	ORT with continued feeding <sup>1</sup>	Anti-biotic	Anti-motility	Other	Unknown	Anti-biotic	Non-antibiotic	Unknown	Intra-venous	Home remedy, herbal medicine	Other	Not given any treatment or drug	
Rawalpindi	25.8	60.9	69.9	57.5	2.2	9.2	0.3	2.6	2.9	0.0	0.0	1.6	1.5	6.7	16.4	188
Attock	22.8	55.5	59.4	45.9	5.2	9.0	0.0	2.4	1.3	4.4	0.9	1.6	0.0	7.2	19.5	45
Chakwal	17.3	56.1	56.1	48.8	0.0	28.3	0.0	1.1	(3.6)	(0.0)	(1.3)	(0.0)	(0.0)	(10.3)	(20.4)	23
Jhelum	17.4	40.9	43.2	36.4	4.8	18.5	0.0	13.3	(0.0)	(0.0)	(0.0)	(0.0)	(0.0)	(17.2)	(21.2)	29
Sargodha	10.8	39.5	45.7	37.6	1.7	15.1	0.8	20.5	0.7	0.6	1.2	2.0	4.8	6.3	18.4	167
Bhakkar	12.3	33.8	34.5	28.5	3.0	13.8	0.0	17.2	0.0	0.0	0.0	1.5	2.3	6.0	32.2	72
Khushab	6.9	28.7	36.8	31.9	1.5	19.3	1.5	24.6	0.0	2.1	1.0	0.0	10.3	1.3	23.2	39
Mianwali	1.9	24.9	28.0	23.2	3.6	21.9	0.0	23.4	0.0	0.0	2.9	3.3	4.0	24.3	15.5	82
Punjab	19.1	42.1	46.7	38.9	4.0	14.5	0.5	21.7	1.6	0.2	4.3	1.5	2.7	6.7	17.7	4,784
<sup>1</sup> MICS indicator 3.12 - Diarrhoea treatment with oral rehydration therapy (ORT) and continued feeding ( ) Figures that are based on 25-49 unweighted cases																

<sup>1</sup> MICS indicator 3.12 - Diarrhoea treatment with oral rehydration therapy (ORT) and continued feeding

( ) Figures that are based on 25-49 unweighted cases

**Table D.CH.11: Knowledge of the two danger signs of pneumonia**

Percentage of women age 15-49 years who are mothers or caretakers of children under age 5 by symptoms that would cause them to take a child under age 5 immediately to a health facility, and percentage of mothers who recognize fast or difficult breathing as signs for seeking care immediately, Punjab, 2014.

	Percentage of mothers/caretakers who think that a child should be taken immediately to a health facility if the child:									Mothers/caretakers who recognize at least one of the two danger signs of pneumonia (fast and/or difficult breathing)	Number of mothers / caretakers of children age 0-59 months
	Is not able to drink or breastfeed	Becomes sicker	Develops a fever	Has fast breathing	Has difficult breathing	Has blood in stool	Is drinking poorly	Suffered from loose motion	Has other symptoms		
<b>Punjab</b>	10.7	58.8	81.4	14.6	14.8	11.1	12.6	58.5	26.3	24.8	18,096
<b>District</b>											
<b>Bahawalpur</b>	17.4	50.8	72.1	15.4	20.9	15.2	18.8	57.1	13.9	33.8	610
Bahawalnagar	17.8	49.6	67.8	17.3	25.3	16.9	17.3	50.3	2.3	38.7	476
RY Khan	21.4	37.5	67.8	17.7	22.5	17.3	18.4	54.5	0.7	37.9	852
<b>DG Khan</b>	29.9	74.1	87.2	30.9	30.6	29.9	24.4	63.0	17.9	42.4	608
Layyah	35.1	76.0	91.7	38.0	36.1	29.8	33.5	60.6	22.6	49.9	319
Muzaffargarh	35.9	70.7	91.0	36.8	40.6	29.7	31.3	64.1	21.4	52.8	724
Rajanpur	31.8	73.9	86.3	40.0	35.2	26.3	26.6	60.6	27.6	49.5	372
<b>Faisalabad</b>	6.0	58.9	88.3	13.0	12.8	5.7	13.6	58.4	34.8	23.7	1,151
Chiniot	4.1	66.7	85.4	22.2	13.4	5.9	7.6	57.2	38.1	31.5	206
Jhang	27.4	77.5	74.6	17.9	11.1	18.1	28.3	61.1	22.3	26.8	391
TT Singh	16.6	65.8	80.1	16.6	12.0	13.9	22.6	51.0	27.1	28.0	316
<b>Gujranwala</b>	3.1	58.5	73.8	6.9	7.7	2.5	9.6	58.0	22.4	14.3	781
Gujrat	2.6	62.4	83.3	4.4	8.8	3.2	6.4	50.9	28.1	12.0	488
Hafizabad	5.3	53.5	83.8	6.5	14.0	4.5	11.9	53.8	31.1	20.1	205
Mandi Bahauddin	4.4	49.7	90.8	9.1	8.3	2.9	9.1	53.0	41.2	17.2	280
Narowal	7.6	60.3	77.9	13.0	12.0	14.7	8.6	61.9	19.6	18.8	325
Sialkot	7.6	59.3	73.5	11.4	11.4	8.4	5.0	61.4	18.5	18.7	593
<b>Lahore</b>	3.4	54.0	84.2	11.4	9.6	5.0	6.9	63.5	39.6	18.6	1,781
Kasur	4.4	60.4	92.8	9.1	9.1	2.0	10.8	70.4	32.5	16.8	579
Nankana Sahib	9.0	52.5	85.5	8.9	11.0	3.2	10.9	52.6	30.5	18.5	291
Sheikhupura	7.5	51.8	75.7	15.1	11.4	7.5	8.6	53.5	23.4	23.8	604
<b>Multan</b>	6.0	76.5	84.5	14.0	14.6	14.7	9.5	75.2	14.3	25.0	787
Khanewal	4.5	80.9	86.8	11.6	10.0	11.3	12.6	67.4	21.0	19.2	463
Lodhran	15.2	58.6	77.3	18.6	16.2	12.0	18.2	61.3	18.8	31.6	293
Vehari	6.3	74.3	91.6	6.7	10.3	7.6	12.0	66.0	36.0	15.6	416

**Table D.CH.11: Knowledge of the two danger signs of pneumonia**

Percentage of women age 15-49 years who are mothers or caretakers of children under age 5 by symptoms that would cause them to take a child under age 5 immediately to a health facility, and percentage of mothers who recognize fast or difficult breathing as signs for seeking care immediately, Punjab, 2014.

	Percentage of mothers/caretakers who think that a child should be taken immediately to a health facility if the child:									Mothers/caretakers who recognize at least one of the two danger signs of pneumonia (fast and/or difficult breathing)	Number of mothers / caretakers of children age 0-59 months
	Is not able to drink or breastfeed	Becomes sicker	Develops a fever	Has fast breathing	Has difficult breathing	Has blood in stool	Is drinking poorly	Suffered from loose motion	Has other symptoms		
<b>Sahiwal</b>	2.2	37.6	82.2	9.8	10.7	12.6	10.1	54.0	39.2	19.1	401
Pakpattan	3.2	51.0	77.1	7.9	7.7	10.0	6.9	55.3	35.5	14.1	340
Okara	2.5	46.9	79.3	16.5	16.1	20.4	7.1	61.1	25.6	28.9	551
<b>Rawalpindi</b>	6.8	59.9	72.0	13.5	7.7	5.8	3.6	41.1	21.5	19.9	838
Attock	8.8	70.7	72.1	10.8	7.3	5.5	8.7	34.5	18.8	14.5	309
Chakwal	10.8	69.0	70.8	10.4	11.4	3.9	8.6	27.5	17.2	18.8	221
Jhelum	12.1	69.0	74.2	3.9	4.9	1.6	6.0	33.8	23.6	7.8	168
<b>Sargodha</b>	5.7	41.7	85.5	10.0	11.3	9.4	6.1	64.7	39.2	19.5	567
Bhakkar	4.7	41.8	91.3	5.0	9.6	6.0	7.3	62.5	50.4	13.3	268
Khushab	3.0	44.1	87.9	4.8	8.0	3.7	3.7	62.4	52.1	11.6	215
Mianwali	1.3	51.1	93.4	3.9	7.8	2.9	7.3	65.2	49.5	10.9	305
<b>Punjab</b>	10.7	58.8	81.4	14.6	14.8	11.1	12.6	58.5	26.3	24.8	18,096

**Table D.CH.12: Solid fuel use**

Percent distribution of household members according to type of cooking fuel mainly used by the household, and percentage of household members living in households using solid fuels for cooking, Punjab, 2014.

	Percentage of household members in households using:														Total	Solid fuels for cooking <sup>1</sup>	Number of household members
	Solid fuels																
	Electricity	Liquefied Petroleum Gas (LPG)	Natural Gas	Biogas	Kerosene	Coal/ Lignite	Char-coal	Wood	Straw/ Shrubs/ Grass	Animal dung	Agricultural crop residue	Other / Missing	No food cooked in the household				
<b>Punjab</b>	0.0	3.6	34.9	0.2	0.0	0.1	0.3	33.2	1.5	15.0	11.1	0.2	0.1	100.0	61.1	246,396	
<b>District</b>																	
<b>Bahawalpur</b>	0.1	2.4	19.4	0.5	0.0	0.0	0.3	57.8	1.5	4.7	13.3	0.0	0.0	100.0	77.6	8,013	
Bahawalnagar	0.1	6.1	1.9	0.0	0.0	0.0	0.0	23.9	1.6	11.7	54.5	0.1	0.2	100.0	91.7	6,704	
RY Khan	0.0	1.1	20.6	0.0	0.0	0.2	0.0	11.7	3.6	12.9	49.7	0.0	0.1	100.0	78.1	11,240	
<b>DG Khan</b>	0.0	1.3	13.2	0.1	0.0	0.0	1.2	60.4	5.1	12.8	5.9	0.0	0.0	100.0	85.4	6,498	
Layyah	0.0	3.7	1.7	0.0	0.0	0.0	0.4	71.0	2.7	8.6	11.8	0.0	0.0	100.0	94.6	3,927	
Muzaffargarh	0.0	2.2	6.1	0.0	0.0	0.0	0.3	68.5	1.0	10.2	11.6	0.0	0.0	100.0	91.6	8,664	
Rajanpur	0.0	2.8	0.0	0.0	0.0	0.0	0.2	65.6	7.4	4.1	19.9	0.0	0.0	100.0	97.2	4,329	
<b>Faisalabad</b>	0.0	3.8	52.9	0.1	0.0	0.1	0.3	23.9	3.7	13.9	0.5	0.6	0.2	100.0	42.4	17,101	
Chiniot	0.0	1.4	21.0	0.4	0.0	0.0	0.0	30.5	11.5	25.6	9.4	0.0	0.2	100.0	77.1	3,198	
Jhang	0.0	1.8	11.9	0.2	0.0	0.0	1.3	72.8	3.5	8.4	0.0	0.0	0.0	100.0	86.1	5,787	
TT Singh	0.0	4.3	25.9	0.4	0.0	0.0	0.0	51.1	4.5	6.8	6.8	0.1	0.1	100.0	69.2	4,885	
<b>Gujranwala</b>	0.0	3.2	62.9	0.5	0.0	0.3	0.2	9.8	0.0	22.7	0.0	0.2	0.1	100.0	33.0	10,545	
Gujrat	0.0	14.3	40.8	0.1	0.0	0.0	0.4	30.2	0.3	13.9	0.0	0.0	0.1	100.0	44.7	6,553	
Hafizabad	0.0	1.3	50.4	0.0	0.0	0.0	0.5	24.4	0.7	22.0	0.0	0.6	0.1	100.0	47.6	2,855	
Mandi	0.0	6.2	17.2	0.1	0.0	0.0	0.3	60.1	0.4	15.5	0.0	0.2	0.1	100.0	76.3	3,748	
Narowal	0.0	7.4	0.7	0.1	0.0	0.0	0.0	13.6	1.3	75.9	0.4	0.6	0.0	100.0	91.3	4,028	
Sialkot	0.0	3.8	48.3	0.5	0.0	0.6	0.1	5.6	0.0	40.6	0.1	0.3	0.1	100.0	47.0	8,584	
<b>Lahore</b>	0.1	3.0	88.2	0.1	0.0	0.0	0.2	4.1	0.0	4.3	0.0	0.0	0.0	100.0	8.6	23,671	
Kasur	0.0	4.7	19.9	0.0	0.0	0.0	0.1	34.5	0.6	38.5	1.1	0.5	0.1	100.0	74.8	7,752	
Nankana	0.0	2.1	29.2	0.1	0.0	0.0	0.5	34.8	0.2	32.2	0.0	0.8	0.0	100.0	67.7	3,811	
Sheikhupura	0.1	2.6	46.4	0.1	0.0	0.0	0.6	21.8	0.5	27.7	0.0	0.2	0.1	100.0	50.6	8,613	
<b>Multan</b>	0.1	2.6	43.1	0.4	0.0	0.0	0.1	33.5	0.7	3.9	15.5	0.0	0.1	100.0	53.7	10,610	
Khanewal	0.0	2.1	25.4	0.0	0.0	0.0	0.0	18.9	1.4	3.3	48.7	0.0	0.1	100.0	72.3	6,794	
Lodhran	0.0	1.7	13.0	0.1	0.0	0.0	0.0	10.7	1.2	2.6	70.7	0.0	0.0	100.0	85.2	3,976	
Vehari	0.0	4.6	9.1	0.1	0.0	0.0	0.0	18.1	1.6	9.0	57.4	0.0	0.1	100.0	86.1	6,409	
<b>Sahiwal</b>	0.0	2.9	17.6	0.3	0.0	0.0	0.0	43.8	0.6	19.9	14.9	0.0	0.1	100.0	79.2	5,531	
Pakpattan	0.0	3.1	6.5	0.2	0.0	0.0	0.0	37.2	0.7	40.8	11.2	0.1	0.1	100.0	90.0	4,520	
Okara	0.1	2.0	30.5	0.0	0.0	0.1	0.5	24.8	1.0	31.3	9.0	0.7	0.1	100.0	66.6	7,204	

**Table D.CH.12: Solid fuel use**

Percent distribution of household members according to type of cooking fuel mainly used by the household, and percentage of household members living in households using solid fuels for cooking, Punjab, 2014.

	Percentage of household members in households using:														Total	Solid fuels for cooking <sup>1</sup>	Number of household members
	Solid fuels																
	Electricity	Liquefied Petroleum Gas (LPG)	Natural Gas	Biogas	Kerosene	Coal/ Lignite	Char-coal	Wood	Straw/ Shrubs/ Grass	Animal dung	Agricultural crop residue	Other / Missing	No food cooked in the household				
<b>Rawalpindi</b>	0.0	5.2	70.0	0.1	0.0	0.0	0.1	23.4	0.1	1.0	0.0	0.0	0.0	100.0	24.7	11,568	
Attock	0.0	1.2	48.4	0.1	0.0	0.0	0.2	48.0	0.3	1.5	0.1	0.1	0.0	100.0	50.2	4,214	
Chakwal	0.0	8.7	21.1	0.3	0.0	0.0	0.3	66.5	0.1	3.0	0.0	0.0	0.0	100.0	69.9	3,285	
Jhelum	0.0	18.4	18.7	0.1	0.1	0.0	0.5	56.8	0.8	4.2	0.3	0.1	0.1	100.0	62.5	2,700	
<b>Sargodha</b>	0.0	1.5	34.9	0.2	0.0	0.0	0.6	54.1	0.2	8.4	0.0	0.0	0.1	100.0	63.2	8,167	
Bhakkar	0.0	1.7	1.7	0.0	0.0	0.0	0.4	77.3	0.5	17.9	0.4	0.0	0.1	100.0	96.5	3,807	
Khushab	0.0	5.2	11.1	0.2	0.0	0.0	0.6	68.6	0.1	14.3	0.0	0.0	0.0	100.0	83.6	3,104	
Mianwali	0.0	1.0	8.4	0.0	0.0	0.0	0.2	72.1	0.5	17.2	0.5	0.0	0.1	100.0	90.5	4,004	
<b>Punjab</b>	0.0	3.6	34.9	0.2	0.0	0.1	0.3	33.2	1.5	15.0	11.1	0.2	0.1	100.0	61.1	246,396	
<sup>1</sup> MICS indicator 3.15 - Use of solid fuels for cooking																	

<sup>1</sup> MICS indicator 3.15 - Use of solid fuels for cooking

**Table D.CH.13: Solid fuel use by place of cooking**

Percent distribution of household members in households using solid fuels by place of cooking, Punjab, 2014.

	Place of cooking:							Number of household members in households using solid fuels for cooking
	In the house		In a separate building	Outdoors	Other place	Missing	Total	
	In a separate room used as kitchen	Elsewhere in the house						
Punjab	17.4	81.8	0.4	0.1	0.1	0.3	100.0	150,517
District								
Bahawalpur	13.3	86.2	0.2	0.0	0.0	0.4	100.0	6,217
Bahawalnagar	6.5	93.1	0.3	0.1	0.0	0.0	100.0	6,148
RY Khan	6.6	93.0	0.2	0.0	0.0	0.1	100.0	8,783
DG Khan	18.7	79.4	0.8	0.1	0.5	0.6	100.0	5,550
Layyah	18.7	81.1	0.2	0.0	0.0	0.0	100.0	3,714
Muzaffargarh	16.6	82.9	0.3	0.0	0.1	0.1	100.0	7,933
Rajanpur	15.3	84.6	0.1	0.0	0.0	0.0	100.0	4,206
Faisalabad	14.7	84.2	0.2	0.0	0.0	0.9	100.0	7,248
Chiniot	11.8	87.3	0.2	0.2	0.0	0.5	100.0	2,464
Jhang	10.4	89.1	0.2	0.0	0.0	0.3	100.0	4,982
TT Singh	11.2	88.5	0.0	0.1	0.1	0.0	100.0	3,380
Gujranwala	21.7	77.1	0.1	0.3	0.0	0.9	100.0	3,485
Gujrat	29.8	69.5	0.2	0.1	0.0	0.3	100.0	2,928
Hafizabad	14.5	84.4	0.6	0.3	0.2	0.0	100.0	1,359
Mandi Bahauddin	24.0	75.3	0.1	0.2	0.0	0.4	100.0	2,860
Narowal	24.9	75.0	0.0	0.0	0.0	0.0	100.0	3,676
Sialkot	27.0	72.2	0.0	0.3	0.1	0.4	100.0	4,033
Lahore	9.4	88.4	1.2	0.9	0.0	0.0	100.0	2,036
Kasur	5.3	94.1	0.4	0.1	0.0	0.2	100.0	5,798
Nankana Sahib	8.8	89.8	1.3	0.1	0.0	0.1	100.0	2,581
Sheikhupura	16.2	82.9	0.5	0.0	0.0	0.4	100.0	4,358
Multan	12.9	83.8	2.2	0.2	0.0	1.0	100.0	5,701
Khanewal	15.4	84.0	0.5	0.1	0.0	0.1	100.0	4,913
Lodhran	9.4	90.6	0.0	0.0	0.0	0.0	100.0	3,390
Vehari	11.8	87.7	0.3	0.0	0.0	0.1	100.0	5,518
Sahiwal	12.5	86.7	0.6	0.0	0.0	0.2	100.0	4,378
Pakpattan	4.9	95.0	0.1	0.0	0.0	0.0	100.0	4,066
Okara	6.2	93.5	0.3	0.0	0.0	0.0	100.0	4,801
Rawalpindi	61.0	36.5	0.0	0.1	1.1	1.2	100.0	2,859
Attock	49.7	48.9	0.5	0.3	0.6	0.0	100.0	2,114
Chakwal	59.2	40.3	0.0	0.0	0.1	0.3	100.0	2,297
Jhelum	49.7	50.3	0.0	0.1	0.0	0.0	100.0	1,689
Sargodha	35.6	63.9	0.5	0.0	0.0	0.0	100.0	5,161
Bhakkar	21.0	78.8	0.2	0.0	0.0	0.0	100.0	3,672
Khushab	31.3	68.4	0.3	0.0	0.0	0.0	100.0	2,595
Mianwali	17.4	82.2	0.3	0.0	0.0	0.0	100.0	3,626

**Table D.CH.14: Care-seeking during fever**

Percentage of children age 0-59 months with fever in the last two weeks for whom advice or treatment was sought, by source of advice or treatment, Punjab, 2014.

	Percentage of children for whom:						Number of children with fever in last two weeks
	Advice or treatment was sought from:						
	Health facilities or providers			Other source	A health facility or provider <sup>1, b</sup>	No advice or treatment sought	
	Public	Private	Community health provider <sup>a</sup>				
<b>Punjab</b>	9.7	68.3	0.4	8.5	79.3	14.6	5,714
<b>District</b>							
<b>Bahawalpur</b>	10.0	68.1	0.8	5.0	80.2	18.0	140
Bahawalnagar	9.5	73.0	1.5	5.4	85.3	12.1	115
RY Khan	4.1	79.7	0.7	7.7	87.6	9.4	201
<b>DG Khan</b>	10.5	57.7	0.3	14.5	68.3	19.4	198
Layyah	6.8	56.0	0.0	15.0	63.6	22.5	104
Muzaffargarh	12.9	48.6	0.0	17.0	61.7	22.7	288
Rajanpur	7.8	50.9	0.0	18.8	62.3	23.0	166
<b>Faisalabad</b>	9.2	75.8	0.0	7.5	85.9	8.1	384
Chiniot	4.7	78.2	0.0	5.9	82.9	11.2	83
Jhang	7.9	59.8	0.0	25.1	69.3	8.8	76
TT Singh	8.3	67.8	0.0	9.1	78.7	14.9	100
<b>Gujranwala</b>	6.5	72.8	0.0	4.8	82.3	15.9	304
Gujrat	7.4	81.9	0.5	1.4	89.3	9.3	156
Hafizabad	8.3	67.1	0.0	14.0	76.9	10.7	98
Mandi Bahauddin	9.4	68.5	0.0	13.8	80.5	9.7	130
Narowal	4.7	76.6	0.6	13.6	81.8	11.3	101
Sialkot	3.5	78.9	0.0	5.5	82.5	12.9	183
<b>Lahore</b>	12.4	65.6	1.4	6.6	79.1	16.8	506
Kasur	11.7	63.8	0.6	8.2	78.0	18.2	221
Nankana Sahib	7.6	66.9	0.0	15.9	83.7	9.6	98
Sheikhupura	11.7	66.0	0.0	15.3	79.5	10.9	210
<b>Multan</b>	18.0	63.6	1.5	5.9	79.1	16.6	217
Khanewal	2.2	79.9	0.0	9.2	84.2	10.3	131
Lodhran	17.9	66.5	1.1	2.0	85.4	13.6	69
Vehari	19.0	65.7	0.0	2.1	84.8	13.6	123
<b>Sahiwal</b>	10.5	74.6	0.0	4.0	87.0	11.5	163
Pakpattan	2.8	77.5	0.0	5.0	83.3	14.7	137
Okara	6.4	81.9	0.0	3.5	88.6	8.6	195
<b>Rawalpindi</b>	12.4	61.7	0.0	1.3	73.0	25.3	206
Attock	22.1	53.7	1.0	4.9	79.5	20.5	68
Chakwal	11.5	66.5	0.0	3.5	78.0	18.5	34
Jhelum	17.5	62.6	1.6	1.5	77.4	22.6	41
<b>Sargodha</b>	7.2	71.9	0.0	6.2	79.1	14.9	178
Bhakkar	10.3	63.5	0.4	15.1	74.2	11.1	98
Khushab	5.7	64.7	1.5	18.3	70.5	12.7	62
Mianwali	13.3	72.7	0.2	4.0	85.9	10.0	128

<sup>1</sup> MICS indicator 3.20 - Care-seeking for fever

<sup>a</sup> Community health providers include both public (*Lady / health worker* and *Mobile/Outreach clinic*) and private (*Mobile clinic*) health facilities

<sup>b</sup> Includes all public and private health facilities and providers as well as shops

Table D.CH.15: Treatment of children with fever														
Percentage of children age 0-59 months who had a fever in the last two weeks, by type of medicine given for the illness, Punjab, 2014.														
	Children with a fever in the last two weeks who were given:													
	Anti-malarials						Other medications							
	SP/ Fansidar	Chloroquine	Amodia-quine	Quinine	Artemisinin-based Combination Therapy (ACT)	Other anti-malarial	Antibiotic pill or syrup	Antibiotic injection	Paracetamol/ Panadol/ Acetaminophen	Aspirin	Ibuprofen	Other	Missing/DK	Number of children with fever in last two weeks
<b>Punjab</b>	0.3	0.4	0.1	0.1	0.1	0.4	28.3	11.6	35.6	1.6	24.0	12.9	6.2	5,714
<b>District</b>														
<b>Bahawalpur</b>	0.7	0.7	0.2	0.0	0.0	0.0	19.5	6.0	27.2	0.8	28.7	5.0	13.	140
Bahawalnagar	0.0	1.4	1.0	0.0	0.0	0.0	21.7	6.2	28.6	1.0	38.4	6.7	6.9	115
RY Khan	0.5	0.0	0.8	0.0	0.0	0.5	19.8	22.2	33.6	5.4	44.2	14.9	1.2	201
<b>DG Khan</b>	0.5	0.7	0.4	0.0	0.9	0.2	19.9	14.9	31.5	1.1	21.2	8.4	10.	198
Layyah	1.3	0.0	0.0	0.0	0.0	0.0	24.0	20.8	51.6	7.3	24.8	10.1	0.3	104
Muzaffargarh	0.3	0.8	0.4	0.0	0.0	0.3	18.1	9.0	39.8	2.8	27.4	13.8	4.1	288
Rajanpur	0.0	0.0	0.0	0.0	0.0	0.0	28.1	18.4	41.1	5.9	42.8	6.6	2.0	166
<b>Faisalabad</b>	0.0	0.0	0.0	0.0	0.4	0.0	29.6	12.7	42.2	2.7	15.8	11.8	4.2	384
Chiniot	1.0	0.0	0.0	2.0	0.0	0.0	32.9	8.4	39.8	2.0	21.9	12.5	5.8	83
Jhang	0.4	0.0	0.0	0.0	0.0	0.0	41.3	8.2	17.6	0.0	27.2	5.7	14.	76
TT Singh	0.0	0.7	0.0	0.0	0.0	0.0	35.7	18.7	35.9	0.0	29.4	4.7	3.0	100
<b>Gujranwala</b>	0.9	0.0	0.0	0.0	0.0	0.9	32.2	5.3	32.3	0.0	14.9	14.9	5.0	304
Gujrat	0.0	0.9	0.0	0.0	0.0	0.0	29.2	6.6	43.3	3.0	19.4	12.5	5.4	156
Hafizabad	0.0	0.0	0.0	0.0	0.0	0.8	16.7	4.6	41.1	0.0	22.0	10.0	14.	98
Mandi Bahauddin	2.4	0.2	0.0	0.0	0.0	0.0	12.5	2.4	32.9	1.2	24.6	13.6	18.	130
Narowal	0.0	0.0	0.0	0.0	1.1	1.6	40.4	8.5	31.3	0.0	9.3	18.8	5.2	101
Sialkot	0.0	0.0	0.0	0.0	0.6	0.1	38.4	10.1	24.8	1.3	23.6	16.0	2.7	183
<b>Lahore</b>	0.0	1.6	0.0	0.0	0.0	0.3	36.6	8.0	35.4	0.2	23.2	13.3	4.5	506
Kasur	0.0	0.4	0.0	0.0	0.7	0.0	22.2	11.3	34.3	0.0	15.3	14.4	10.	221
Nankana Sahib	0.0	0.0	0.0	0.0	0.0	1.1	27.7	7.7	34.3	1.0	13.8	9.0	19.	98
Sheikhupura	0.0	0.0	0.0	0.0	0.0	0.7	30.9	8.5	31.2	0.5	20.2	9.8	15.	210
<b>Multan</b>	0.0	1.5	0.0	0.2	0.0	0.0	39.2	20.9	25.2	3.9	29.1	8.5	3.4	217
Khanewal	0.4	0.4	0.0	0.6	0.0	0.0	53.0	28.0	26.5	3.3	29.2	7.4	4.5	131
Lodhran	0.0	0.0	0.0	0.0	0.0	0.9	38.6	28.8	36.5	0.0	31.2	4.2	2.6	69
Vehari	0.6	0.8	0.0	0.0	0.0	0.0	39.9	14.1	38.7	0.7	22.0	7.9	0.0	123
<b>Sahiwal</b>	0.0	0.0	0.0	0.0	0.0	0.0	30.2	20.9	40.7	0.5	28.5	13.7	0.5	163
Pakpattan	0.0	0.0	0.0	0.0	0.0	0.6	34.3	21.0	32.8	0.0	28.8	19.6	2.0	137
Okara	0.0	0.0	0.0	0.0	0.0	0.0	41.7	19.8	19.7	0.3	23.6	10.3	4.9	195
<b>Rawalpindi</b>	0.5	0.0	0.0	0.0	0.0	1.6	20.7	4.2	51.8	1.9	15.5	12.2	4.0	206
Attock	0.7	0.0	0.0	0.0	0.0	0.0	19.8	8.1	64.3	0.9	11.0	16.7	0.0	68
Chakwal	0.0	0.0	0.0	0.0	0.0	0.0	12.6	2.5	59.3	0.0	16.6	23.2	0.0	34
Jhelum	0.0	0.0	0.0	0.0	0.0	0.0	16.1	6.8	51.2	1.8	22.2	26.3	1.5	41
<b>Sargodha</b>	0.2	0.0	0.0	0.0	0.0	1.2	17.6	8.1	31.4	1.5	32.6	20.9	12.	178
Bhakkar	0.0	0.0	0.0	0.0	0.0	1.9	7.3	2.1	49.9	1.9	14.1	19.0	13.	98
Khushab	0.0	0.0	0.0	0.0	0.0	0.0	26.6	4.4	36.8	3.0	19.9	19.2	6.3	62
Mianwali	0.0	0.0	0.0	0.2	0.0	0.0	8.4	1.3	33.0	0.0	35.0	37.7	5.4	128



**Table D.CH.16: Diagnostics and anti-malarial treatment of children**

Percentage of children age 0-59 months who had a fever in the last two weeks who had a finger or heel stick for malaria testing, who were given Artemisinin-combination Treatment (ACT) and any anti-malarial drugs, Punjab, 2014.

	Had blood taken from a finger or heel for testing <sup>1</sup>	Percentage of children who: Were given:				Number of children age 0-59 months with fever in the last two weeks
		Artemisinin-combination Treatment (ACT)	ACT the same or next day	Any antimalarial drugs <sup>2</sup>	Any antimalarial drugs same or next day	
<b>Punjab</b>	4.0	0.1	0.1	1.3	0.8	5,714
<b>District</b>						
<b>Bahawalpur</b>	4.0	0.0	0.0	1.6	1.4	140
Bahawalnagar	5.8	0.0	0.0	2.4	1.0	115
RY Khan	4.8	0.0	0.0	1.9	1.4	201
<b>DG Khan</b>	4.4	0.9	0.4	2.7	1.5	198
Layyah	1.9	0.0	0.0	1.3	0.6	104
Muzaffargarh	3.8	0.0	0.0	1.7	1.7	288
Rajanpur	4.0	0.0	0.0	0.0	0.0	166
<b>Faisalabad</b>	1.7	0.4	0.0	0.4	0.0	384
Chiniot	5.5	0.0	0.0	3.0	3.0	83
Jhang	2.7	0.0	0.0	0.4	0.4	76
TT Singh	2.2	0.0	0.0	0.7	0.7	100
<b>Gujranwala</b>	3.2	0.0	0.0	1.5	1.3	304
Gujrat	4.9	0.0	0.0	0.9	0.9	156
Hafizabad	4.1	0.0	0.0	0.8	0.0	98
Mandi Bahauddin	2.4	0.0	0.0	2.6	0.4	130
Narowal	2.6	1.1	1.1	2.6	2.1	101
Sialkot	3.9	0.6	0.0	0.7	0.1	183
<b>Lahore</b>	2.9	0.0	0.0	1.9	1.9	506
Kasur	2.4	0.7	0.7	1.2	0.7	221
Nankana Sahib	3.8	0.0	0.0	1.1	1.1	98
Sheikhupura	8.0	0.0	0.0	0.7	0.7	210
<b>Multan</b>	4.0	0.0	0.0	1.8	1.0	217
Khanewal	7.5	0.0	0.0	1.0	0.4	131
Lodhran	0.0	0.0	0.0	0.9	0.9	69
Vehari	0.7	0.0	0.0	1.4	0.0	123
<b>Sahiwal</b>	4.7	0.0	0.0	0.0	0.0	163
Pakpattan	6.6	0.0	0.0	0.6	0.0	137
Okara	9.5	0.0	0.0	0.0	0.0	195
<b>Rawalpindi</b>	3.2	0.0	0.0	2.0	0.9	206
Attock	5.7	0.0	0.0	0.7	0.0	68
Chakwal	2.6	0.0	0.0	0.0	0.0	34
Jhelum	4.3	0.0	0.0	0.0	0.0	41
<b>Sargodha</b>	6.7	0.0	0.0	1.4	0.8	178
Bhakkar	2.9	0.0	0.0	1.9	1.1	98
Khushab	2.1	0.0	0.0	0.0	0.0	62
Mianwali	2.2	0.0	0.0	0.2	0.2	128

<sup>1</sup> MICS indicator 3.21 - Malaria diagnostics usage

<sup>2</sup> MICS indicator 3.22; MDG indicator 6.8 - Anti-malarial treatment of children under age 5

<sup>3</sup> MICS indicator 3.23 - Treatment with Artemisinin-based Combination Therapy (ACT) among children who received anti-malarial treatment

(\*) Figures that are based on fewer than 25 unweighted cases

**Table D.CH.18: Intermittent preventive treatment for malaria**

Percentage of women age 15-49 years who had a live birth during the two years preceding the survey and who received intermittent preventive treatment (IPT) for malaria during pregnancy at any antenatal care visit, Punjab, 2014.

	Percentage of women who received antenatal care (ANC)	Number of women with a live birth in the last two years	Percentage of pregnant women:					Number of women with a live birth in the last two years and who received antenatal care
			Who took any medicine to prevent malaria at any ANC visit during pregnancy	who took SP/Fansidar at least once during an ANC visit and in total took:				
				At least once	Two or more times	Three or more times <sup>1</sup>	Four or more times	
<b>Punjab</b>	78.8	10,653	3.2	1.4	0.8	0.4	0.2	8,392
<b>District</b>								
<b>Bahawalpur</b>	66.1	342	10.6	5.8	5.8	4.4	4.4	226
Bahawalnagar	64.5	254	7.6	4.0	4.0	4.0	4.0	164
RY Khan	53.6	472	2.3	1.3	1.3	0.0	0.0	253
<b>DG Khan</b>	57.0	361	4.2	1.9	0.4	0.4	0.4	206
Layyah	69.2	182	1.8	1.1	0.6	0.6	0.0	126
Muzaffargarh	66.2	414	6.7	2.7	0.6	0.0	0.0	274
Rajanpur	57.9	223	7.4	2.0	1.3	0.0	0.0	129
<b>Faisalabad</b>	90.4	692	3.0	2.4	1.2	0.8	0.0	626
Chiniot	90.1	123	3.2	1.3	0.0	0.0	0.0	110
Jhang	68.6	237	3.9	1.3	1.2	0.0	0.0	163
TT Singh	83.5	185	4.0	2.6	0.5	0.5	0.5	155
<b>Gujranwala</b>	76.7	481	3.6	0.5	0.2	0.0	0.0	369
Gujrat	91.1	258	1.8	0.0	0.0	0.0	0.0	235
Hafizabad	83.1	129	1.5	0.6	0.6	0.6	0.0	107
Mandi Baha	80.3	173	2.1	0.6	0.0	0.0	0.0	139
uddin								
Narowal	93.2	200	0.3	0.0	0.0	0.0	0.0	187
Sialkot	97.3	336	0.4	0.0	0.0	0.0	0.0	327
<b>Lahore</b>	87.9	988	1.7	0.6	0.2	0.0	0.0	869
Kasur	66.9	376	1.2	0.0	0.0	0.0	0.0	252
Nankana Sahib	84.6	182	1.1	0.4	0.4	0.0	0.0	154
Sheikhupura	80.6	369	3.8	1.1	0.3	0.3	0.0	297
<b>Multan</b>	79.8	465	4.2	3.2	2.4	0.0	0.0	371
Khanewal	82.4	289	4.1	2.1	1.5	0.0	0.0	239
Lodhran	70.2	176	1.8	1.0	0.7	0.0	0.0	124
Vehari	83.9	232	1.0	0.0	0.0	0.0	0.0	194
<b>Sahiwal</b>	85.7	261	0.7	0.0	0.0	0.0	0.0	224
Pakpattan	83.3	221	1.0	0.0	0.0	0.0	0.0	185
Okara	74.5	344	1.9	0.7	0.4	0.0	0.0	256
<b>Rawalpindi</b>	89.2	496	4.6	3.2	2.2	1.0	0.5	443
Attock	85.2	168	3.7	1.9	0.4	0.4	0.4	143
Chakwal	89.2	120	8.2	2.7	1.0	0.3	0.0	107
Jhelum	88.3	97	5.0	0.8	0.8	0.0	0.0	86
<b>Sargodha</b>	80.6	319	2.0	0.0	0.0	0.0	0.0	257
Bhakkar	76.5	174	1.3	0.0	0.0	0.0	0.0	133
Khushab	84.5	127	5.6	0.5	0.0	0.0	0.0	108
Mianwali	84.7	184	3.4	0.5	0.5	0.5	0.0	156

<sup>1</sup> MICS indicator 3.25 - Intermittent preventive treatment for malaria

**Table D.WS.1: Use of improved water sources**

Percent distribution of household population according to main source of drinking water and percentage of household population using improved drinking water sources, Punjab, 2014.

	Main source of drinking water																				Percentage using improved sources of drinking water <sup>1</sup>	Number of household members
	Improved sources											Unimproved sources										
	Piped water				Tube-well/ bore-hole	Hand pump (tap)	Motorized pump (dunky / turbine)	Pro-ected well	Pro-ected spring	Rain-water collection	Bottled water <sup>a</sup>	Unpro-ected well	Unpro-ected spring	Tanker truck	Cart with small tank/ drum	Surface water	Bottled water <sup>a</sup>	Other	Missing			
	Into dwelling	Into yard/plot	To neighbour	Public tap/ stand-pipe																		
<b>Punjab</b>	11.6	1.7	0.9	5.1	0.8	30.6	41.7	0.9	0.3	0.2	0.6	0.2	0.1	0.2	4.1	0.1	0.0	0.7	0.1	100.0	94.4	246,396
<b>District</b>																						
<b>Bahawalpur</b>	7.5	4.4	1.7	11.2	0.2	33.9	36.7	0.5	0.0	0.0	0.2	0.1	0.0	0.0	3.1	0.1	0.1	0.3	0.0	100.0	96.3	8,013
Bahawalnagar	14.5	15.9	1.7	9.9	0.1	37.8	17.6	0.0	0.0	0.0	0.3	0.1	0.0	0.0	2.2	0.0	0.0	0.0	0.1	100.0	97.6	6,704
RY Khan	3.7	1.7	0.2	1.2	0.2	60.6	24.9	0.0	0.0	0.0	0.2	0.0	0.0	0.0	7.1	0.1	0.0	0.0	0.0	100.0	92.7	11,240
<b>DG Khan</b>	4.0	2.4	1.1	8.6	0.7	62.9	8.1	0.0	0.0	2.4	0.0	1.0	1.6	1.1	5.6	0.5	0.1	0.0	0.0	100.0	90.2	6,498
Layyah	0.0	0.1	0.2	0.6	0.4	81.5	16.6	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.0	0.0	0.0	0.0	100.0	99.4	3,927
Muzaffargarh	0.2	0.0	0.1	1.7	0.1	83.7	12.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.0	0.0	100.0	98.2	8,664
Rajanpur	0.1	0.0	0.2	2.1	0.1	80.1	13.0	0.0	0.2	2.3	0.0	0.1	0.0	0.0	0.6	1.3	0.0	0.0	0.0	100.0	98.1	4,329
<b>Faisalabad</b>	10.1	0.5	1.3	6.4	0.1	21.9	28.9	0.0	0.0	0.0	0.6	0.0	0.0	0.2	28.3	0.7	0.1	1.0	0.0	100.0	69.7	17,101
Chiniot	0.9	0.0	0.3	7.0	0.3	45.7	44.3	0.0	0.0	0.0	0.1	0.0	0.0	0.0	1.2	0.0	0.0	0.2	0.0	100.0	98.6	3,198
Jhang	1.0	0.0	0.4	1.1	0.3	54.4	42.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.0	0.1	0.0	100.0	99.2	5,787
TT Singh	20.5	1.8	1.3	5.7	0.2	16.9	49.2	0.0	0.0	0.0	0.2	0.0	0.0	0.0	3.8	0.0	0.1	0.3	0.0	100.0	95.8	4,885
<b>Gujranwala</b>	5.9	0.0	0.6	4.8	0.1	14.9	68.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	0.0	2.9	0.0	100.0	94.2	10,545
Gujrat	11.6	0.0	0.5	2.2	0.4	10.0	74.7	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	100.0	99.5	6,553
Hafizabad	0.6	0.0	0.0	3.5	0.0	53.5	39.4	0.0	0.0	0.0	0.4	0.0	0.0	0.0	2.2	0.0	0.0	0.0	0.4	100.0	97.4	2,855
Mandi Bahauddin	2.6	0.0	0.1	1.6	0.2	62.0	31.5	0.0	0.0	0.0	0.1	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.1	100.0	98.2	3,748
Narowal	1.5	0.0	0.2	9.3	0.3	21.9	66.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0	4,028
Sialkot	7.2	0.2	1.1	4.3	0.0	15.9	58.7	0.0	0.0	0.0	0.3	0.0	0.0	0.0	3.3	0.0	0.1	8.9	0.0	100.0	87.8	8,584
<b>Lahore</b>	52.6	1.1	0.5	10.4	2.1	1.8	26.0	0.0	0.0	0.0	3.9	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.2	100.0	98.5	23,671
Kasur	17.1	2.4	1.2	3.3	0.3	18.7	55.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	1.8	0.0	0.0	0.0	0.1	100.0	98.1	7,752
Nankana Sahib	3.7	0.0	0.3	6.7	1.1	31.4	48.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	8.6	0.0	0.0	0.0	0.0	100.0	91.4	3,811
Sheikhupura	5.6	0.0	0.7	3.2	0.2	19.9	66.5	0.0	0.0	0.0	1.0	0.0	0.0	0.0	2.2	0.0	0.0	0.5	0.1	100.0	97.2	8,613
<b>Multan</b>	6.7	0.8	1.4	7.2	0.1	22.5	58.7	0.0	0.0	0.0	0.2	0.0	0.0	0.1	0.7	0.0	0.0	1.6	0.1	100.0	97.5	10,610
Khanewal	1.2	0.2	0.3	1.3	0.3	29.9	65.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.1	0.3	0.0	100.0	99.0	6,794
Lodhran	8.6	6.4	0.5	3.0	0.6	18.3	60.4	0.1	0.0	0.0	0.1	0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.0	100.0	98.1	3,976
Vehari	6.7	3.2	0.4	4.2	1.6	14.4	68.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	100.0	98.5	6,409
<b>Sahiwal</b>	2.9	3.4	0.5	0.1	0.5	21.8	67.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	0.0	0.0	0.0	100.0	96.3	5,531
Pakpattan	5.6	7.1	0.4	0.3	2.6	10.9	70.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	0.0	0.0	100.0	97.0	4,520
Okara	1.4	3.6	0.8	3.6	3.8	22.0	62.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.0	0.2	0.0	100.0	97.6	7,204

**Table D.WS.1: Use of improved water sources**

Percent distribution of household population according to main source of drinking water and percentage of household population using improved drinking water sources, Punjab, 2014.

	Main source of drinking water																				Percentage using improved sources of drinking water <sup>1</sup>	Number of household members
	Improved sources											Unimproved sources										
	Piped water				Tube-well/ bore-hole	Hand pump (tap)	Motorized pump (dunky / turbine)	Pro-ected well	Pro-ected spring	Rain-water collection	Bottled water <sup>a</sup>	Unpro-ected well	Unpro-ected spring	Tanker truck	Cart with small tank/ drum	Surface water	Bottled water <sup>a</sup>	Other	Missing			
<b>Rawalpindi</b>	19.3	0.2	3.2	12.2	2.8	3.9	34.4	12.2	5.4	0.0	0.7	0.8	0.7	1.7	0.1	0.2	0.0	1.9	0.3	100.0	94.3	11,568
Attock	16.8	0.0	2.6	2.4	0.5	12.2	45.6	13.5	0.6	0.1	0.0	5.3	0.3	0.1	0.0	0.0	0.0	0.2	0.0	100.0	94.1	4,214
Chakwal	19.7	0.0	2.1	0.5	0.0	6.6	62.9	1.6	0.2	0.0	0.0	2.6	0.2	2.2	0.9	0.0	0.0	0.5	0.0	100.0	93.6	3,285
Jhelum	16.9	0.1	2.7	5.6	0.0	7.8	57.9	5.6	0.6	0.1	0.1	0.8	1.1	0.3	0.2	0.0	0.0	0.1	0.0	100.0	97.5	2,700
<b>Sargodha</b>	2.8	1.1	0.3	3.0	0.0	73.4	11.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	7.8	0.3	0.0	0.0	0.1	100.0	91.9	8,167
Bhakkar	0.5	0.1	0.0	0.1	0.0	76.8	22.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	100.0	100.0	3,807
Khushab	10.9	6.0	0.9	4.1	1.1	53.1	10.5	0.6	0.0	5.3	0.1	0.2	3.1	0.0	2.9	1.2	0.0	0.0	0.0	100.0	92.6	3,104
Mianwali	7.0	6.1	1.0	1.6	4.8	44.1	30.5	0.4	0.7	0.0	0.0	1.1	0.8	0.0	0.0	0.0	0.0	1.4	0.6	100.0	96.1	4,004
<b>Punjab</b>	11.6	1.7	0.9	5.1	0.8	30.6	41.7	0.9	0.3	0.2	0.6	0.2	0.1	0.2	4.1	0.1	0.0	0.7	0.1	100.0	94.4	246,396

<sup>1</sup> MICS indicator 4.1; MDG indicator 7.8 - Use of improved drinking water sources

<sup>a</sup> Households using bottled water as the main source of drinking water are classified into improved or unimproved drinking water users according to the water source used for other purposes such as cooking and handwashing.

**Table D.WS.2: Household water treatment**

Percentage of household population by drinking water treatment method used in the household, and for household members living in households where an unimproved drinking water source is used, the percentage who are using an appropriate treatment method, Punjab, 2014.

	Water treatment method used in the household									Number of household members	Percentage of household members in households using unimproved drinking water sources and using an appropriate water treatment method <sup>1</sup>	Number of household members in households using unimproved drinking water sources
	None	Boil	Add bleach/ chlorine	Strain through a cloth	Use water filter	Solar disinfection	Let it stand and settle	Other	Missing/DK			
<b>Punjab</b>	93.6	4.1	0.0	0.9	1.8	0.0	0.3	0.1	0.0	246,396	2.1	13,808
<b>District</b>												
<b>Bahawalpur</b>	95.9	1.3	0.1	0.6	0.9	0.1	1.2	0.0	0.0	8,013	0.0	295
Bahawalnagar	96.2	0.1	0.0	0.7	0.1	0.1	2.7	0.0	0.0	6,704	0.0	158
RY Khan	97.6	0.7	0.0	0.7	0.3	0.2	0.5	0.0	0.0	11,240	0.6	818
<b>DG Khan</b>	98.1	1.3	0.0	0.2	0.4	0.0	0.0	0.0	0.0	6,498	3.1	639
Layyah	99.5	0.4	0.0	0.0	0.1	0.0	0.0	0.0	0.0	3,927	0.0	23
Muzaffargarh	98.1	1.4	0.0	0.0	0.5	0.0	0.0	0.0	0.0	8,664	0.0	158
Rajanpur	99.5	0.1	0.0	0.3	0.0	0.0	0.0	0.0	0.0	4,329	0.0	84
<b>Faisalabad</b>	97.0	1.9	0.0	0.3	0.6	0.0	0.1	0.0	0.0	17,101	2.3	5,176
Chiniot	97.1	2.7	0.2	0.0	0.2	0.0	0.0	0.0	0.0	3,198	5.3	45
Jhang	98.5	0.8	0.0	0.0	0.3	0.0	0.3	0.0	0.1	5,787	0.0	46
TT Singh	93.4	2.9	0.1	0.5	3.0	0.0	0.0	0.1	0.1	4,885	2.2	203
<b>Gujranwala</b>	93.8	5.0	0.0	1.1	1.4	0.0	0.0	0.0	0.0	10,545	2.0	611
Gujrat	94.0	3.7	0.0	1.3	1.8	0.0	0.4	0.0	0.0	6,553	0.0	34
Hafizabad	97.2	1.8	0.1	0.0	0.9	0.0	0.0	0.0	0.0	2,855	6.1	73
Mandi Bahauddin	98.5	0.9	0.0	0.0	0.6	0.0	0.0	0.0	0.0	3,748	0.0	68
Narowal	99.3	0.2	0.0	0.0	0.5	0.0	0.0	0.0	0.0	4,028	0.0	0
Sialkot	90.7	6.8	0.0	1.9	2.8	0.0	0.3	0.0	0.0	8,584	1.7	1,051
<b>Lahore</b>	72.0	20.7	0.0	4.5	7.8	0.1	0.3	0.1	0.0	23,671	0.0	366
Kasur	98.0	1.3	0.0	0.2	0.4	0.0	0.1	0.2	0.0	7,752	1.5	144
Nankana Sahib	98.3	0.6	0.0	0.0	1.2	0.0	0.0	0.0	0.0	3,811	2.4	326
Sheikhupura	94.0	4.2	0.1	0.3	1.4	0.0	0.0	0.2	0.0	8,613	1.7	242
<b>Multan</b>	93.7	2.9	0.0	0.1	3.0	0.0	0.3	0.0	0.0	10,610	3.1	261
Khanewal	96.6	1.1	0.0	0.0	1.9	0.0	0.6	0.0	0.0	6,794	7.5	69
Lodhran	96.7	0.9	0.0	0.1	1.7	0.0	0.5	0.0	0.0	3,976	0.0	76
Vehari	97.1	0.9	0.0	0.1	1.5	0.0	0.4	0.0	0.0	6,409	0.0	94
<b>Sahiwal</b>	97.9	0.9	0.0	0.0	1.1	0.0	0.0	0.0	0.0	5,531	1.4	205
Pakpattan	99.3	0.4	0.0	0.0	0.3	0.0	0.0	0.0	0.0	4,520	0.0	137
Okara	94.5	1.1	0.0	0.1	3.8	0.0	0.5	0.0	0.0	7,204	8.5	173
<b>Rawalpindi</b>	85.4	10.8	0.0	1.6	1.9	0.0	0.0	0.8	0.0	11,568	4.1	662
Attock	94.8	3.2	0.0	1.0	1.2	0.0	0.0	0.0	0.0	4,214	0.8	247
Chakwal	96.0	2.8	0.0	0.7	0.2	0.2	0.0	0.0	0.0	3,285	0.0	210
Jhelum	94.3	3.0	0.0	0.4	2.1	0.0	0.3	0.0	0.0	2,700	0.0	67
<b>Sargodha</b>	97.9	1.4	0.0	0.0	0.6	0.0	0.0	0.1	0.0	8,167	3.9	664
Bhakkar	99.3	0.5	0.0	0.0	0.3	0.0	0.0	0.0	0.0	3,807	0.0	0
Khushab	96.6	1.0	0.2	1.7	0.1	0.0	0.9	0.0	0.0	3,104	2.3	228
Mianwali	99.3	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4,004	0.0	155

<sup>1</sup> MICS indicator 4.2 - Water treatment

na: not applicable

(\*) Figures that are based on fewer than 25 unweighted cases

**Table D.WS.3: Time to source of drinking water**

Percent distribution of household population according to time to go to source of drinking water, get water and return, for users of improved and unimproved drinking water sources, Punjab, 2014.

	Time to source of drinking water									Number of household members
	Users of improved drinking water sources				Users of unimproved drinking water sources				Total	
	Water on premises	Less than 30 minutes	30 minutes or more	Missing /DK	Water on premises	Less than 30 minutes	30 minutes or more	Missing/ DK		
<b>Punjab</b>	80.8	8.4	5.2	0.1	1.7	2.1	1.5	0.3	100.0	246,396
<b>District</b>										
<b>Bahawalpur</b>	84.6	4.9	6.8	0.0	0.1	1.2	2.1	0.3	100.0	8,013
Bahawalnagar	80.6	6.9	10.1	0.0	0.2	0.5	1.5	0.1	100.0	6,704
RY Khan	79.7	6.5	6.5	0.0	0.3	3.7	3.1	0.1	100.0	11,240
<b>DG Khan</b>	75.5	5.4	9.1	0.2	0.6	3.6	5.5	0.2	100.0	6,498
Layyah	98.3	0.7	0.4	0.0	0.2	0.3	0.1	0.0	100.0	3,927
Muzaffargarh	96.2	0.6	1.4	0.0	0.5	0.4	0.9	0.0	100.0	8,664
Rajanpur	84.4	3.4	10.2	0.0	0.0	0.1	1.8	0.0	100.0	4,329
<b>Faisalabad</b>	52.6	8.7	8.4	0.0	16.8	6.8	5.3	1.4	100.0	17,101
Chiniot	93.0	4.9	0.7	0.0	0.6	0.5	0.2	0.0	100.0	3,198
Jhang	94.8	2.6	1.6	0.3	0.0	0.2	0.5	0.1	100.0	5,787
TT Singh	85.4	5.6	4.6	0.2	1.8	1.4	0.9	0.0	100.0	4,885
<b>Gujranwala</b>	81.5	11.1	1.6	0.0	0.2	4.3	1.0	0.2	100.0	10,545
Gujrat	71.7	26.6	1.2	0.0	0.0	0.5	0.0	0.0	100.0	6,553
Hafizabad	85.4	8.5	3.5	0.0	0.5	1.1	0.5	0.4	100.0	2,855
Mandi Bahauddin	79.5	12.8	5.7	0.3	0.6	1.0	0.0	0.1	100.0	3,748
Narowal	74.9	22.5	2.6	0.0	0.0	0.0	0.0	0.0	100.0	4,028
Sialkot	76.1	10.2	1.4	0.0	0.3	10.4	1.5	0.0	100.0	8,584
<b>Lahore</b>	83.0	10.1	5.3	0.1	0.7	0.4	0.2	0.2	100.0	23,671
Kasur	86.9	5.5	5.5	0.2	1.5	0.0	0.2	0.1	100.0	7,752
Nankana Sahib	72.0	12.3	7.1	0.0	2.5	4.2	1.9	0.0	100.0	3,811
Sheikhupura	89.4	4.8	2.7	0.3	0.3	1.5	0.9	0.2	100.0	8,613
<b>Multan</b>	89.3	4.7	3.3	0.2	0.5	1.0	0.9	0.1	100.0	10,610
Khanewal	95.0	3.7	0.3	0.0	0.1	0.6	0.3	0.0	100.0	6,794
Lodhran	89.1	4.7	4.3	0.0	0.0	0.7	1.2	0.0	100.0	3,976
Vehari	87.8	7.5	3.2	0.0	0.1	0.6	0.7	0.0	100.0	6,409
<b>Sahiwal</b>	87.9	5.4	3.0	0.1	0.2	2.0	1.5	0.0	100.0	5,531
Pakpattan	87.7	8.3	1.0	0.0	0.0	1.9	1.0	0.1	100.0	4,520
Okara	80.6	8.7	8.2	0.0	0.0	1.5	0.9	0.0	100.0	7,204
<b>Rawalpindi</b>	62.4	17.7	13.6	0.5	2.0	1.5	1.8	0.4	100.0	11,568
Attock	79.2	9.1	5.8	0.1	2.6	1.3	2.0	0.0	100.0	4,214
Chakwal	83.6	6.8	3.1	0.1	2.4	1.2	2.8	0.0	100.0	3,285
Jhelum	80.8	12.7	4.0	0.1	0.3	0.5	1.7	0.0	100.0	2,700
<b>Sargodha</b>	76.8	9.5	5.5	0.0	0.6	3.8	2.0	1.7	100.0	8,167
Bhakkar	97.9	1.9	0.2	0.0	0.0	0.0	0.0	0.0	100.0	3,807
Khushab	59.4	13.6	19.6	0.0	0.7	2.1	4.6	0.0	100.0	3,104
Mianwali	84.7	6.9	4.5	0.0	0.7	0.9	1.7	0.6	100.0	4,004

**Table D.WS.4: Person collecting water**

Percentage of households without drinking water on premises, and percent distribution of households without drinking water on premises according to the person usually collecting drinking water used in the household, Punjab, 2014.

	Percentage of households without drinking water on premises	Number of households	Person usually collecting drinking water						Number of households without drinking water on premises
			Adult woman (age 15+ years)	Adult man (age 15+ years)	Female child (under 15)	Male child (under 15)	DK / Missing	Total	
<b>Punjab</b>	17.8	38,405	33.7	53.2	3.5	7.5	2.2	100.0	6,831
<b>District</b>									
<b>Bahawalpur</b>	15.8	1,299	39.6	53.9	2.0	3.9	0.6	100.0	205
Bahawalnagar	18.1	1,074	48.4	41.2	3.6	5.5	1.3	100.0	195
RY Khan	19.3	1,719	36.6	57.3	1.8	4.2	0.0	100.0	332
<b>DG Khan</b>	25.1	935	36.0	50.5	3.8	7.6	2.1	100.0	235
Layyah	1.5	597	(*)	(*)	(*)	(*)	(*)	100.0	9
Muzaffargarh	3.8	1,303	24.0	59.8	2.0	11.7	2.5	100.0	49
Rajanpur	14.8	600	62.8	26.8	3.5	4.6	2.3	100.0	89
<b>Faisalabad</b>	30.6	2,711	19.9	70.1	1.4	7.2	1.3	100.0	830
Chiniot	6.7	504	33.4	45.9	9.0	9.6	2.0	100.0	34
Jhang	5.5	893	51.5	37.7	0.0	4.8	6.0	100.0	49
TT Singh	13.6	780	26.2	61.7	1.3	8.8	2.0	100.0	106
<b>Gujranwala</b>	17.9	1,589	11.6	63.7	6.2	15.6	2.9	100.0	284
Gujrat	27.5	1,024	30.1	54.9	3.0	11.1	0.9	100.0	282
Hafizabad	14.6	433	11.0	70.7	5.4	8.7	4.3	100.0	63
Mandi Bahauddin	19.2	589	29.0	59.5	2.1	6.2	3.2	100.0	113
Narowal	25.9	634	43.6	33.2	7.4	12.7	3.1	100.0	164
Sialkot	24.3	1,299	27.1	54.7	6.0	11.5	0.7	100.0	316
<b>Lahore</b>	16.8	3,614	10.4	75.8	1.4	8.4	4.1	100.0	607
Kasur	11.7	1,171	35.8	41.1	10.2	5.6	7.3	100.0	137
Nankana Sahib	26.8	580	18.9	71.4	1.6	7.5	0.5	100.0	155
Sheikhupura	10.8	1,266	22.6	49.2	11.2	12.0	5.0	100.0	137
<b>Multan</b>	10.2	1,835	19.0	67.9	4.2	5.2	3.7	100.0	187
Khanewal	5.2	1,123	51.8	30.9	9.2	8.1	0.0	100.0	59
Lodhran	11.4	647	42.8	51.2	0.0	2.5	3.6	100.0	74
Vehari	13.0	1,028	39.2	55.7	0.8	3.5	0.8	100.0	133
<b>Sahiwal</b>	13.1	832	38.3	44.9	9.1	5.9	1.8	100.0	109
Pakpattan	13.2	718	49.7	39.6	3.2	5.8	1.8	100.0	95
Okara	20.5	1,088	44.8	39.0	5.2	10.2	0.8	100.0	223
<b>Rawalpindi</b>	36.0	1,923	45.8	40.6	4.0	7.1	2.6	100.0	692
Attock	18.6	689	65.5	24.8	5.5	3.5	0.6	100.0	128
Chakwal	13.7	568	78.5	12.3	3.0	0.8	5.5	100.0	78
Jhelum	18.7	452	62.0	32.7	1.8	2.2	1.3	100.0	85
<b>Sargodha</b>	22.9	1,324	32.8	56.7	2.2	7.4	0.9	100.0	303
Bhakkar	2.4	544	(*)	(*)	(*)	(*)	(*)	100.0	13
Khushab	40.8	471	62.5	29.4	2.7	3.9	1.5	100.0	192
Mianwali	12.5	545	70.3	19.1	0.0	1.1	9.6	100.0	68

(\*) Figures that are based on fewer than 25 unweighted cases

**Table D.WS.5: Types of sanitation facilities**

Percent distribution of household population according to type of toilet facility used by the household, Punjab, 2014.

	Type of toilet facility used by household												Open defecation (no facility, bush, field)	Total	Number of household members
	Improved sanitation facility							Unimproved sanitation facility							
	Flush/Pour flush to:							Flush/ Pour flush to somewhere else	Pit latrine without slab/ open pit	Bucket	Other	DK/ Missing			
	Piped sewer system	Septic tank	Pit latrine	Unknown place/not sure/DK where	Ventilated improved pit latrine	Pit latrine with slab	Composting toilet								
Punjab	21.3	44.1	8.7	0.3	0.2	0.6	0.0	6.8	0.2	0.0	0.2	0.1	17.5	100.0	246,396
District															
Bahawalpur	24.6	15.5	20.6	0.9	0.5	0.7	0.0	9.9	0.8	0.0	0.4	0.0	26.0	100.0	8,013
Bahawalnagar	8.6	15.9	30.7	0.5	0.3	1.3	0.0	12.0	0.0	0.0	0.0	0.1	30.6	100.0	6,704
RY Khan	19.4	7.0	30.2	0.1	0.2	2.2	0.0	10.2	0.5	0.0	0.5	0.0	29.6	100.0	11,240
DG Khan	6.1	36.8	8.3	0.8	0.6	3.6	0.3	2.1	2.8	0.0	0.0	0.1	38.6	100.0	6,498
Layyah	1.4	61.1	2.9	0.0	0.1	3.5	0.0	0.5	0.7	0.0	0.6	0.1	29.1	100.0	3,927
Muzaffargarh	1.4	45.6	4.7	0.3	0.2	2.6	0.0	1.9	0.2	0.2	0.1	0.0	42.8	100.0	8,664
Rajanpur	0.7	42.5	5.3	0.5	0.3	0.3	0.0	0.8	0.1	0.0	0.1	0.0	49.4	100.0	4,329
Faisalabad	38.1	53.2	0.4	0.0	0.2	0.0	0.0	0.8	0.1	0.0	0.1	0.1	6.9	100.0	17,101
Chiniot	3.6	54.7	0.1	0.1	0.2	0.0	0.0	1.9	0.0	0.0	0.1	0.0	39.2	100.0	3,198
Jhang	4.2	44.2	2.4	0.5	0.0	0.0	0.0	10.0	0.0	0.0	0.4	0.0	38.3	100.0	5,787
TT Singh	9.8	65.6	4.9	0.1	0.1	0.0	0.0	4.7	0.0	0.0	0.0	0.2	14.6	100.0	4,885
Gujranwala	19.8	76.1	0.1	0.0	0.0	0.0	0.0	2.1	0.0	0.0	0.2	0.3	1.3	100.0	10,545
Gujrat	3.7	89.3	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.1	0.1	0.0	5.8	100.0	6,553
Hafizabad	1.8	78.1	0.1	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.3	0.4	18.8	100.0	2,855
Mandi	3.0	71.9	0.4	0.3	0.0	0.0	0.0	2.4	0.0	0.0	0.3	0.1	21.5	100.0	3,748
Narowal	0.5	77.8	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.8	0.0	19.7	100.0	4,028
Sialkot	8.1	84.7	0.0	0.0	0.0	0.0	0.0	2.1	0.0	0.0	0.5	0.0	4.7	100.0	8,584
Lahore	84.3	10.8	0.3	1.3	0.1	0.0	0.0	2.1	0.0	0.0	0.0	0.5	0.5	100.0	23,671
Kasur	4.1	63.8	0.5	0.0	0.0	0.1	0.0	20.9	0.0	0.1	0.3	0.2	9.9	100.0	7,752
Nankana	5.9	83.1	0.2	0.0	0.0	0.0	0.0	1.5	0.1	0.0	0.3	0.0	9.0	100.0	3,811
Sheikhupura	17.1	74.5	0.2	0.1	0.0	0.0	0.0	2.8	0.0	0.0	0.3	0.2	4.8	100.0	8,613
Multan	34.8	12.1	4.2	0.0	0.3	0.8	0.0	27.2	0.5	0.1	0.3	0.1	19.6	100.0	10,610
Khanewal	10.2	23.9	10.0	0.1	0.1	1.5	0.0	34.6	0.0	0.0	0.2	0.2	19.3	100.0	6,794
Lodhran	14.3	12.6	24.7	0.1	0.0	2.7	0.0	15.3	0.1	0.0	0.5	0.1	29.7	100.0	3,976
Vehari	15.9	19.4	15.4	0.2	0.3	0.7	0.0	32.2	0.0	0.0	0.1	0.0	15.9	100.0	6,409



**Table D.WS.5: Types of sanitation facilities**

Percent distribution of household population according to type of toilet facility used by the household, Punjab, 2014.

	Type of toilet facility used by household														Number of household members
	Improved sanitation facility							Unimproved sanitation facility							
	Flush/Pour flush to:														
	Piped sewer system	Septic tank	Pit latrine	Unknown place/not sure/DK where	Ventilated improved pit latrine	Pit latrine with slab	Composting toilet	Flush/ Pour flush to somewhere else	Pit latrine without slab/ open pit	Bucket	Other	DK/ Missing	Open defecation (no facility, bush, field)	Total	
<b>Sahiwal</b>	31.5	34.6	10.6	0.5	0.0	0.1	0.0	2.6	0.0	0.0	0.0	0.0	20.1	100.0	5,531
Pakpattan	8.1	48.6	14.2	0.5	0.0	0.2	0.0	11.5	0.1	0.0	0.0	0.0	17.0	100.0	4,520
Okara	24.5	37.9	4.1	0.9	0.0	0.0	0.0	9.5	0.1	0.0	0.0	0.0	22.9	100.0	7,204
<b>Rawalpindi</b>	20.2	55.9	14.5	0.5	0.2	0.1	0.0	1.2	0.2	0.0	0.2	0.4	6.5	100.0	11,568
Attock	5.0	53.3	23.3	0.0	0.2	0.0	0.0	2.7	0.2	0.2	0.1	0.0	15.0	100.0	4,214
Chakwal	1.6	53.1	28.3	0.0	0.0	0.2	0.0	1.6	0.0	0.1	0.5	0.2	14.6	100.0	3,285
Jhelum	2.9	65.9	14.0	0.2	0.3	0.0	0.0	1.4	0.0	0.0	0.0	0.0	15.2	100.0	2,700
<b>Sargodha</b>	16.9	58.6	1.0	0.1	0.0	0.1	0.0	0.8	0.0	0.0	0.0	0.1	22.3	100.0	8,167
Bhakkar	3.5	33.6	29.4	0.0	2.3	0.0	0.0	0.2	0.0	0.0	0.1	0.0	30.9	100.0	3,807
Khushab	6.2	41.1	16.6	0.0	0.6	0.0	0.0	0.2	0.4	0.0	0.0	0.0	34.9	100.0	3,104
Mianwali	8.2	24.0	51.0	0.0	1.9	0.4	0.0	0.2	0.0	0.0	0.1	0.1	14.0	100.0	4,004
<b>Punjab</b>	21.3	44.1	8.7	0.3	0.2	0.6	0.0	6.8	0.2	0.0	0.2	0.1	17.5	100.0	246,396

**Table D.WS.6: Use and sharing of sanitation facilities**

Percent distribution of household population by use of private and public sanitation facilities and use of shared facilities, by users of improved and unimproved sanitation facilities, Punjab, 2014.

	Users of improved sanitation facilities					Users of unimproved sanitation facilities					Open defecation (no facility, bush, field)	Total	Number of household members
	Shared by					Shared by							
	Not shared <sup>1</sup>	Public facility	5 households or less	More than 5 households	Missing/DK	Not shared	Public facility	5 households or less	More than 5 households	Missing/DK			
<b>Punjab</b>	66.2	0.1	8.6	0.2	0.0	6.1	0.0	1.3	0.0	0.0	17.5	100.0	246,396
<b>District</b>													
<b>Bahawalpur</b>	57.1	0.2	5.3	0.1	0.1	10.5	0.0	0.5	0.0	0.1	26.0	100.0	8,013
Bahawalnagar	51.8	0.0	5.4	0.1	0.0	11.8	0.0	0.3	0.0	0.0	30.6	100.0	6,704
RY Khan	53.0	0.0	5.7	0.4	0.0	9.8	0.0	1.5	0.1	0.0	29.6	100.0	11,240
<b>DG Khan</b>	46.3	0.4	8.7	1.1	0.0	3.3	0.0	1.7	0.0	0.0	38.6	100.0	6,498
Layyah	55.3	0.1	12.9	0.8	0.0	1.1	0.0	0.6	0.1	0.0	29.1	100.0	3,927
Muzaffargarh	43.6	0.0	10.2	0.9	0.0	1.4	0.0	0.8	0.2	0.0	42.8	100.0	8,664
Rajanpur	36.2	0.0	12.8	0.6	0.0	0.6	0.0	0.4	0.0	0.0	49.4	100.0	4,329
<b>Faisalabad</b>	81.7	0.0	10.2	0.0	0.1	0.9	0.0	0.2	0.0	0.0	6.9	100.0	17,101
Chiniot	48.2	0.0	10.4	0.2	0.0	1.5	0.0	0.5	0.0	0.0	39.2	100.0	3,198
Jhang	44.5	0.0	6.8	0.1	0.0	8.1	0.1	2.3	0.0	0.0	38.3	100.0	5,787
TT Singh	71.6	0.0	8.8	0.0	0.0	4.3	0.0	0.6	0.0	0.0	14.6	100.0	4,885
<b>Gujranwala</b>	83.2	0.0	12.5	0.2	0.1	2.0	0.0	0.7	0.0	0.0	1.3	100.0	10,545
Gujrat	85.6	0.0	7.3	0.0	0.0	1.3	0.0	0.0	0.0	0.0	5.8	100.0	6,553
Hafizabad	73.5	0.0	6.5	0.0	0.0	0.9	0.0	0.3	0.0	0.0	18.8	100.0	2,855
Mandi Bahauddin	66.4	0.0	9.1	0.0	0.0	2.7	0.0	0.2	0.0	0.0	21.5	100.0	3,748
Narowal	71.6	0.0	6.6	0.0	0.0	1.2	0.0	0.9	0.0	0.0	19.7	100.0	4,028
Sialkot	86.4	0.2	6.1	0.0	0.0	2.3	0.0	0.3	0.0	0.0	4.7	100.0	8,584
<b>Lahore</b>	90.0	0.1	6.7	0.2	0.0	2.3	0.0	0.3	0.0	0.0	0.5	100.0	23,671
Kasur	57.9	0.0	10.7	0.0	0.0	16.8	0.0	4.7	0.0	0.0	9.9	100.0	7,752
Nankana Sahib	79.7	0.0	9.5	0.0	0.0	1.2	0.1	0.5	0.0	0.0	9.0	100.0	3,811
Sheikhupura	81.2	0.0	9.9	0.4	0.3	2.4	0.0	0.9	0.0	0.0	4.8	100.0	8,613
<b>Multan</b>	43.3	0.0	8.4	0.4	0.2	24.2	0.0	3.8	0.0	0.1	19.6	100.0	10,610
Khanewal	35.3	0.0	10.2	0.2	0.0	28.5	0.0	6.5	0.0	0.0	19.3	100.0	6,794
Lodhran	45.0	0.0	9.3	0.0	0.0	13.2	0.0	2.8	0.0	0.0	29.7	100.0	3,976
Vehari	44.7	0.0	7.1	0.0	0.0	25.2	0.0	7.1	0.0	0.0	15.9	100.0	6,409
<b>Sahiwal</b>	68.0	0.0	9.2	0.1	0.0	2.1	0.0	0.4	0.0	0.0	20.1	100.0	5,531
Pakpattan	57.2	0.0	14.2	0.0	0.0	8.9	0.0	2.7	0.0	0.0	17.0	100.0	4,520
Okara	60.0	0.0	7.4	0.1	0.0	8.2	0.0	1.5	0.0	0.0	22.9	100.0	7,204

Table D.WS.6: Use and sharing of sanitation facilities													
Percent distribution of household population by use of private and public sanitation facilities and use of shared facilities, by users of improved and unimproved sanitation facilities, Punjab, 2014.													
	Users of improved sanitation facilities					Users of unimproved sanitation facilities					Open defecation (no facility, bush, field)	Total	Number of household members
	Not shared <sup>1</sup>	Public facility	Shared by		Missing/DK	Not shared	Public facility	Shared by		Missing/DK			
			5 households or less	More than 5 households				5 households or less	More than 5 households				
<b>Rawalpindi</b>	86.0	0.0	5.2	0.2	0.1	1.8	0.0	0.3	0.0	0.0	6.5	100.0	11,568
Attock	77.4	0.0	4.5	0.0	0.0	3.1	0.0	0.2	0.0	0.0	15.0	100.0	4,214
Chakwal	78.6	0.2	4.3	0.0	0.0	1.7	0.0	0.6	0.0	0.0	14.6	100.0	3,285
Jhelum	77.1	0.0	6.2	0.1	0.0	1.1	0.0	0.4	0.0	0.0	15.2	100.0	2,700
<b>Sargodha</b>	65.1	0.1	11.3	0.3	0.0	0.5	0.0	0.3	0.1	0.0	22.3	100.0	8,167
Bhakkar	51.4	0.5	16.3	0.6	0.0	0.2	0.0	0.1	0.0	0.0	30.9	100.0	3,807
Khushab	53.8	0.0	10.7	0.0	0.0	0.6	0.0	0.1	0.0	0.0	34.9	100.0	3,104
Mianwali	69.2	0.0	15.7	0.6	0.0	0.2	0.0	0.2	0.0	0.0	14.0	100.0	4,004
<b>Punjab</b>	66.2	0.1	8.6	0.2	0.0	6.1	0.0	1.3	0.0	0.0	17.5	100.0	246,396
<sup>1</sup> MICS indicator 4.3; MDG indicator 7.9 - Use of improved sanitation													

Table D.WS.7: Drinking water and sanitation ladders											
Percentage of household population by drinking water and sanitation ladders, Punjab, 2014.											
	Improved drinking water <sup>1 a</sup>				Unimproved sanitation					Improved drinking water sources and improved sanitation	Number of household members
	Piped into dwelling, plot or yard	Other improved	Unimproved drinking water	Total	Improved sanitation <sup>2</sup>	Shared improved facilities	Unimproved facilities	Open defecation	Total		
<b>Punjab</b>	13.8	80.6	5.6	100.0	66.2	8.9	7.4	17.5	100.0	61.6	246,396
<b>District</b>											
<b>Bahawalpur</b>	11.9	84.4	3.7	100.0	57.1	5.7	11.1	26.0	100.0	54.6	8,013
Bahawalnagar	30.5	67.1	2.4	100.0	51.8	5.5	12.1	30.6	100.0	50.4	6,704
RY Khan	5.5	87.2	7.3	100.0	53.0	6.1	11.3	29.6	100.0	47.1	11,240
<b>DG Khan</b>	6.4	83.8	9.8	100.0	46.3	10.1	5.0	38.6	100.0	40.8	6,498
Layyah	0.1	99.3	0.6	100.0	55.3	13.8	1.8	29.1	100.0	54.7	3,927
Muzaffargarh	0.3	97.9	1.8	100.0	43.6	11.2	2.4	42.8	100.0	42.6	8,664
Rajanpur	0.2	97.9	1.9	100.0	36.2	13.4	1.0	49.4	100.0	35.9	4,329
<b>Faisalabad</b>	10.8	58.9	30.3	100.0	81.7	10.3	1.1	6.9	100.0	54.1	17,101
Chiniot	0.9	97.7	1.4	100.0	48.2	10.6	2.0	39.2	100.0	47.0	3,198
Jhang	1.0	98.2	0.8	100.0	44.5	6.8	10.4	38.3	100.0	44.2	5,787
TT Singh	22.4	73.5	4.2	100.0	71.6	8.8	4.9	14.6	100.0	67.7	4,885
<b>Gujranwala</b>	5.9	88.3	5.8	100.0	83.2	12.9	2.7	1.3	100.0	77.8	10,545
Gujrat	11.7	87.8	0.5	100.0	85.6	7.3	1.3	5.8	100.0	85.1	6,553
Hafizabad	0.6	96.9	2.6	100.0	73.5	6.5	1.2	18.8	100.0	71.3	2,855
Mandi Bahauddin	2.6	95.5	1.8	100.0	66.4	9.2	2.9	21.5	100.0	65.0	3,748
Narowal	1.5	98.5	0.0	100.0	71.6	6.6	2.0	19.7	100.0	71.6	4,028
Sialkot	7.5	80.3	12.2	100.0	86.4	6.3	2.6	4.7	100.0	74.5	8,584
<b>Lahore</b>	57.3	41.2	1.5	100.0	90.0	6.9	2.6	0.5	100.0	88.8	23,671
Kasur	19.5	78.6	1.9	100.0	57.9	10.7	21.5	9.9	100.0	57.2	7,752
Nankana Sahib	3.7	87.8	8.6	100.0	79.7	9.5	1.8	9.0	100.0	72.2	3,811
Sheikhupura	6.0	91.2	2.8	100.0	81.2	10.7	3.3	4.8	100.0	79.1	8,613
<b>Multan</b>	7.5	90.0	2.5	100.0	43.3	9.0	28.1	19.6	100.0	41.9	10,610
Khanewal	1.4	97.6	1.0	100.0	35.3	10.4	35.0	19.3	100.0	34.7	6,794
Lodhran	15.0	83.1	1.9	100.0	45.0	9.3	16.0	29.7	100.0	44.0	3,976
Vehari	9.9	88.6	1.5	100.0	44.7	7.2	32.3	15.9	100.0	43.6	6,409
<b>Sahiwal</b>	6.3	90.0	3.7	100.0	68.0	9.4	2.6	20.1	100.0	64.4	5,531
Pakpattan	12.7	84.2	3.0	100.0	57.2	14.2	11.6	17.0	100.0	54.6	4,520
Okara	5.0	92.6	2.4	100.0	60.0	7.5	9.7	22.9	100.0	58.3	7,204

Table D.WS.7: Drinking water and sanitation ladders											
Percentage of household population by drinking water and sanitation ladders, Punjab, 2014.											
	Percentage of household population using:									Improved drinking water sources and improved sanitation	Number of household members
	Improved drinking water <sup>1 a</sup>				Unimproved sanitation						
	Piped into dwelling, plot or yard	Other improved	Unimproved drinking water	Total	Improved sanitation <sup>2</sup>	Shared improved facilities	Unimproved facilities	Open defecation	Total		
<b>Rawalpindi</b>	20.0	74.2	5.7	100.0	86.0	5.4	2.1	6.5	100.0	81.3	11,568
Attock	16.8	77.4	5.9	100.0	77.4	4.5	3.2	15.0	100.0	74.1	4,214
Chakwal	19.7	73.9	6.4	100.0	78.6	4.5	2.3	14.6	100.0	73.8	3,285
Jhelum	17.0	80.6	2.5	100.0	77.1	6.3	1.4	15.2	100.0	76.5	2,700
<b>Sargodha</b>	3.9	88.0	8.1	100.0	65.1	11.6	0.9	22.3	100.0	58.1	8,167
Bhakkar	0.6	99.4	0.0	100.0	51.4	17.4	0.3	30.9	100.0	51.4	3,807
Khushab	16.9	75.7	7.4	100.0	53.8	10.7	0.6	34.9	100.0	51.1	3,104
Mianwali	13.0	83.1	3.9	100.0	69.2	16.3	0.5	14.0	100.0	66.5	4,004
<b>Punjab</b>	13.8	80.6	5.6	100.0	66.2	8.9	7.4	17.5	100.0	61.6	246,396
<sup>1</sup> MICS indicator 4.1; MDG indicator 7.8 - Use of improved drinking water sources											
<sup>2</sup> MICS indicator 4.3; MDG indicator 7.9 - Use of improved sanitation											
Those indicating bottled water as the main source of drinking water are distributed according to the water source used for other purposes such as cooking and handwashing.											

**Table D.WS.8: Disposal of child's faeces**

Percent distribution of children age 0-2 years according to place of disposal of child's faeces, and the percentage of children age 0-2 years whose stools were disposed of safely the last time the child passed stools, Punjab, 2014.

	Place of disposal of child's faeces									Percentage of children whose last stools were disposed of safely <sup>1</sup>	Number of children age 0-2 years
	Child used toilet/latrine	Put/rinsed into toilet or latrine	Put/rinsed into drain or ditch	Thrown into garbage (solid waste)	Buried	Left in the open	Other	DK / Missing	Total		
<b>Punjab</b>	6.1	65.3	6.4	16.8	1.2	3.2	0.4	0.7	100.0	71.4	16,028
<b>District</b>											
<b>Bahawalpur</b>	16.7	44.7	4.6	20.4	7.3	4.5	0.0	1.8	100.0	61.4	514
Bahawalnagar	5.7	54.4	6.5	22.9	5.5	5.0	0.0	0.0	100.0	60.2	412
RY Khan	2.9	52.6	9.3	21.5	4.6	8.3	0.0	0.7	100.0	55.5	762
<b>DG Khan</b>	5.5	32.9	14.7	31.6	1.8	12.2	0.0	1.4	100.0	38.4	511
Layyah	2.4	47.1	9.2	33.9	0.5	5.3	0.3	1.5	100.0	49.4	289
Muzaffargarh	3.6	39.7	13.7	30.7	1.5	9.2	0.2	1.4	100.0	43.2	624
Rajanpur	1.2	26.4	16.5	38.7	1.6	14.7	0.0	0.9	100.0	27.6	344
<b>Faisalabad</b>	5.3	84.5	2.0	7.2	0.1	0.1	0.8	0.0	100.0	89.8	1,083
Chiniot	3.4	62.0	3.8	30.3	0.0	0.4	0.0	0.0	100.0	65.5	188
Jhang	3.8	56.9	3.9	26.9	2.3	5.3	0.0	0.8	100.0	60.7	371
TT Singh	2.4	73.9	1.0	20.8	0.0	0.9	0.0	1.0	100.0	76.3	287
<b>Gujranwala</b>	7.0	86.4	1.2	4.5	0.0	0.3	0.0	0.6	100.0	93.5	717
Gujrat	13.8	76.1	3.5	5.0	0.0	0.1	0.2	1.4	100.0	89.8	438
Hafizabad	4.7	74.6	2.8	10.0	0.0	5.3	0.3	2.3	100.0	79.3	183
Mandi	8.3	64.4	5.6	16.0	0.3	5.1	0.0	0.3	100.0	72.7	229
Bahauddin	3.7	82.5	6.9	5.2	0.8	0.0	0.6	0.4	100.0	86.2	317
Narowal	8.7	75.6	2.9	11.8	0.0	0.0	0.4	0.5	100.0	84.3	533
<b>Lahore</b>	9.0	83.5	2.7	4.6	0.0	0.3	0.0	0.0	100.0	92.5	1,429
Kasur	8.0	71.6	3.5	10.0	1.3	4.4	0.6	0.5	100.0	79.6	535
Nankana	6.8	80.9	1.8	6.6	0.0	2.4	0.0	1.6	100.0	87.7	260
Sahib	11.7	79.9	1.1	6.5	0.0	0.1	0.0	0.7	100.0	91.7	522
Sheikhupura	6.6	63.0	6.7	18.6	0.0	3.4	0.0	1.7	100.0	69.5	716
<b>Multan</b>	2.7	64.7	10.4	17.8	0.0	3.6	0.3	0.5	100.0	67.4	432
Khanewal	1.3	59.0	7.1	25.9	2.7	2.6	0.0	1.4	100.0	60.3	261
Lodhran	0.1	75.9	2.6	17.0	0.3	3.1	0.0	1.1	100.0	76.1	368
Vehari	1.3	72.4	10.2	12.2	0.2	3.3	0.2	0.3	100.0	73.8	398
<b>Sahiwal</b>	0.8	74.7	7.4	14.4	1.4	1.0	0.0	0.3	100.0	75.5	311
Pakpattan	4.9	70.9	5.7	15.5	0.5	1.1	0.7	0.7	100.0	75.8	515
Okara	12.6	43.0	14.4	24.2	0.7	2.5	2.4	0.2	100.0	55.6	698
<b>Rawalpindi</b>	8.1	55.7	17.3	12.1	1.2	2.0	2.8	0.8	100.0	63.8	249
Attock	7.0	51.4	11.4	21.0	1.2	2.7	3.6	1.8	100.0	58.4	179
Chakwal	7.7	62.5	11.4	12.0	0.0	3.7	1.7	1.0	100.0	70.2	148
Jhelum	3.8	68.3	4.9	19.9	1.0	1.4	0.6	0.2	100.0	72.1	504
<b>Sargodha</b>	0.4	49.9	3.4	38.2	4.3	3.0	0.0	0.8	100.0	50.3	244
Bhakkar	0.9	53.1	6.1	34.3	0.8	3.8	0.0	1.1	100.0	54.0	184
Khushab	0.5	63.1	7.8	24.5	1.3	2.3	0.0	0.4	100.0	63.6	275
Mianwali											

<sup>1</sup> MICS indicator 4.4 - Safe disposal of child's faeces

**Table D.WS.9: Water and soap at place for handwashing**

Percentage of households where place for handwashing was observed, percentage with no specific place for handwashing, and percent distribution of households by availability of water and soap at specific place for handwashing, Punjab, 2014.

	Percentage of households :			Place for handwashing observed							No specific place for handwashing in the dwelling, yard, or plot	Total	Percentage of households with a specific place for handwashing where water and soap or other cleansing agent are present <sup>1</sup>	Number of households where place for handwashing was observed or with no specific place for handwashing
	Where place for handwashing was observed	With no specific place for handwashing in the dwelling, yard, or plot	Number of households	Water is available and:			Water is not available and:							
				Soap present	No soap:		Soap present	No soap:						
					Ash, mud, or sand present	No other cleansing agent present		Ash, mud, or sand present	No other cleansing agent present					
<b>Punjab</b>	97.9	0.5	38,405	78.3	1.3	16.9	0.6	0.0	2.4	0.5	100.0	79.6	37,790	
<b>District</b>														
<b>Bahawalpur</b>	98.6	0.7	1,299	62.1	1.2	31.0	0.6	0.1	4.3	0.7	100.0	63.3	1,290	
Bahawalnagar	99.2	0.7	1,074	65.4	0.5	28.2	0.5	0.1	4.8	0.7	100.0	65.8	1,072	
RY Khan	99.2	0.8	1,719	60.1	2.8	34.2	0.0	0.0	2.0	0.8	100.0	63.0	1,719	
<b>DG Khan</b>	98.5	0.5	935	44.6	2.6	40.9	1.2	0.2	10.0	0.5	100.0	47.2	926	
Layyah	99.7	0.0	597	64.3	6.1	27.9	0.5	0.0	1.1	0.0	100.0	70.5	596	
Muzaffargarh	99.3	0.3	1,303	54.7	3.7	34.8	0.4	0.2	5.9	0.3	100.0	58.4	1,297	
Rajanpur	99.7	0.1	600	42.2	15.3	39.6	0.0	0.4	2.4	0.1	100.0	57.5	600	
<b>Faisalabad</b>	98.9	0.4	2,711	91.1	0.8	6.5	0.2	0.0	1.0	0.4	100.0	91.8	2,691	
Chiniot	98.7	1.0	504	74.4	1.0	22.2	0.0	0.0	1.4	1.0	100.0	75.4	503	
Jhang	99.1	0.3	893	72.7	3.5	21.0	0.2	0.0	2.2	0.3	100.0	76.2	888	
TT Singh	99.1	0.7	780	77.6	2.8	15.9	0.8	0.1	2.2	0.7	100.0	80.4	779	
<b>Gujranwala</b>	98.1	0.2	1,589	91.4	0.0	7.4	0.3	0.0	0.6	0.2	100.0	91.4	1,562	
Gujrat	98.5	0.0	1,024	93.1	0.0	6.6	0.1	0.0	0.2	0.0	100.0	93.1	1,008	
Hafizabad	99.4	0.2	433	87.3	0.0	11.9	0.5	0.0	0.1	0.2	100.0	87.3	432	
Mandi	98.9	0.3	589	88.9	0.0	10.8	0.1	0.0	0.0	0.3	100.0	88.9	584	
Narowal	99.6	0.0	634	85.6	0.9	11.3	0.6	0.0	1.6	0.0	100.0	86.5	632	
Sialkot	96.7	0.0	1,299	90.9	0.2	7.4	0.7	0.0	0.9	0.0	100.0	91.0	1,256	
<b>Lahore</b>	95.6	0.2	3,614	96.6	0.0	2.1	0.8	0.0	0.2	0.2	100.0	96.6	3,465	
Kasur	98.5	0.8	1,171	76.2	1.2	17.4	1.4	0.0	3.0	0.8	100.0	77.4	1,163	
Nankana	99.0	0.6	580	87.6	0.0	10.9	0.5	0.0	0.4	0.6	100.0	87.6	577	
Sheikhupura	98.7	0.2	1,266	91.7	0.1	6.5	0.9	0.0	0.6	0.2	100.0	91.8	1,253	
<b>Multan</b>	97.2	0.8	1,835	72.6	1.5	21.8	0.3	0.1	2.9	0.8	100.0	74.1	1,798	
Khanewal	98.6	1.3	1,123	70.7	1.5	23.7	0.6	0.0	2.2	1.3	100.0	72.2	1,122	
Lodhran	99.6	0.3	647	67.3	1.7	28.3	0.2	0.0	2.2	0.3	100.0	69.1	646	
Vehari	99.0	0.7	1,028	75.6	0.9	20.6	0.2	0.0	2.0	0.7	100.0	76.5	1,026	

**Table D.WS.9: Water and soap at place for handwashing**

Percentage of households where place for handwashing was observed, percentage with no specific place for handwashing, and percent distribution of households by availability of water and soap at specific place for handwashing, Punjab, 2014.

	Percentage of households :			Place for handwashing observed							No specific place for handwashing in the dwelling, yard, or plot	Total	Percentage of households with a specific place for handwashing where water and soap or other cleansing agent are present <sup>1</sup>	Number of households where place for handwashing was observed or with no specific place for handwashing
	Where place for handwashing was observed	With no specific place for handwashing in the dwelling, yard, or plot	Number of households	Water is available and:			Water is not available and:							
				No soap:			No soap:							
				Soap present	Ash, mud, or sand present	No other cleansing agent present	Soap present	Ash, mud, or sand present	No other cleansing agent present					
<b>Sahiwal</b>	98.3	1.3	832	83.7	1.5	7.1	0.7	0.0	5.7	1.3	100.0	85.2	829	
Pakpattan	99.4	0.6	718	81.9	2.0	10.5	0.9	0.0	4.0	0.6	100.0	84.0	718	
Okara	98.6	1.1	1,088	81.5	2.5	9.1	1.3	0.3	4.3	1.1	100.0	84.0	1,085	
<b>Rawalpindi</b>	90.7	0.6	1,923	84.4	0.0	8.2	2.1	0.0	4.7	0.6	100.0	84.4	1,756	
Attock	95.7	0.1	689	88.4	0.1	4.9	1.3	0.0	5.1	0.2	100.0	88.5	660	
Chakwal	98.0	0.5	568	88.2	0.0	5.3	1.5	0.0	4.5	0.5	100.0	88.2	559	
Jhelum	96.8	0.0	452	92.5	0.0	5.0	0.3	0.0	2.2	0.0	100.0	92.5	438	
<b>Sargodha</b>	98.5	0.2	1,324	76.8	0.0	22.5	0.1	0.0	0.4	0.2	100.0	76.8	1,308	
Bhakkar	99.3	0.7	544	57.8	0.1	41.3	0.0	0.0	0.1	0.7	100.0	57.9	544	
Khushab	96.4	3.4	471	62.4	0.0	33.0	0.4	0.0	0.8	3.4	100.0	62.4	470	
Mianwali	98.1	1.2	545	61.6	0.0	35.9	0.2	0.0	1.2	1.2	100.0	61.6	541	
<b>Punjab</b>	97.9	0.5	38,405	78.3	1.3	16.9	0.6	0.0	2.4	0.5	100.0	79.6	37,790	

<sup>1</sup> MICS indicator 4.5 - Place for handwashing



**Table D.WS.10: Availability of soap or other cleansing agent**

Percent distribution of households by availability of soap or other cleansing agent in the dwelling, Punjab, 2014.

	Place for handwashing observed					Place for handwashing not observed					Percentage of households with soap or other cleansing agent anywhere in the dwelling <sup>1</sup>	Number of households
	Soap or other cleansing agent not observed at place for handwashing											
	Soap or other cleansing agent observed	Soap or other cleansing agent shown	No soap or other cleansing agent in household	Not able/Does not want to show soap or other cleansing agent	Missing	Soap or other cleansing agent shown	No soap or other cleansing agent in household	Not able/Does not want to show soap or other cleansing agent	Missing	Total		
<b>Punjab</b>	78.9	13.2	4.3	1.2	0.2	0.6	0.4	1.1	0.0	100.0	92.8	38,405
<b>District</b>												
<b>Bahawalpur</b>	63.6	22.5	10.1	2.2	0.2	0.7	0.3	0.4	0.0	100.0	86.8	1,299
Bahawalnagar	66.2	23.5	7.3	2.2	0.0	0.4	0.2	0.2	0.0	100.0	90.1	1,074
RY Khan	63.0	26.5	7.1	2.5	0.1	0.7	0.1	0.0	0.0	100.0	90.2	1,719
<b>DG Khan</b>	48.1	29.3	18.1	2.7	0.3	1.2	0.2	0.1	0.0	100.0	78.7	935
Layyah	70.8	24.9	3.7	0.2	0.0	0.0	0.1	0.1	0.0	100.0	95.7	597
Muzaffargarh	58.7	29.9	8.9	1.6	0.1	0.3	0.5	0.0	0.0	100.0	88.9	1,303
Rajanpur	57.8	36.0	5.0	0.9	0.0	0.1	0.0	0.1	0.0	100.0	93.9	600
<b>Faisalabad</b>	91.4	4.8	2.1	0.5	0.1	0.4	0.3	0.3	0.1	100.0	96.5	2,711
Chiniot	75.2	18.0	4.6	0.8	0.1	0.8	0.3	0.2	0.0	100.0	93.9	504
Jhang	76.0	8.9	9.5	4.5	0.2	0.2	0.1	0.4	0.3	100.0	85.0	893
TT Singh	81.1	14.8	2.6	0.5	0.1	0.6	0.3	0.0	0.0	100.0	96.5	780
<b>Gujranwala</b>	90.2	4.0	2.3	1.6	0.0	0.0	0.1	1.8	0.0	100.0	94.2	1,589
Gujrat	91.8	4.7	0.8	0.9	0.3	0.2	0.1	1.2	0.0	100.0	96.7	1,024
Hafizabad	87.5	6.6	2.0	2.9	0.5	0.2	0.4	0.0	0.0	100.0	94.3	433
Mandi Bahauddin	88.2	8.5	1.1	0.9	0.2	0.4	0.2	0.5	0.0	100.0	97.1	589
Narowal	86.8	9.1	2.7	0.5	0.4	0.3	0.1	0.0	0.0	100.0	96.2	634
Sialkot	88.7	5.8	1.1	0.9	0.2	0.2	0.4	2.8	0.0	100.0	94.6	1,299
<b>Lahore</b>	93.4	1.3	0.9	0.1	0.0	0.5	0.8	3.0	0.0	100.0	95.2	3,614
Kasur	78.3	11.5	7.0	1.4	0.4	0.3	0.9	0.2	0.0	100.0	90.1	1,171
Nankana Sahib	87.7	5.9	1.1	3.8	0.4	0.4	0.1	0.5	0.0	100.0	94.1	580
Sheikhupura	91.7	4.5	0.5	2.0	0.0	0.6	0.1	0.5	0.1	100.0	96.8	1,266
<b>Multan</b>	73.0	15.3	6.4	2.1	0.4	1.3	0.5	1.1	0.0	100.0	89.6	1,835
Khanewal	72.7	18.3	7.0	0.4	0.1	1.2	0.1	0.0	0.1	100.0	92.3	1,123
Lodhran	69.1	25.0	4.6	0.6	0.2	0.3	0.1	0.0	0.0	100.0	94.4	647
Vehari	76.5	18.0	4.0	0.4	0.1	0.7	0.1	0.1	0.0	100.0	95.1	1,028

**Table D.WS.10: Availability of soap or other cleansing agent**

Percent distribution of households by availability of soap or other cleansing agent in the dwelling, Punjab, 2014.

	Place for handwashing observed					Place for handwashing not observed					Percentage of households with soap or other cleansing agent anywhere in the dwelling <sup>1</sup>	Number of households
	Soap or other cleansing agent not observed at place for handwashing											
	Soap or other cleansing agent observed	Soap or other cleansing agent shown	No soap or other cleansing agent in household	Not able/Does not want to show soap or other cleansing agent	Missing	Soap or other cleansing agent shown	No soap or other cleansing agent in household	Not able/Does not want to show soap or other cleansing agent	Missing	Total		
<b>Sahiwal</b>	85.5	7.0	5.4	0.3	0.0	1.2	0.3	0.2	0.0	100.0	93.8	832
Pakpattan	84.9	7.6	6.5	0.4	0.0	0.5	0.1	0.0	0.0	100.0	93.0	718
Okara	85.3	7.3	5.6	0.3	0.2	0.6	0.3	0.5	0.0	100.0	93.1	1,088
<b>Rawalpindi</b>	79.0	8.1	2.0	1.3	0.4	1.5	0.9	6.8	0.0	100.0	88.5	1,923
Attock	86.1	6.0	1.9	1.2	0.4	0.9	0.5	2.9	0.0	100.0	93.0	689
Chakwal	88.3	7.2	2.0	0.3	0.2	0.7	0.1	1.2	0.0	100.0	96.2	568
Jhelum	89.9	5.4	0.9	0.4	0.3	0.7	0.3	2.2	0.0	100.0	96.0	452
<b>Sargodha</b>	76.0	15.2	4.6	2.4	0.4	0.4	0.5	0.5	0.0	100.0	91.6	1,324
Bhakkar	57.9	36.6	4.6	0.2	0.1	0.4	0.2	0.0	0.0	100.0	95.0	544
Khushab	62.7	29.1	3.2	0.8	0.6	2.9	0.3	0.4	0.0	100.0	94.7	471
Mianwali	61.3	36.2	0.4	0.0	0.1	1.8	0.2	0.0	0.0	100.0	99.2	545
<b>Punjab</b>	78.9	13.2	4.3	1.2	0.2	0.6	0.4	1.1	0.0	100.0	92.8	38,405
<sup>1</sup> MICS indicator 4.6 - Availability of soap or other cleansing agent												

<sup>1</sup> MICS indicator 4.6 - Availability of soap or other cleansing agent

**Table D.RH.2: Adolescent birth rate and total fertility rate**

Adolescent birth rates and total fertility rates for the one-year period preceding the survey, Punjab, 2014.

	Adolescent birth rate <sup>1</sup> (Age-specific fertility rate for women age 15-19)	Total fertility rate
<b>Punjab</b>	34	3.5
<b>District</b>		
<b>Bahawalpur</b>	40	3.8
Bahawalnagar	25	3.4
RY Khan	25	3.3
<b>DG Khan</b>	78	4.9
Layyah	29	3.5
Muzaffargarh	48	4.6
Rajanpur	42	6.2
<b>Faisalabad</b>	27	3.4
Chiniot	58	3.2
Jhang	42	3.7
TT Singh	24	3.3
<b>Gujranwala</b>	19	3.3
Gujrat	9	2.9
Hafizabad	53	3.3
Mandi Bahauddin	48	3.1
Narowal	25	4.3
Sialkot	27	3.1
<b>Lahore</b>	28	3.1
Kasur	36	4.5
Nankana Sahib	49	3.5
Sheikhupura	25	3.5
<b>Multan</b>	51	3.6
Khanewal	32	3.4
Lodhran	23	3.9
Vehari	32	2.8
<b>Sahiwal</b>	50	3.9
Pakpattan	31	3.7
Okara	29	3.8
<b>Rawalpindi</b>	21	3.1
Attock	38	3.0
Chakwal	15	2.7
Jhelum	14	2.3
<b>Sargodha</b>	57	2.6
Bhakkar	52	3.9
Khushab	40	3.3
Mianwali	48	3.3

<sup>1</sup> MICS indicator 5.1; MDG indicator 5.4 - Adolescent birth rate

**Table D.RH.5: Use of contraception**

Percentage of women age 15-49 years currently married who are using (or whose husband is using) a contraceptive method, Punjab, 2014.

	Percent of women currently married who are using (or whose husband is using):																	Number of women age 15-49 years currently married
	No method	Female sterilization	Male sterilization	IUD	InjecTables	Implants	Pill	Male condom	Female condom	Diaphragm	Periodic abstinence	Withdrawal	Other	Missing	Any modern method	Any traditional method	Any method <sup>1</sup>	
<b>Punjab</b>	61.3	10.4	0.1	3.4	3.4	0.1	1.9	10.6	0.1	0.7	2.3	5.5	0.1	0.0	30.8	7.9	38.7	33,047
<b>District</b>																		
<b>Bahawalpur</b>	74.3	8.2	0.1	1.3	3.1	0.0	2.1	5.8	0.2	2.4	1.1	1.1	0.2	0.0	23.3	2.4	25.7	1,090
Bahawalnagar	64.8	13.1	0.3	3.3	3.3	0.2	2.1	6.5	0.3	1.4	1.9	2.8	0.0	0.0	30.5	4.7	35.2	834
RY Khan	72.1	6.5	0.2	5.0	4.1	0.0	2.8	5.0	0.3	2.0	0.5	1.4	0.2	0.0	25.9	2.0	27.9	1,434
<b>DG Khan</b>	77.9	5.0	0.0	3.3	5.2	0.0	1.9	4.6	0.1	0.4	0.2	1.3	0.0	0.0	20.5	1.6	22.1	924
Layyah	69.4	11.4	0.2	5.0	4.9	0.0	1.7	5.2	0.0	0.1	0.3	1.8	0.1	0.0	28.4	2.2	30.6	533
Muzaffargarh	72.9	8.9	0.2	5.0	4.3	0.3	3.2	3.7	0.1	0.0	0.3	1.1	0.1	0.0	25.6	1.5	27.1	1,169
Rajanpur	78.2	7.9	0.3	2.1	5.1	0.1	1.5	2.0	0.0	0.0	1.2	1.6	0.0	0.0	19.0	2.8	21.8	549
<b>Faisalabad</b>	62.2	11.7	0.0	2.1	1.5	0.3	0.8	13.8	0.1	0.3	1.1	5.8	0.1	0.2	30.7	6.9	37.8	2,249
Chiniot	71.7	8.9	0.1	2.1	1.8	0.4	1.4	9.1	0.1	1.6	0.5	2.5	0.0	0.0	25.4	2.9	28.3	415
Jhang	68.3	10.2	0.1	3.3	1.8	0.1	0.9	9.6	0.1	0.2	3.5	1.8	0.2	0.0	26.3	5.4	31.7	740
TT Singh	60.0	10.0	0.0	2.9	3.3	0.0	0.9	16.6	0.0	0.0	2.5	3.4	0.3	0.0	33.8	6.1	40.0	626
<b>Gujranwala</b>	53.1	11.2	0.0	3.6	2.5	0.0	1.7	8.1	0.0	0.8	5.6	13.1	0.2	0.0	27.9	18.9	46.9	1,436
Gujrat	53.9	9.3	0.0	2.3	4.2	0.1	1.9	10.1	0.0	0.5	3.4	13.8	0.4	0.0	28.5	17.6	46.1	923
Hafizabad	49.7	13.4	0.1	1.5	3.1	0.2	0.9	13.4	0.0	1.0	7.5	9.1	0.2	0.0	33.5	16.8	50.3	393
Mandi Bahauddin	59.4	6.8	0.0	4.0	4.3	0.4	2.1	9.5	0.1	0.8	7.5	5.0	0.2	0.0	28.0	12.6	40.6	523
Narowal	49.0	9.9	0.1	1.9	7.5	0.0	2.9	14.5	0.0	0.7	4.9	8.5	0.0	0.1	37.5	13.4	51.0	525
Sialkot	52.4	9.0	0.3	3.5	4.0	0.1	1.9	13.3	0.0	1.6	3.4	10.2	0.3	0.0	33.7	13.9	47.6	1,102
<b>Lahore</b>	52.7	12.6	0.0	3.9	2.5	0.3	1.9	16.3	0.1	0.2	3.3	6.4	0.1	0.0	37.7	9.7	47.3	3,399
Kasur	57.7	12.2	0.0	4.0	1.1	0.0	1.5	10.4	0.0	0.5	4.6	7.8	0.2	0.0	29.8	12.5	42.3	989
Nankana Sahib	54.3	13.8	0.2	2.9	1.9	0.0	0.9	11.7	0.0	0.1	5.6	8.7	0.0	0.0	31.3	14.3	45.7	513
Sheikhupura	56.6	11.8	0.2	2.8	2.2	0.0	0.9	14.2	0.3	0.4	3.6	6.9	0.2	0.0	32.7	10.7	43.4	1,124
<b>Multan</b>	61.0	13.5	0.3	3.7	5.0	0.1	3.0	8.6	0.8	0.2	0.9	2.9	0.0	0.0	35.2	3.8	39.0	1,444
Khanewal	60.5	15.0	0.0	3.6	4.3	0.1	2.2	7.9	0.3	0.2	2.1	3.6	0.1	0.0	33.7	5.8	39.5	888
Lodhran	60.8	12.0	0.0	3.0	7.9	0.0	3.2	7.5	0.0	1.2	0.4	4.0	0.0	0.0	34.8	4.4	39.2	504
Vehari	59.6	12.7	0.0	5.4	3.9	0.1	2.7	10.6	0.0	0.5	1.4	2.9	0.2	0.0	35.8	4.5	40.4	816
<b>Sahiwal</b>	62.4	13.7	0.1	3.5	2.8	0.0	1.3	8.5	0.0	0.1	4.0	3.5	0.0	0.0	30.1	7.4	37.6	732
Pakpattan	61.4	10.6	0.0	4.4	3.0	0.0	1.0	9.9	0.0	0.1	3.6	5.9	0.1	0.0	29.0	9.5	38.6	599
Okara	62.6	10.9	0.1	5.3	2.2	0.2	1.9	9.9	0.3	0.2	3.0	2.8	0.4	0.2	31.0	6.2	37.4	934

**Table D.RH.5: Use of contraception**

Percentage of women age 15-49 years currently married who are using (or whose husband is using) a contraceptive method, Punjab, 2014.

	Percent of women currently married who are using (or whose husband is using):																	Number of women age 15-49 years currently married
	No method	Female sterilization	Male sterilization	IUD	Injectables	Implants	Pill	Male condom	Female condom	Diaphragm	Periodic abstinence	Withdrawal	Other	Missing	Any modern method	Any traditional method	Any method <sup>1</sup>	
<b>Rawalpindi</b>	56.8	8.8	0.1	2.3	4.4	0.1	2.1	16.9	0.2	0.4	0.7	7.0	0.3	0.0	35.2	8.0	43.2	1,663
Attock	51.8	10.1	0.1	2.6	5.9	0.0	3.2	17.2	0.2	0.2	0.2	8.2	0.3	0.0	39.5	8.7	48.2	600
Chakwal	55.1	8.1	0.2	5.6	5.0	0.1	3.5	11.3	0.5	0.5	0.0	9.9	0.0	0.1	34.9	9.9	44.9	447
Jhelum	57.3	12.7	0.0	2.0	4.1	0.0	3.9	12.6	0.0	0.7	0.9	5.8	0.0	0.0	36.0	6.7	42.7	357
<b>Sargodha</b>	65.4	7.4	0.0	3.2	2.6	0.0	1.2	10.8	0.6	1.4	0.5	6.6	0.2	0.0	27.3	7.3	34.6	1,111
Bhakkar	68.1	6.0	0.1	3.3	3.5	0.0	1.6	8.4	0.0	0.5	1.5	7.0	0.0	0.0	23.3	8.5	31.9	487
Khushab	67.8	8.2	0.0	3.0	2.3	0.0	2.4	6.8	0.0	2.5	1.8	5.2	0.0	0.0	25.2	6.9	32.2	417
Mianwali	67.1	4.6	0.0	4.0	4.0	0.0	2.4	9.3	0.0	1.4	1.2	5.9	0.0	0.0	25.7	7.2	32.9	560
<b>Punjab</b>	61.3	10.4	0.1	3.4	3.4	0.1	1.9	10.6	0.1	0.7	2.3	5.5	0.1	0.0	30.8	7.9	38.7	33,047

<sup>1</sup> MICS indicator 5.3; MDG indicator 5.3 - Contraceptive prevalence rate

**Table D.RH.6: Unmet need for contraception**

Percentage of women age 15-49 years currently married with an unmet need for family planning and percentage of demand for contraception satisfied, Punjab, 2014.

	Met need for contraception			Unmet need for contraception			Number of women currently married	Percentage of demand for contraception satisfied	Number of women currently married with need for contraception
	For spacing	For limiting	Total	For spacing	For limiting	Total <sup>1</sup>			
<b>Punjab</b>	9.6	29.1	38.7	9.1	8.3	17.5	33,047	68.9	18,572
<b>District</b>									
<b>Bahawalpur</b>	4.4	21.3	25.7	11.7	9.8	21.5	1,090	54.4	515
Bahawalnagar	5.7	29.5	35.2	8.5	7.8	16.4	834	68.2	430
RY Khan	7.4	20.5	27.9	9.9	9.6	19.5	1,434	58.9	679
<b>DG Khan</b>	6.7	15.4	22.1	15.7	11.5	27.3	924	44.7	456
Layyah	7.3	23.3	30.6	11.2	10.0	21.2	533	59.1	276
Muzaffargarh	5.4	21.7	27.1	13.3	12.9	26.2	1,169	50.9	623
Rajanpur	3.3	18.6	21.8	12.2	11.9	24.0	549	47.6	252
<b>Faisalabad</b>	9.0	28.8	37.8	8.8	8.7	17.6	2,249	68.3	1,244
Chiniot	6.2	22.1	28.3	7.7	9.2	16.9	415	62.5	187
Jhang	8.9	22.9	31.7	11.8	8.3	20.1	740	61.2	384
TT Singh	10.4	29.6	40.0	8.5	7.2	15.7	626	71.8	348
<b>Gujranwala</b>	12.2	34.7	46.9	11.0	6.8	17.7	1,436	72.5	928
Gujrat	11.6	34.6	46.1	8.2	6.4	14.5	923	76.0	560
Hafizabad	12.9	37.4	50.3	7.6	5.0	12.6	393	80.0	247
Mandi Bahauddin	13.5	27.2	40.6	7.7	7.1	14.8	523	73.4	290
Narowal	13.9	37.1	51.0	8.2	6.8	15.0	525	77.3	346
Sialkot	11.1	36.5	47.6	6.9	5.4	12.4	1,102	79.4	661
<b>Lahore</b>	10.2	37.2	47.3	7.6	8.3	15.9	3,399	74.8	2,150
Kasur	10.6	31.7	42.3	8.6	6.3	14.9	989	74.0	566
Nankana Sahib	12.9	32.7	45.7	10.1	6.9	17.0	513	72.8	321
Sheikhupura	10.1	33.3	43.4	8.5	10.2	18.8	1,124	69.8	699
<b>Multan</b>	11.6	27.4	39.0	9.4	7.2	16.6	1,444	70.2	803
Khanewal	9.8	29.7	39.5	8.4	7.3	15.7	888	71.6	490
Lodhran	11.2	28.0	39.2	10.6	5.1	15.7	504	71.4	277
Vehari	11.3	29.1	40.4	9.4	7.2	16.6	816	70.9	465
<b>Sahiwal</b>	9.8	27.7	37.6	8.9	6.7	15.6	732	70.7	389
Pakpattan	8.7	29.9	38.6	7.8	7.3	15.0	599	71.9	321
Okara	6.9	30.5	37.4	9.3	11.0	20.3	934	64.8	539
<b>Rawalpindi</b>	13.1	30.1	43.2	7.4	8.4	15.8	1,663	73.3	981
Attock	13.1	35.1	48.2	5.4	7.1	12.5	600	79.4	364
Chakwal	10.4	34.5	44.9	5.5	7.3	12.8	447	77.8	258
Jhelum	10.7	32.0	42.7	7.8	6.6	14.3	357	74.8	203
<b>Sargodha</b>	8.2	26.4	34.6	9.0	10.1	19.1	1,111	64.5	596
Bhakkar	8.6	23.3	31.9	9.2	8.5	17.6	487	64.4	241
Khushab	7.2	25.0	32.2	7.8	10.4	18.2	417	63.9	210
Mianwali	10.0	22.9	32.9	8.6	7.2	15.8	560	67.5	273

<sup>1</sup> MICS indicator 5.4; MDG indicator 5.6 - Unmet need

**Table D.RH.7: Antenatal care coverage**

Percent distribution of ever married women age 15-49 years with a live birth in the last two years by antenatal care provider during the pregnancy for the last birth, Punjab, 2014.

	Provider of antenatal care <sup>a</sup>								Total	Any skilled provider <sup>1</sup>	Number of ever married women with a live birth in the last two years
	Medical doctor	Nurse/ Midwife	Lady health visitor (LHV)	Lady health worker (LHW)	Traditional birth attendant (TBA)	Relatives / Friends	Other/ Missing	No antenatal care			
<b>Punjab</b>	67.2	9.0	2.6	1.0	2.2	0.7	0.1	17.3	100.0	78.8	10,653
<b>District</b>											
<b>Bahawalpur</b>	59.2	5.5	1.5	0.4	3.5	2.5	0.0	27.5	100.0	66.1	342
Bahawalnagar	57.9	5.2	1.5	0.0	1.5	0.4	0.0	33.6	100.0	64.5	254
RY Khan	52.2	1.0	0.5	0.7	2.0	0.0	0.0	43.8	100.0	53.6	472
<b>DG Khan</b>	44.3	4.4	8.2	1.3	2.4	1.7	0.9	36.7	100.0	57.0	361
Layyah	52.5	6.2	10.5	1.0	1.4	4.0	0.0	24.5	100.0	69.2	182
Muzaffargarh	56.5	2.2	7.6	1.4	0.2	2.1	0.0	30.0	100.0	66.2	414
Rajanpur	45.0	3.5	9.4	0.8	1.3	1.0	0.0	39.0	100.0	57.9	223
<b>Faisalabad</b>	73.9	13.7	2.8	0.6	1.6	0.2	0.0	7.2	100.0	90.4	692
Chiniot	68.0	22.1	0.0	2.0	5.5	0.5	0.0	1.9	100.0	90.1	123
Jhang	56.9	7.8	3.9	0.3	4.5	0.1	0.0	26.5	100.0	68.6	237
TT Singh	71.3	9.7	2.4	0.5	3.6	0.0	0.0	12.4	100.0	83.5	185
<b>Gujranwala</b>	63.6	11.2	2.0	4.5	1.0	0.1	0.0	17.6	100.0	76.7	481
Gujrat	79.8	9.9	1.4	1.1	0.6	0.0	0.0	7.2	100.0	91.1	258
Hafizabad	71.3	11.6	0.3	0.0	1.7	0.0	0.0	15.1	100.0	83.1	129
Mandi Bahauddin	67.0	9.8	3.5	0.0	2.5	0.2	0.0	17.0	100.0	80.3	173
Narowal	58.2	34.9	0.1	0.2	1.8	0.2	0.0	4.7	100.0	93.2	200
Sialkot	77.4	19.9	0.0	0.2	0.6	0.0	0.0	1.9	100.0	97.3	336
<b>Lahore</b>	84.0	3.9	0.0	0.1	1.1	0.1	0.1	10.6	100.0	87.9	988
Kasur	48.5	15.1	3.3	0.8	7.3	0.0	0.4	24.6	100.0	66.9	376
Nankana Sahib	66.5	15.8	2.3	0.4	1.6	0.0	0.0	13.4	100.0	84.6	182
Sheikhupura	66.3	14.1	0.2	0.5	3.2	0.8	0.0	14.9	100.0	80.6	369
<b>Multan</b>	62.1	12.1	5.5	2.8	3.1	3.1	0.0	11.2	100.0	79.8	465
Khanewal	67.9	7.8	6.7	1.1	3.6	0.4	0.0	12.4	100.0	82.4	289
Lodhran	62.8	5.6	1.8	1.9	1.6	0.0	0.0	26.4	100.0	70.2	176
Vehari	72.4	10.1	1.4	2.2	3.5	0.2	0.4	9.9	100.0	83.9	232
<b>Sahiwal</b>	73.6	11.6	0.5	2.3	2.1	0.4	0.0	9.5	100.0	85.7	261
Pakpattan	64.0	18.5	0.9	1.2	1.4	0.0	0.0	14.1	100.0	83.3	221
Okara	59.5	13.6	1.4	1.3	2.5	0.0	0.0	21.7	100.0	74.5	344
<b>Rawalpindi</b>	88.0	0.4	0.8	0.0	2.2	0.6	0.0	8.1	100.0	89.2	496
Attock	84.2	0.6	0.4	1.1	1.8	0.0	0.0	11.9	100.0	85.2	168
Chakwal	86.0	1.3	1.8	1.2	1.6	0.3	0.7	6.9	100.0	89.2	120
Jhelum	81.3	6.4	0.7	1.3	2.7	0.6	0.0	7.1	100.0	88.3	97
<b>Sargodha</b>	69.5	5.9	5.2	2.2	3.7	2.2	0.0	11.3	100.0	80.6	319
Bhakkar	60.1	9.5	6.9	0.5	1.4	0.8	0.0	20.8	100.0	76.5	174
Khushab	79.7	4.5	0.3	0.0	1.3	0.0	0.0	14.2	100.0	84.5	127
Mianwali	77.7	5.9	1.2	0.2	0.0	0.8	0.0	14.2	100.0	84.7	184

<sup>1</sup> MICS indicator 5.5a; MDG indicator 5.5 - Antenatal care coverage

<sup>a</sup> Only the most qualified provider is considered in cases where more than one provider was reported.

Table D.RH.8: Number of antenatal care visits and timing of first visit																	
Percent distribution of ever married women age 15-49 years with a live birth in the last two years by number of antenatal care visits by any provider and by the timing of first antenatal care visits, MICS Punjab, 2014.																	
	Percent distribution of women who had:							Percent distribution of women by number of months pregnant at the time of first antenatal care visit							Number of women with a live birth in the last two years	Median months pregnant at first ANC visit	Number of ever married women with a live birth in the last two years who had at least one ANC visit
	No antenatal care visits	One visit	Two visits	Three visits	4 or more visits <sup>1</sup>	DK/ Missing	Total	No antenatal care visits	First trimester	4-5 months	6-7 months	8+ months	DK/ Missing	Total			
<b>Punjab</b>	17.3	7.5	12.6	14.1	48.0	0.4	100.0	17.3	56.4	13.5	9.1	3.3	0.4	100.0	10,653	2.0	8,770
<b>District</b>																	
Bahawalpur	27.5	14.5	13.7	10.5	33.4	0.4	100.0	27.5	44.9	12.4	11.9	3.3	0.0	100.0	342	3.0	248
Bahawalnagar	33.6	13.9	11.5	12.6	28.3	0.0	100.0	33.6	41.5	10.7	9.8	4.4	0.0	100.0	254	3.0	169
RY Khan	43.8	12.4	11.7	9.9	22.2	0.0	100.0	43.8	32.5	10.9	8.5	4.1	0.3	100.0	472	3.0	264
DG Khan	36.7	12.0	13.0	13.9	23.3	1.1	100.0	36.7	31.6	15.3	11.6	4.1	0.6	100.0	361	3.0	226
Layyah	24.5	21.8	18.8	12.8	21.5	0.6	100.0	24.5	34.8	16.9	15.4	8.5	0.0	100.0	182	4.0	138
Muzaffargarh	30.0	11.9	15.2	13.8	29.1	0.0	100.0	30.0	39.1	15.8	11.5	3.5	0.2	100.0	414	3.0	289
Rajanpur	39.0	7.7	19.7	13.5	19.1	0.9	100.0	39.0	28.0	10.7	14.6	7.6	0.0	100.0	223	4.0	136
Faisalabad	7.2	3.9	9.7	12.2	66.3	0.6	100.0	7.2	73.9	9.1	6.1	2.8	1.0	100.0	692	2.0	635
Chiniot	1.9	6.7	18.3	26.8	46.4	0.0	100.0	1.9	66.0	16.7	9.0	6.1	0.4	100.0	123	2.0	120
Jhang	26.5	4.0	12.7	13.8	42.3	0.7	100.0	26.5	52.7	10.5	9.2	1.2	0.0	100.0	237	2.0	174
TT Singh	12.4	5.4	13.5	22.1	46.4	0.2	100.0	12.4	56.3	17.3	8.8	4.7	0.5	100.0	185	3.0	162
Gujranwala	17.6	5.3	9.3	9.5	58.0	0.3	100.0	17.6	67.2	7.6	5.0	1.9	0.7	100.0	481	2.0	393
Gujrat	7.2	1.0	6.9	10.2	73.9	0.7	100.0	7.2	77.6	9.6	4.7	0.4	0.3	100.0	258	2.0	238
Hafizabad	15.1	2.5	13.9	17.9	50.3	0.3	100.0	15.1	43.1	18.3	18.3	3.0	2.2	100.0	129	3.0	107
Mandi Bahauddin	17.0	4.4	15.1	16.9	45.7	0.8	100.0	17.0	50.4	17.8	11.2	3.6	0.0	100.0	173	3.0	143
Narowal	4.7	10.0	21.0	22.6	41.7	0.0	100.0	4.7	47.1	19.4	23.5	5.2	0.2	100.0	200	4.0	191
Sialkot	1.9	5.2	17.6	18.1	56.9	0.4	100.0	1.9	68.0	16.5	10.9	2.2	0.7	100.0	336	2.0	328
Lahore	10.6	1.8	4.6	10.0	72.9	0.1	100.0	10.6	71.9	12.7	3.9	0.7	0.1	100.0	988	2.0	882
Kasur	24.6	11.9	12.6	13.9	36.5	0.4	100.0	24.6	45.9	12.2	12.5	4.1	0.7	100.0	376	3.0	281
Nankana Sahib	13.4	5.0	13.3	14.2	53.5	0.6	100.0	13.4	57.0	9.9	15.1	3.2	1.4	100.0	182	3.0	155
Sheikhupura	14.9	6.5	8.8	13.1	56.1	0.6	100.0	14.9	62.1	13.7	6.0	2.9	0.4	100.0	369	2.0	312
Multan	11.2	6.8	12.6	13.8	55.1	0.5	100.0	11.2	67.1	16.0	4.6	1.1	0.0	100.0	465	2.0	413
Khanewal	12.4	10.1	20.7	20.2	36.5	0.0	100.0	12.4	58.3	15.8	9.3	4.2	0.0	100.0	289	3.0	253
Lodhran	26.4	9.9	12.1	18.9	32.4	0.3	100.0	26.4	52.8	13.1	6.4	1.4	0.0	100.0	176	2.0	130
Vehari	9.9	10.5	19.9	16.7	42.5	0.5	100.0	9.9	67.5	12.9	7.8	1.7	0.3	100.0	232	2.0	208
Sahiwal	9.5	7.3	17.4	21.5	44.3	0.0	100.0	9.5	54.3	17.2	13.8	5.2	0.0	100.0	261	3.0	236
Pakpattan	14.1	6.8	19.0	19.5	39.7	0.8	100.0	14.1	33.8	26.4	20.0	5.1	0.5	100.0	221	4.0	189
Okara	21.7	9.8	14.7	13.4	40.2	0.3	100.0	21.7	49.9	13.2	9.2	4.8	1.2	100.0	344	3.0	266



**Table D.RH.8: Number of antenatal care visits and timing of first visit**

Percent distribution of ever married women age 15-49 years with a live birth in the last two years by number of antenatal care visits by any provider and by the timing of first antenatal care visits, MICS Punjab, 2014.

	Percent distribution of women who had:							Percent distribution of women by number of months pregnant at the time of first antenatal care visit							Number of women with a live birth in the last two years	Median months pregnant at first ANC visit	Number of ever married women with a live birth in the last two years who had at least one ANC visit
	No antenatal care visits	One visit	Two visits	Three visits	4 or more visits <sup>1</sup>	DK/ Missing	Total	No antenatal care visits	First trimester	4-5 months	6-7 months	8+ months	DK/ Missing	Total			
<b>Rawalpindi</b>	8.1	0.2	6.9	11.6	72.9	0.4	100.0	8.1	72.4	13.1	5.6	0.2	0.6	100.0	496	2.0	453
Attock	11.9	4.4	7.5	14.4	59.4	2.3	100.0	11.9	62.7	16.9	6.2	2.2	0.0	100.0	168	3.0	148
Chakwal	6.9	2.8	6.3	10.0	73.9	0.0	100.0	6.9	77.6	11.0	2.7	1.3	0.6	100.0	120	2.0	111
Jhelum	7.1	4.2	7.2	9.2	72.3	0.0	100.0	7.1	77.0	11.0	4.0	0.8	0.0	100.0	97	2.0	90
<b>Sargodha</b>	11.3	12.3	15.5	17.0	43.6	0.4	100.0	11.3	62.7	11.4	7.1	6.3	1.2	100.0	319	2.0	279
Bhakkar	20.8	13.5	17.9	18.7	28.5	0.6	100.0	20.8	38.7	18.0	14.4	7.0	1.1	100.0	174	3.2	136
Khushab	14.2	9.7	21.7	15.0	39.4	0.0	100.0	14.2	50.3	13.4	13.5	8.6	0.0	100.0	127	3.0	109
Mianwali	14.2	11.2	16.7	19.1	37.7	1.1	100.0	14.2	45.9	16.4	16.1	7.4	0.0	100.0	184	3.0	158
<b>Punjab</b>	17.3	7.5	12.6	14.1	48.0	0.4	100.0	17.3	56.4	13.5	9.1	3.3	0.4	100.0	10,653	2.0	8,770

<sup>1</sup> MICS indicator 5.5b; MDG indicator 5.5 - Antenatal care coverage

**Table D.RH.9: Content of antenatal care**

Percentage of ever married women age 15-49 years with a live birth in the last two years who, at least once, had their blood pressure measured, urine sample taken, blood sample taken and weight measured as part of antenatal care, during the pregnancy for the last birth, Punjab, 2014.

	Percentage of women who, during the pregnancy of their last birth, had:						Number of ever married women with a live birth in the last two years
	Blood pressure measured	Urine sample taken	Blood sample taken	Weight measured	Blood pressure measured, urine and blood sample taken <sup>1</sup>	All four, Blood pressure measured, urine & blood sample taken and weight measured <sup>2</sup>	
<b>Punjab</b>	72.2	55.4	50.3	43.9	45.3	36.3	10,653
<b>District</b>							
<b>Bahawalpur</b>	59.8	40.3	36.3	33.9	31.8	27.8	342
Bahawalnagar	58.9	40.7	37.5	30.8	32.5	25.1	254
RY Khan	48.0	35.3	28.5	23.0	25.2	15.8	472
<b>DG Khan</b>	37.3	23.5	21.2	14.8	15.5	10.3	361
Layyah	53.6	28.1	23.8	18.0	16.7	10.8	182
Muzaffargarh	53.0	31.1	29.7	17.7	23.7	15.2	414
Rajanpur	45.6	22.6	19.4	17.6	14.6	9.4	223
<b>Faisalabad</b>	82.5	74.0	67.6	56.1	63.5	50.5	692
Chiniot	77.4	59.7	46.2	34.8	43.6	31.7	123
Jhang	67.3	51.7	40.5	29.1	39.1	25.6	237
TT Singh	79.2	56.2	47.6	33.4	44.6	29.1	185
<b>Gujranwala</b>	77.8	64.2	58.6	50.8	51.9	41.9	481
Gujrat	90.5	71.4	68.5	69.6	62.5	56.6	258
Hafizabad	71.0	33.5	35.1	34.8	24.3	17.1	129
Mandi Bahauddin	75.9	49.6	45.6	36.9	39.4	27.5	173
Narowal	79.2	61.8	30.7	27.1	27.3	17.1	200
Sialkot	87.6	79.3	66.8	61.9	62.0	53.6	336
<b>Lahore</b>	84.4	77.3	73.8	73.9	70.5	67.0	988
Kasur	58.7	33.1	27.2	28.5	20.8	15.3	376
Nankana Sahib	77.5	55.1	51.5	49.8	41.7	31.5	182
Sheikhpura	76.1	55.6	48.5	52.0	43.9	39.5	369
<b>Multan</b>	77.2	51.0	49.9	45.0	42.0	33.3	465
Khanewal	74.9	46.0	41.5	33.7	35.9	23.4	289
Lodhran	64.7	45.9	35.8	32.3	32.7	20.3	176
Vehari	77.4	39.1	29.1	29.4	23.5	14.0	232
<b>Sahiwal</b>	76.7	57.6	57.5	44.8	50.5	35.2	261
Pakpattan	71.8	48.9	44.1	33.1	36.5	24.6	221
Okara	64.4	48.2	42.4	37.2	36.5	28.7	344
<b>Rawalpindi</b>	90.4	86.7	85.9	81.3	85.1	79.3	496
Attock	81.2	77.7	72.4	74.0	71.5	68.0	168
Chakwal	87.7	83.7	83.7	78.6	82.4	76.1	120
Jhelum	87.4	85.2	80.3	74.8	78.8	72.1	97
<b>Sargodha</b>	78.6	64.1	60.6	43.7	54.9	38.7	319
Bhakkar	64.9	46.3	45.6	19.4	36.2	17.2	174
Khushab	75.7	59.7	54.0	35.7	48.2	32.9	127
Mianwali	74.5	48.2	47.2	20.8	39.1	18.1	184

<sup>1</sup> MICS indicator 5.6 - Content of antenatal care

<sup>2</sup> MICS indicator 5.S1 - Contents of antenatal care (All four)

**Table D.RH.10: Assistance during delivery and caesarian section**

Percent distribution of ever married women age 15-49 years with a live birth in the last two years by person providing assistance at delivery, and percentage of births delivered by C-section, Punjab, 2014.

	Person assisting at delivery							Total	Delivery assisted by any skilled attendant <sup>1</sup>	Percent delivered by C-section			Number of ever married women who had a live birth in the last two years
	Medical doctor	Nurse/ Midwife	Lady health visitor (LHV)	Traditional birth attendant (TBA)	Relative/ Friend	Other/ Missing	No attendant			Decided before onset of labour pains	Decided after onset of labour pains	Total <sup>2</sup>	
<b>Punjab</b>	52.3	9.6	2.8	33.2	1.5	0.6	0.0	100.0	64.7	14.8	8.8	23.6	10,653
<b>District</b>													
<b>Bahawalpur</b>	36.7	3.8	0.7	55.1	1.6	1.8	0.3	100.0	41.2	12.8	7.9	20.7	342
Bahawalnagar	37.6	3.7	1.4	56.8	0.4	0.2	0.0	100.0	42.6	14.0	5.9	19.9	254
RY Khan	38.6	4.1	0.2	55.7	0.2	1.2	0.0	100.0	42.9	11.7	7.6	19.3	472
<b>DG Khan</b>	23.5	8.3	7.9	49.2	10.6	0.6	0.0	100.0	39.6	2.6	3.7	6.3	361
Layyah	24.3	14.7	7.6	48.9	4.3	0.1	0.0	100.0	46.7	3.7	3.4	7.2	182
Muzaffargarh	28.9	9.4	6.2	53.7	1.2	0.5	0.3	100.0	44.5	5.9	6.2	12.1	414
Rajanpur	19.2	3.6	6.8	64.1	6.0	0.3	0.0	100.0	29.6	3.2	3.3	6.5	223
<b>Faisalabad</b>	61.1	14.0	1.9	22.3	0.5	0.2	0.0	100.0	77.0	15.2	11.6	26.8	692
Chiniot	51.8	19.6	2.5	24.7	1.4	0.0	0.0	100.0	73.9	13.7	9.0	22.6	123
Jhang	51.7	11.2	2.9	32.4	1.3	0.4	0.0	100.0	65.9	11.9	10.7	22.6	237
TT Singh	45.8	11.8	5.5	36.1	0.9	0.0	0.0	100.0	63.0	12.0	9.5	21.5	185
<b>Gujranwala</b>	59.0	19.1	4.4	16.8	0.6	0.1	0.0	100.0	82.5	18.8	7.8	26.6	481
Gujrat	72.1	12.4	0.5	14.6	0.0	0.4	0.0	100.0	85.0	25.4	13.0	38.4	258
Hafizabad	67.2	4.6	0.5	27.7	0.0	0.0	0.0	100.0	72.3	14.5	17.3	31.8	129
Mandi Bahauddin	40.6	7.9	2.4	48.5	0.5	0.0	0.0	100.0	50.9	8.1	12.8	20.9	173
Narowal	37.1	23.4	1.0	36.4	1.6	0.6	0.0	100.0	61.5	4.2	3.8	8.0	200
Sialkot	63.8	14.3	0.8	21.0	0.1	0.0	0.0	100.0	78.9	16.6	13.0	29.6	336
<b>Lahore</b>	76.8	4.2	0.0	17.8	0.8	0.4	0.0	100.0	81.1	26.6	11.8	38.5	988
Kasur	34.4	15.1	3.3	45.9	0.4	0.6	0.3	100.0	52.8	5.6	7.8	13.4	376
Nankana Sahib	64.3	9.5	0.0	25.3	0.9	0.0	0.0	100.0	73.8	13.7	10.3	24.0	182
Sheikhupura	57.8	13.6	0.4	26.1	0.7	1.4	0.0	100.0	71.8	13.3	13.3	26.7	369
<b>Multan</b>	54.5	7.6	4.6	32.0	0.3	0.9	0.0	100.0	66.8	17.3	7.8	25.1	465
Khanewal	47.4	9.1	3.2	38.7	0.4	1.2	0.0	100.0	59.7	16.1	9.3	25.4	289
Lodhran	43.3	1.6	0.7	53.3	0.6	0.4	0.0	100.0	45.6	12.5	6.3	18.8	176
Vehari	52.8	5.3	1.7	40.3	0.0	0.0	0.0	100.0	59.7	18.1	8.2	26.2	232
<b>Sahiwal</b>	56.3	11.1	1.0	30.5	0.3	0.7	0.0	100.0	68.5	25.6	9.9	35.5	261
Pakpattan	44.1	17.2	1.8	35.9	1.0	0.0	0.0	100.0	63.1	21.3	7.5	28.8	221
Okara	45.5	15.7	3.0	34.8	0.8	0.2	0.0	100.0	64.2	21.0	6.7	27.7	344

**Table D.RH.10: Assistance during delivery and caesarian section**

Percent distribution of ever married women age 15-49 years with a live birth in the last two years by person providing assistance at delivery, and percentage of births delivered by C-section, Punjab, 2014.

	Person assisting at delivery							Total	Delivery assisted by any skilled attendant <sup>1</sup>	Percent delivered by C-section			Number of ever married women who had a live birth in the last two years
	Medical doctor	Nurse/Midwife	Lady health visitor (LHV)	Traditional birth attendant (TBA)	Relative/Friend	Other/Missing	No attendant			Decided before onset of labour pains	Decided after onset of labour pains	Total <sup>2</sup>	
<b>Rawalpindi</b>	80.1	2.8	2.4	10.8	2.8	1.1	0.0	100.0	85.3	14.6	11.2	25.7	496
Attock	63.5	2.6	2.0	25.5	3.8	2.7	0.0	100.0	68.1	13.2	6.9	20.0	168
Chakwal	69.5	3.3	5.1	20.2	1.0	0.9	0.0	100.0	77.9	14.7	6.4	21.2	120
Jhelum	72.3	9.2	1.9	14.6	1.2	0.7	0.0	100.0	83.5	21.5	6.3	27.9	97
<b>Sargodha</b>	53.6	9.9	6.4	28.2	1.8	0.0	0.0	100.0	70.0	16.0	9.2	25.3	319
Bhakkar	33.8	9.8	9.1	45.2	2.1	0.0	0.0	100.0	52.7	6.9	4.3	11.2	174
Khushab	55.7	9.4	3.6	24.4	6.8	0.0	0.0	100.0	68.7	13.5	9.6	23.1	127
Mianwali	54.0	9.6	4.9	24.9	5.5	1.1	0.0	100.0	68.5	9.0	4.2	13.1	184
<b>Punjab</b>	52.3	9.6	2.8	33.2	1.5	0.6	0.0	100.0	64.7	14.8	8.8	23.6	10,653
<sup>1</sup> MICS indicator 5.7; MDG indicator 5.2 - Skilled attendant at delivery													
<sup>2</sup> MICS indicator 5.9 - Caesarean section													

**Table D.RH.11: Place of delivery**

Percent distribution of ever married women age 15-49 years with a live birth in the last two years by place of delivery of their last birth, Punjab, 2014.

	Place of delivery					Total	Delivered in health facility <sup>1</sup>	Number of ever married women with a live birth in the last two years
	Health facility		Home	Other	Missing/ DK			
	Public sector	Private sector						
<b>Punjab</b>	17.9	42.8	38.7	0.1	0.4	100.0	60.8	10,653
<b>District</b>								
<b>Bahawalpur</b>	10.8	29.9	57.5	0.0	1.8	100.0	40.7	342
Bahawalnagar	9.5	31.8	58.5	0.0	0.2	100.0	41.3	254
RY Khan	10.6	31.3	56.9	0.0	1.2	100.0	41.8	472
<b>DG Khan</b>	9.9	25.5	64.1	0.0	0.6	100.0	35.3	361
Layyah	13.4	22.6	63.8	0.0	0.1	100.0	36.0	182
Muzaffargarh	10.2	27.9	61.5	0.0	0.5	100.0	38.1	414
Rajanpur	13.1	16.4	70.5	0.0	0.0	100.0	29.5	223
<b>Faisalabad</b>	12.4	61.8	25.6	0.0	0.2	100.0	74.2	692
Chiniot	8.9	62.7	28.3	0.0	0.0	100.0	71.7	123
Jhang	10.5	52.2	36.6	0.3	0.4	100.0	62.7	237
TT Singh	11.5	47.4	41.1	0.0	0.0	100.0	58.9	185
<b>Gujranwala</b>	11.7	62.4	25.6	0.3	0.0	100.0	74.1	481
Gujrat	27.5	53.8	18.7	0.0	0.0	100.0	81.3	258
Hafizabad	16.7	53.2	30.0	0.0	0.0	100.0	70.0	129
Mandi Bahauddin	6.7	37.1	56.2	0.0	0.0	100.0	43.8	173
Narowal	11.4	41.3	47.1	0.0	0.2	100.0	52.7	200
Sialkot	17.8	51.7	30.5	0.0	0.0	100.0	69.5	336
<b>Lahore</b>	35.4	45.1	19.4	0.1	0.0	100.0	80.5	988
Kasur	16.4	32.1	50.9	0.0	0.6	100.0	48.5	376
Nankana Sahib	18.6	53.8	27.6	0.0	0.0	100.0	72.4	182
Sheikhupura	24.9	43.1	30.8	0.0	1.2	100.0	68.0	369
<b>Multan</b>	15.5	47.4	36.2	0.0	0.9	100.0	62.9	465
Khanewal	8.4	45.2	45.2	0.0	1.2	100.0	53.6	289
Lodhran	10.2	34.2	55.2	0.0	0.4	100.0	44.4	176
Vehari	12.9	44.9	42.2	0.0	0.0	100.0	57.8	232
<b>Sahiwal</b>	15.5	50.4	33.7	0.0	0.4	100.0	65.9	261
Pakpattan	7.8	50.0	42.2	0.0	0.0	100.0	57.8	221
Okara	13.5	46.4	39.9	0.0	0.2	100.0	59.9	344
<b>Rawalpindi</b>	46.1	36.6	16.2	0.0	1.1	100.0	82.7	496
Attock	27.6	34.9	35.0	1.2	1.4	100.0	62.4	168
Chakwal	35.2	39.4	24.2	0.3	0.9	100.0	74.5	120
Jhelum	39.0	38.7	21.6	0.0	0.7	100.0	77.7	97
<b>Sargodha</b>	16.3	48.1	35.6	0.0	0.0	100.0	64.4	319
Bhakkar	14.6	30.0	55.4	0.0	0.0	100.0	44.6	174
Khushab	15.5	44.3	40.2	0.0	0.0	100.0	59.8	127
Mianwali	23.2	41.4	33.7	0.6	1.1	100.0	64.6	184

<sup>1</sup> MICS indicator 5.8 - Institutional deliveries

**Table D.RH.12: Post-partum stay in health facility**

Percent distribution of ever married women age 15-49 years with a live birth in the last two years who had their last birth delivered in a health facility by duration of stay in health facility, Punjab, 2014.

	Duration of stay in health facility						Total	12 hours or more <sup>1</sup>	Number of ever married women who had their last birth delivered in a health facility in the last 2 years
	Less than 6 hours	6-11 hours	12-23 hours	1-2 days	3 days or more	DK/ Missing			
<b>Punjab</b>	39.8	7.9	1.6	15.3	35.1	0.3	100.0	52.0	6,473
<b>District</b>									
<b>Bahawalpur</b>	29.3	6.4	1.1	21.3	41.4	0.6	100.0	63.7	139
Bahawalnagar	36.0	7.1	1.8	21.6	33.4	0.0	100.0	56.9	105
RY Khan	30.1	11.4	0.9	20.0	37.6	0.0	100.0	58.5	198
<b>DG Khan</b>	66.1	5.6	1.0	12.3	13.9	1.1	100.0	27.2	128
Layyah	63.6	8.0	3.1	11.0	14.2	0.0	100.0	28.4	66
Muzaffargarh	53.8	8.0	1.8	13.1	23.3	0.0	100.0	38.2	158
Rajanpur	66.3	6.7	1.5	4.9	20.5	0.0	100.0	26.9	66
<b>Faisalabad</b>	39.9	9.7	2.1	11.8	36.0	0.5	100.0	49.9	513
Chiniot	45.5	11.6	1.4	9.4	32.2	0.0	100.0	42.9	88
Jhang	50.5	6.4	0.9	6.5	35.6	0.0	100.0	43.0	149
TT Singh	39.4	11.1	3.7	8.9	36.9	0.0	100.0	49.5	109
<b>Gujranwala</b>	45.3	7.9	1.9	12.0	32.5	0.3	100.0	46.5	357
Gujrat	34.4	9.1	2.4	11.3	42.8	0.0	100.0	56.5	210
Hafizabad	26.3	10.1	1.5	19.2	42.0	0.9	100.0	62.7	90
Mandi Bahauddin	38.9	2.7	3.3	11.2	42.9	1.1	100.0	57.4	76
Narowal	55.0	9.0	1.6	19.9	14.4	0.0	100.0	35.9	106
Sialkot	33.9	7.0	0.9	20.4	37.9	0.0	100.0	59.1	234
<b>Lahore</b>	22.1	12.9	3.6	15.7	45.7	0.0	100.0	65.0	796
Kasur	57.3	4.2	0.0	10.6	27.1	0.9	100.0	37.7	182
Nankana Sahib	47.6	6.2	1.6	15.3	29.3	0.0	100.0	46.2	131
Sheikhupura	38.8	7.0	0.3	14.9	38.4	0.6	100.0	53.6	251
<b>Multan</b>	40.8	5.7	0.8	15.4	36.9	0.5	100.0	53.0	292
Khanewal	36.4	1.3	0.5	15.0	45.7	1.1	100.0	61.2	155
Lodhran	37.1	10.6	0.0	11.3	41.1	0.0	100.0	52.3	78
Vehari	42.1	7.0	1.6	5.4	42.4	1.5	100.0	49.3	134
<b>Sahiwal</b>	31.9	4.6	1.5	12.0	49.9	0.0	100.0	63.5	172
Pakpattan	33.0	6.7	0.0	13.8	46.5	0.0	100.0	60.3	128
Okara	41.3	6.0	1.2	10.6	40.6	0.3	100.0	52.4	206
<b>Rawalpindi</b>	37.1	6.6	1.5	32.4	22.4	0.0	100.0	56.3	411
Attock	34.8	7.4	2.4	23.4	32.0	0.0	100.0	57.8	105
Chakwal	51.1	7.9	0.0	26.3	14.7	0.0	100.0	41.0	89
Jhelum	37.1	9.9	0.4	20.7	31.9	0.0	100.0	53.0	75
<b>Sargodha</b>	47.8	4.7	1.7	14.5	31.4	0.0	100.0	47.5	205
Bhakkar	59.2	4.9	0.0	14.5	21.4	0.0	100.0	35.9	78
Khushab	46.2	4.9	0.0	10.1	38.8	0.0	100.0	48.9	76
Mianwali	60.1	9.7	1.7	9.2	19.2	0.0	100.0	30.1	119

<sup>1</sup> MICS indicator 5.10 - Post-partum stay in health facility

**Table D.RH.13: Post-natal health checks for newborns**

Percentage of ever married women age 15-49 years with a live birth in the last two years whose last live birth received health checks while in facility or at home following birth, percent distribution whose last live birth received post-natal care (PNC) visits from any health provider after birth, by timing of visit, and percentage who received post natal health checks, Punjab, 2014.

	Health check following birth while in facility or at home <sup>a</sup>	PNC visit for newborns <sup>b</sup>								Post-natal health check for the newborn <sup>1, c</sup>	Number of last live births in the last two years
		Same day	1 day following birth	2 days following birth	3-6 days following birth	After the first week following birth	No post-natal care visit	DK/ Missing	Total		
<b>Punjab</b>	88.3	5.5	2.5	2.0	4.7	10.2	72.7	2.4	100.0	88.8	10,653
<b>District</b>											
<b>Bahawalpur</b>	89.0	15.9	9.9	3.5	3.9	7.3	52.2	7.4	100.0	90.0	342
Bahawalnagar	98.1	7.1	8.3	3.6	7.7	6.3	66.4	0.6	100.0	98.1	254
RY Khan	97.8	0.4	4.1	2.8	8.8	8.6	75.3	0.0	100.0	97.8	472
<b>DG Khan</b>	69.7	16.1	1.3	1.3	1.6	3.0	72.9	3.8	100.0	71.7	361
Layyah	80.0	16.1	1.7	1.7	2.6	1.6	73.3	3.1	100.0	80.6	182
Muzaffargarh	78.3	15.0	2.8	1.7	2.8	2.9	72.2	2.7	100.0	79.4	414
Rajanpur	81.1	19.9	3.3	2.3	3.7	2.8	65.4	2.6	100.0	81.8	223
<b>Faisalabad</b>	87.8	2.4	2.0	1.7	5.2	12.4	73.4	2.9	100.0	88.8	692
Chiniot	97.1	2.3	2.0	0.9	2.6	14.5	76.0	1.8	100.0	97.1	123
Jhang	89.7	9.4	2.6	2.1	3.4	12.3	64.4	5.7	100.0	90.1	237
TT Singh	92.6	7.1	0.6	1.6	5.3	10.5	73.0	1.9	100.0	92.6	185
<b>Gujranwala</b>	90.1	3.1	3.4	1.4	4.9	15.3	68.5	3.3	100.0	91.0	481
Gujrat	95.4	2.6	2.6	0.9	4.6	29.8	59.2	0.2	100.0	95.4	258
Hafizabad	98.9	1.0	1.0	1.0	4.2	17.1	75.7	0.0	100.0	98.9	129
Mandi Bahauddin	95.2	1.6	3.2	1.2	3.8	10.2	78.7	1.2	100.0	95.2	173
Narowal	91.7	2.1	1.8	0.7	1.5	4.6	88.3	1.0	100.0	91.7	200
Sialkot	93.6	1.1	2.0	1.3	2.7	14.7	77.4	0.8	100.0	94.6	336
<b>Lahore</b>	89.8	2.1	1.0	1.9	4.4	13.1	76.3	1.2	100.0	89.9	988
Kasur	75.8	6.2	1.7	0.9	2.7	5.9	80.7	2.1	100.0	76.6	376
Nankana Sahib	95.7	1.1	2.5	1.2	1.1	9.1	84.1	0.9	100.0	96.1	182
Sheikhupura	84.2	4.5	2.9	0.7	2.6	10.0	77.3	2.1	100.0	84.4	369
<b>Multan</b>	86.9	6.3	1.0	1.6	5.4	8.0	69.4	8.3	100.0	87.6	465
Khanewal	89.9	5.0	0.0	1.9	8.5	6.1	77.1	1.5	100.0	90.5	289
Lodhran	95.7	0.2	0.9	3.2	6.2	9.4	80.1	0.0	100.0	95.7	176
Vehari	95.7	2.3	1.5	0.6	4.6	6.2	84.9	0.0	100.0	95.7	232
<b>Sahiwal</b>	88.7	1.8	2.1	4.6	8.8	19.7	62.9	0.0	100.0	89.2	261
Pakpattan	91.9	1.9	0.4	4.3	5.6	14.4	73.4	0.0	100.0	92.8	221
Okara	74.8	5.5	1.2	3.0	5.7	6.8	77.1	0.8	100.0	76.0	344
<b>Rawalpindi</b>	85.3	6.0	1.9	2.9	2.3	6.2	73.8	6.9	100.0	85.6	496
Attock	83.6	4.5	4.2	1.7	5.8	14.3	68.8	0.8	100.0	85.0	168
Chakwal	92.7	4.0	2.1	4.2	8.6	12.7	65.6	2.8	100.0	93.0	120
Jhelum	94.5	2.4	3.8	0.4	6.2	18.9	67.1	1.1	100.0	94.5	97
<b>Sargodha</b>	88.0	10.9	0.7	2.1	8.1	15.2	58.4	4.5	100.0	88.5	319
Bhakkar	95.6	1.4	7.5	2.2	5.0	6.8	77.3	0.0	100.0	95.9	174
Khushab	90.7	0.4	4.5	2.0	4.5	10.8	77.8	0.0	100.0	90.7	127
Mianwali	92.2	2.8	3.9	2.2	3.9	8.4	78.9	0.0	100.0	93.3	184

<sup>1</sup> MICS indicator 5.11 - Post-natal health check for the newborn

<sup>a</sup> Health checks by any health provider following facility births (before discharge from facility) or following home births (before departure of provider from home).

<sup>b</sup> Post-natal care visits (PNC) refer to a separate visit to check on the health of the newborn and provide preventive care services. PNC visits do not include health checks following birth while in facility or at home (see note <sup>a</sup> above).

<sup>c</sup> Post-natal health checks include any health check performed while in the health facility or at home following birth (see note <sup>a</sup> above), as well as PNC visits (see note <sup>b</sup> above) within two days of delivery.

**Table D.RH.15: Post-natal health checks for mothers**

Percentage of ever married women age 15-49 years with a live birth in the last two years who received health checks while in facility or at home following birth, percent distribution who received post-natal care (PNC) visits from any health provider after birth at the time of last birth, by timing of visit, and percentage who received post natal health checks, Punjab, 2014.

	Health check following birth while in facility or at home <sup>a</sup>	PNC visit for mothers <sup>b</sup>								Post-natal health check for the mother <sup>1, c</sup>	Number of ever married women who gave birth in the two years preceding the survey
		Same day	1 day following birth	2 days following birth	3-6 days following birth	After the first week following birth	No post-natal care visit	DK/ Missing	Total		
<b>Punjab</b>	86.0	2.2	1.8	1.7	4.0	17.0	71.8	1.5	100.0	86.3	10,653
<b>District</b>											
<b>Bahawalpur</b>	85.4	6.8	10.6	3.2	3.4	10.8	60.4	4.8	100.0	86.5	342
Bahawalnagar	91.6	3.5	5.5	3.1	5.3	10.8	71.5	0.5	100.0	91.6	254
RY Khan	95.7	0.4	3.3	3.3	6.8	13.1	73.0	0.0	100.0	95.7	472
<b>DG Khan</b>	59.5	5.6	0.9	0.3	2.0	2.8	86.0	2.5	100.0	60.2	361
Layyah	77.6	0.2	0.3	2.8	1.0	3.4	90.2	2.1	100.0	78.1	182
Muzaffargarh	71.4	1.7	1.1	0.9	3.1	3.5	87.1	2.7	100.0	71.7	414
Rajanpur	72.9	2.5	0.6	1.4	8.3	4.9	81.7	0.6	100.0	73.4	223
<b>Faisalabad</b>	86.8	2.3	0.9	1.6	3.8	19.8	69.5	2.2	100.0	87.7	692
Chiniot	96.2	0.0	2.5	0.4	2.7	23.6	70.4	0.5	100.0	96.2	123
Jhang	90.9	2.5	1.8	3.0	3.9	17.5	67.9	3.4	100.0	91.2	237
TT Singh	92.3	1.4	1.9	2.2	2.3	24.0	68.1	0.0	100.0	92.3	185
<b>Gujranwala</b>	91.0	2.2	1.4	2.0	5.0	20.4	66.5	2.4	100.0	91.4	481
Gujrat	95.6	1.7	1.4	1.2	3.4	40.0	52.2	0.0	100.0	96.1	258
Hafizabad	97.5	0.0	1.8	1.0	2.1	30.9	62.9	1.2	100.0	97.5	129
Mandi	96.2	1.0	2.4	1.4	1.4	24.3	69.2	0.3	100.0	96.2	173
Narowal	89.3	0.2	1.3	1.2	0.4	7.0	89.5	0.4	100.0	89.3	200
Sialkot	87.9	0.3	1.1	0.4	2.1	23.2	72.5	0.3	100.0	89.0	336
<b>Lahore</b>	89.1	0.9	0.3	1.6	3.9	29.0	63.6	0.7	100.0	89.2	988
Kasur	73.5	4.2	1.4	0.8	2.3	10.4	80.4	0.5	100.0	74.3	376
Nankana Sahib	92.0	0.0	1.8	1.4	2.4	19.3	73.6	1.4	100.0	92.0	182
Sheikhupura	84.4	2.3	2.8	1.7	5.1	15.5	71.0	1.7	100.0	84.6	369
<b>Multan</b>	85.4	5.1	0.5	1.1	5.4	11.0	69.9	6.9	100.0	85.4	465
Khanewal	90.3	2.4	0.3	1.2	6.8	15.4	72.9	1.0	100.0	90.3	289
Lodhran	94.4	0.0	0.0	3.8	2.3	15.2	78.7	0.0	100.0	94.4	176
Vehari	93.3	0.0	0.4	0.7	5.5	20.7	72.7	0.0	100.0	93.3	232
<b>Sahiwal</b>	88.8	0.3	0.8	4.4	2.8	27.8	63.8	0.0	100.0	89.1	261
Pakpattan	91.9	0.4	0.0	2.7	4.9	26.3	65.2	0.5	100.0	91.9	221
Okara	71.4	2.1	0.0	0.8	1.9	9.8	84.4	1.1	100.0	71.9	344
<b>Rawalpindi</b>	81.3	1.7	1.5	1.9	3.6	10.0	78.7	2.7	100.0	81.6	496
Attock	81.9	2.4	1.0	1.5	4.6	13.3	76.8	0.4	100.0	81.9	168
Chakwal	93.4	3.2	2.3	1.3	3.0	18.8	69.6	1.9	100.0	93.4	120
Jhelum	92.8	1.9	2.0	0.9	4.9	26.5	63.8	0.0	100.0	92.8	97
<b>Sargodha</b>	83.1	7.5	2.6	2.2	8.2	19.1	57.9	2.6	100.0	83.8	319
Bhakkar	95.1	1.0	6.0	1.7	5.4	13.8	72.1	0.0	100.0	95.4	174
Khushab	90.1	0.3	5.0	1.6	5.6	22.3	65.2	0.0	100.0	90.1	127
Mianwali	92.5	2.4	3.9	1.4	2.3	16.9	73.1	0.0	100.0	93.1	184

<sup>1</sup> **MICS indicator 5.12 - Post-natal health check for the mother**

<sup>a</sup> Health checks by any health provider following facility births (before discharge from facility) or following home births (before departure of provider from home).

<sup>b</sup> Post-natal care visits (PNC) refer to a separate visit to check on the health of the newborn and provide preventive care services. PNC visits do not include health checks following birth while in facility or at home (see note <sup>a</sup> above).

<sup>c</sup> Post-natal health checks include any health check performed while in the health facility or at home following birth (see note <sup>a</sup> above), as well as PNC visits (see note <sup>b</sup> above) within two days of delivery.



**Table D.RH.17: Post-natal health checks for mothers and newborns**

Percent distribution of ever married women age 15-49 years with a live birth in the last two years by post-natal health checks for the mother and newborn, within two days of the most recent birth, Punjab, 2014.

	Health checks or PNC visits within 2 days of birth for:					Total	Number of ever married women age 15-49 years who gave birth in the 2 years preceding the survey
	Both mothers and newborns	Mothers only	Newborns only	Neither mother nor newborn	DK/ Missing		
<b>Punjab</b>	83.5	1.9	4.4	9.2	1.0	100.0	10,653
<b>District</b>							
<b>Bahawalpur</b>	80.7	2.2	6.1	7.4	3.5	100.0	342
Bahawalnagar	91.6	0.0	6.5	1.9	0.0	100.0	254
RY Khan	95.7	0.0	2.1	2.2	0.0	100.0	472
<b>DG Khan</b>	57.2	1.4	12.9	26.9	1.7	100.0	361
Layyah	74.2	2.0	4.5	17.4	1.9	100.0	182
Muzaffargarh	69.8	0.7	8.4	19.9	1.2	100.0	414
Rajanpur	72.1	0.6	9.0	17.6	0.6	100.0	223
<b>Faisalabad</b>	83.3	2.2	3.9	8.4	2.2	100.0	692
Chiniot	95.7	0.0	0.9	2.9	0.5	100.0	123
Jhang	86.4	2.6	1.5	7.3	2.2	100.0	237
TT Singh	91.8	0.5	0.8	6.9	0.0	100.0	185
<b>Gujranwala</b>	86.6	3.0	2.7	6.0	1.7	100.0	481
Gujrat	93.4	2.7	2.0	1.8	0.0	100.0	258
Hafizabad	97.1	0.5	1.8	0.7	0.0	100.0	129
Mandi Bahauddin	94.8	1.0	0.0	3.8	0.3	100.0	173
Narowal	89.0	0.0	2.4	8.3	0.2	100.0	200
Sialkot	87.2	1.8	7.4	3.6	0.0	100.0	336
<b>Lahore</b>	86.4	2.4	3.1	7.7	0.5	100.0	988
Kasur	70.5	3.5	5.8	19.9	0.2	100.0	376
Nankana Sahib	90.7	1.3	5.4	2.7	0.0	100.0	182
Sheikhupura	79.2	4.8	4.6	10.8	0.6	100.0	369
<b>Multan</b>	76.8	4.0	6.2	8.4	4.6	100.0	465
Khanewal	88.3	0.9	1.1	8.6	1.0	100.0	289
Lodhran	94.4	0.0	1.3	4.3	0.0	100.0	176
Vehari	92.4	0.9	3.3	3.4	0.0	100.0	232
<b>Sahiwal</b>	88.2	0.9	1.0	9.9	0.0	100.0	261
Pakpattan	90.9	0.9	1.9	6.3	0.0	100.0	221
Okara	68.6	3.3	7.4	20.7	0.0	100.0	344
<b>Rawalpindi</b>	76.7	3.2	7.2	11.2	1.6	100.0	496
Attock	80.0	1.9	5.0	13.1	0.0	100.0	168
Chakwal	91.0	1.6	1.3	5.4	0.8	100.0	120
Jhelum	92.4	0.4	2.1	5.1	0.0	100.0	97
<b>Sargodha</b>	80.1	2.3	7.0	9.2	1.3	100.0	319
Bhakkar	95.0	0.4	1.0	3.6	0.0	100.0	174
Khushab	88.8	1.3	2.0	7.9	0.0	100.0	127
Mianwali	92.2	0.9	1.1	5.8	0.0	100.0	184

<b>Table D.CD.1: Early childhood education</b>		
Percentage of children age 36-59 months who are attending an organized early childhood education programme, Punjab, 2014.		
	Percentage of children age 36-59 months attending early childhood education <sup>1</sup>	Number of children age 36-59 months
<b>Punjab</b>	25.7	11,527
<b>District</b>		
<b>Bahawalpur</b>	12.2	399
Bahawalnagar	14.0	343
RY Khan	14.5	656
<b>DG Khan</b>	12.1	387
Layyah	15.0	225
Muzaffargarh	14.5	494
Rajanpur	17.0	277
<b>Faisalabad</b>	32.9	729
Chiniot	16.4	148
Jhang	23.7	257
TT Singh	30.4	218
<b>Gujranwala</b>	34.7	499
Gujrat	29.8	311
Hafizabad	23.1	128
Mandi Bahauddin	29.0	173
Narowal	40.4	214
Sialkot	40.3	378
<b>Lahore</b>	34.3	1,044
Kasur	28.1	363
Nankana Sahib	35.4	158
Sheikhupura	27.4	366
<b>Multan</b>	15.4	468
Khanewal	13.9	288
Lodhran	10.2	191
Vehari	14.3	301
<b>Sahiwal</b>	22.5	231
Pakpattan	28.0	215
Okara	23.3	368
<b>Rawalpindi</b>	49.5	484
Attock	42.6	184
Chakwal	49.4	131
Jhelum	42.2	100
<b>Sargodha</b>	33.6	320
Bhakkar	14.5	173
Khushab	23.1	141
Mianwali	13.1	166
<sup>1</sup> MICS indicator 6.1 - Attendance to early childhood education		

**Table D.CD.2: Support for learning**

Percentage of children age 36-59 months with whom adult household members engaged in activities that promote learning and school readiness during the last three days, and engagement in such activities by biological fathers and mothers, Punjab, 2014.

	Percentage of children with whom adult household members have engaged in four or more activities <sup>1</sup>	Mean number of activities with adult household members	Percentage of children living with their:		Number of children age 36-59 months	Percentage of children with whom biological fathers have engaged in four or more activities <sup>2</sup>	Mean number of activities with biological fathers	Number of children age 36-59 months living with their biological fathers	Percentage of children with whom biological mothers have engaged in four or more activities <sup>3</sup>	Mean number of activities with biological mothers	Number of children age 36-59 months living with their biological mothers
			Biological father	Biological mother							
<b>Punjab</b>	35.0	2.8	91.3	98.5	11,527	2.6	0.8	10,525	11.8	1.3	11,349
<b>District</b>											
<b>Bahawalpur</b>	30.5	2.8	93.9	97.8	399	2.5	1.1	375	6.0	1.1	390
Bahawalnagar	18.3	2.6	93.9	98.8	343	0.9	0.9	322	3.3	0.7	339
RY Khan	17.0	2.5	95.5	98.8	656	0.6	0.8	626	1.8	0.6	648
<b>DG Khan</b>	20.9	2.2	83.9	99.0	387	1.3	0.6	325	10.5	0.9	384
Layyah	23.1	2.2	93.1	99.3	225	2.8	0.7	209	4.8	0.6	223
Muzaffargarh	23.8	2.3	89.6	97.6	494	1.4	0.5	443	6.5	0.7	482
Rajanpur	20.3	2.1	94.7	98.2	277	6.1	0.7	263	3.9	0.5	272
<b>Faisalabad</b>	52.6	3.6	94.8	99.3	729	3.0	0.9	692	17.1	1.8	725
Chiniot	38.5	3.1	96.7	96.5	148	0.3	0.8	143	11.2	1.4	143
Jhang	41.0	3.1	97.9	99.0	257	2.1	0.8	251	9.1	1.3	254
TT Singh	58.9	3.9	93.7	98.3	218	3.9	1.1	204	15.9	2.0	214
<b>Gujranwala</b>	44.1	3.3	87.2	98.9	499	2.9	0.9	435	13.6	1.4	493
Gujrat	41.6	3.0	67.0	98.8	311	1.4	0.7	208	22.0	1.9	307
Hafizabad	26.0	2.4	92.1	100.0	128	1.2	0.6	118	8.2	0.9	128
Mandi Bahauddin	26.6	2.3	79.6	98.3	173	2.5	0.7	137	4.9	1.0	170
Narowal	48.0	3.4	72.9	98.0	214	0.7	0.6	156	18.2	1.7	210
Sialkot	49.1	3.3	78.7	99.3	378	3.7	0.6	298	17.3	1.6	376
<b>Lahore</b>	46.1	3.2	94.9	98.9	1,044	4.4	1.1	991	25.8	2.1	1,033
Kasur	42.4	2.9	96.5	98.9	363	3.6	1.1	351	19.6	1.7	359
Nankana Sahib	28.0	2.6	89.4	97.3	158	2.1	0.7	141	4.8	0.9	154
Sheikhupura	39.7	3.1	92.8	97.0	366	3.8	0.8	339	11.0	1.2	355
<b>Multan</b>	25.8	2.4	95.3	98.9	468	1.8	0.9	445	8.2	1.0	462
Khanewal	20.5	2.3	94.8	98.3	288	0.5	0.7	273	1.9	0.7	284
Lodhran	12.9	1.9	97.4	99.3	191	1.6	0.7	186	1.1	0.6	190
Vehari	19.2	2.2	91.3	96.7	301	1.5	0.8	274	4.6	0.9	290

**Table D.CD.2: Support for learning**

Percentage of children age 36-59 months with whom adult household members engaged in activities that promote learning and school readiness during the last three days, and engagement in such activities by biological fathers and mothers, Punjab, 2014.

	Percentage of children with whom adult household members have engaged in four or more activities <sup>1</sup>	Mean number of activities with adult household members	Percentage of children living with their:		Number of children age 36-59 months	Percentage of children with whom biological fathers have engaged in four or more activities <sup>2</sup>	Mean number of activities with biological fathers	Number of children age 36-59 months living with their biological fathers	Percentage of children with whom biological mothers have engaged in four or more activities <sup>3</sup>	Mean number of activities with biological mothers	Number of children age 36-59 months living with their biological mothers
			Biological father	Biological mother							
<b>Sahiwal</b>	38.8	2.8	91.1	96.8	231	4.7	1.0	211	7.0	1.0	224
Pakpattan	32.6	2.7	93.7	98.5	215	2.9	0.9	202	2.7	0.8	212
Okara	34.7	2.6	93.3	97.3	368	2.5	0.9	343	5.9	1.1	358
<b>Rawalpindi</b>	58.2	3.6	89.7	98.7	484	3.3	1.0	434	28.9	2.1	478
Attock	40.9	3.0	90.2	99.8	184	2.7	0.8	166	17.0	1.5	183
Chakwal	41.2	3.1	84.9	100.0	131	1.3	0.7	112	14.0	1.6	131
Jhelum	43.4	3.2	84.5	98.0	100	2.8	0.9	84	18.2	1.8	98
<b>Sargodha</b>	32.5	2.7	96.9	98.2	320	3.2	0.8	310	11.3	1.4	314
Bhakkar	17.8	1.8	98.8	99.3	173	2.2	0.8	170	4.8	1.0	171
Khushab	24.8	2.4	93.0	95.1	141	3.7	0.8	131	5.1	1.0	134
Mianwali	23.6	2.1	94.2	97.4	166	2.3	0.7	156	6.7	1.0	161
<b>Punjab</b>	35.0	2.8	91.3	98.5	11,527	2.6	0.8	10,525	11.8	1.3	11,349

<sup>1</sup> MICS indicator 6.2 - Support for learning

<sup>2</sup> MICS Indicator 6.3 - Father's support for learning

<sup>3</sup> MICS Indicator 6.4 - Mother's support for learning

<sup>a</sup> The background characteristic "Mother's education" refers to the education level of the respondent to the Questionnaire for Children Under Five, and covers both mothers and primary caretakers, who are interviewed when the mother is not listed in the same household. Since indicator 6.4 reports on the biological mother's support for learning, this background characteristic refers to only the educational levels of biological mothers when calculated for the indicator in question.

**Table D.CD.3: Learning materials**

Percentage of children under age 5 by numbers of children's books present in the household, and by playthings that child plays with, Punjab, 2014.

	Percentage of children living in households that have for the child:		Percentage of children who play with:				Number of children under age 5
	3 or more children's books <sup>1</sup>	10 or more children's books	Homemade toys	Toys from a shop/ manufactured toys	Household objects/objects found outside	Two or more types of playthings <sup>2</sup>	
<b>Punjab</b>	7.6	0.3	27.3	64.7	61.5	52.5	27,495
<b>District</b>							
<b>Bahawalpur</b>	3.1	0.4	14.9	48.2	53.9	30.4	912
Bahawalnagar	1.7	0.0	13.8	48.3	59.2	32.1	751
RY Khan	1.5	0.0	10.8	46.0	65.7	35.3	1,417
<b>DG Khan</b>	3.5	0.3	58.5	43.6	71.6	60.2	898
Layyah	3.4	0.0	60.1	47.2	63.9	59.8	514
Muzaffargarh	2.8	0.0	58.1	43.8	64.8	57.4	1,118
Rajanpur	1.8	0.0	52.7	35.0	66.2	50.4	621
<b>Faisalabad</b>	3.4	0.3	23.8	77.0	63.8	61.1	1,807
Chiniot	1.2	0.2	23.4	70.9	69.2	60.6	335
Jhang	0.9	0.0	45.9	68.7	73.7	70.8	626
TT Singh	2.7	0.1	48.9	74.1	67.8	69.3	503
<b>Gujranwala</b>	13.0	0.2	29.5	74.6	59.8	56.0	1,210
Gujrat	8.6	0.2	15.7	82.2	52.7	54.0	744
Hafizabad	5.1	0.0	16.0	67.1	69.9	55.4	310
Mandi Bahauddin	9.3	0.0	17.5	77.0	67.5	62.5	401
Narowal	14.6	0.0	32.1	74.2	58.8	56.5	529
Sialkot	19.6	0.4	30.6	81.8	62.0	59.9	906
<b>Lahore</b>	16.4	0.6	11.1	79.9	47.2	45.2	2,467
Kasur	10.8	1.0	27.7	65.8	65.9	54.7	898
Nankana Sahib	9.5	0.0	16.1	74.5	64.0	54.8	418
Sheikhupura	12.6	0.4	19.7	81.4	63.6	63.3	887
<b>Multan</b>	4.4	0.2	27.6	42.9	54.6	37.3	1,179
Khanewal	1.9	0.1	27.6	46.3	60.0	45.4	720
Lodhran	1.4	0.0	17.0	44.4	60.8	39.1	451
Vehari	2.7	0.0	16.3	54.8	71.9	50.2	668
<b>Sahiwal</b>	4.1	0.0	36.2	70.5	75.3	63.0	628
Pakpattan	2.6	0.2	34.2	70.4	78.6	66.5	526
Okara	4.1	0.3	34.1	66.8	74.1	62.9	878
<b>Rawalpindi</b>	23.3	0.9	26.8	81.0	44.7	46.0	1,180
Attock	19.0	0.6	28.1	74.7	54.7	56.8	429
Chakwal	21.1	0.0	22.7	80.4	52.4	50.7	310
Jhelum	17.8	0.3	22.5	77.9	55.8	57.7	246
<b>Sargodha</b>	1.9	0.0	24.5	68.6	52.0	52.0	823
Bhakkar	0.5	0.0	25.0	48.7	66.2	45.5	416
Khushab	1.7	0.2	21.2	65.0	70.8	61.6	325
Mianwali	1.1	0.0	23.2	70.1	73.7	64.3	440

<sup>1</sup> MICS indicator 6.5 - Availability of children's books

<sup>2</sup> MICS indicator 6.6 - Availability of playthings

<b>Table D.CD.4: Inadequate care</b>				
Percentage of children under age 5 left alone or left in the care of another child younger than 10 years of age for more than one hour at least once during the past week, Punjab, 2014.				
	<b>Percentage of children under age 5:</b>			
	Left alone in the past week	Left in the care of another child younger than 10 years of age in the past week	Left with inadequate care in the past week <sup>1</sup>	Number of children under age 5
<b>Punjab</b>	4.6	3.7	6.8	27,495
<b>District</b>				
<b>Bahawalpur</b>	5.7	3.6	8.7	912
Bahawalnagar	2.5	3.5	5.9	751
RY Khan	0.2	1.0	1.1	1,417
<b>DG Khan</b>	4.1	4.8	5.5	898
Layyah	1.7	1.9	3.3	514
Muzaffargarh	3.3	5.9	7.6	1,118
Rajanpur	8.0	8.7	11.0	621
<b>Faisalabad</b>	4.5	2.3	5.3	1,807
Chiniot	0.4	1.1	1.3	335
Jhang	3.2	2.9	4.6	626
TT Singh	2.8	3.2	3.4	503
<b>Gujranwala</b>	7.6	6.2	11.8	1,210
Gujrat	1.6	1.2	2.4	744
Hafizabad	0.3	1.9	1.9	310
Mandi Bahauddin	0.9	0.2	1.1	401
Narowal	5.7	6.8	10.1	529
Sialkot	14.2	6.1	19.0	906
<b>Lahore</b>	1.6	2.2	3.1	2,467
Kasur	4.0	3.8	5.5	898
Nankana Sahib	1.3	3.2	3.5	418
Sheikhupura	4.9	1.7	6.2	887
<b>Multan</b>	3.6	2.4	5.0	1,179
Khanewal	2.9	2.7	3.8	720
Lodhran	0.9	2.1	2.6	451
Vehari	3.9	3.7	5.4	668
<b>Sahiwal</b>	11.5	9.2	16.3	628
Pakpattan	8.6	7.6	12.3	526
Okara	11.6	9.5	15.8	878
<b>Rawalpindi</b>	10.1	3.6	12.3	1,180
Attock	6.8	3.1	8.7	429
Chakwal	9.0	1.3	9.8	310
Jhelum	5.7	0.6	5.7	246
<b>Sargodha</b>	5.4	4.3	8.5	823
Bhakkar	0.4	3.0	3.0	416
Khushab	0.8	2.7	2.9	325
Mianwali	0.2	0.4	0.6	440
<sup>1</sup> MICS indicator 6.7 - Inadequate care				

**Table D.CD.5: Early child development index**

Percentage of children age 36-59 months who are developmentally on track in literacy-numeracy, physical, social-emotional, and learning domains, and the early child development index score, Punjab, 2014.

	Percentage of children age 36-59 months who are developmentally on track for indicated domains				Early child development index score <sup>1</sup>	Percentage of children not on track in any of the four domains	Number of children age 36-59 months
	Literacy-numeracy	Physical	Social-Emotional	Learning			
<b>Punjab</b>	25.1	97.7	62.2	93.6	67.2	1.0	11,527
<b>District</b>							
<b>Bahawalpur</b>	23.8	94.8	60.8	90.4	65.1	1.2	399
Bahawalnagar	13.3	96.9	59.4	90.1	57.5	1.4	343
RY Khan	12.3	97.4	59.5	94.1	61.4	1.3	656
<b>DG Khan</b>	20.2	96.8	57.6	86.7	54.9	0.5	387
Layyah	11.3	99.0	51.7	90.2	53.8	0.3	225
Muzaffargarh	14.1	98.7	52.3	88.0	53.0	0.5	494
Rajanpur	11.8	98.8	45.6	95.1	48.0	0.1	277
<b>Faisalabad</b>	32.1	98.1	76.3	95.1	81.0	1.3	729
Chiniot	11.2	100.0	73.5	98.4	75.2	0.0	148
Jhang	20.8	98.2	54.9	91.3	58.3	1.0	257
TT Singh	20.0	97.5	57.6	93.0	62.0	2.5	218
<b>Gujranwala</b>	31.8	97.7	45.5	97.4	60.7	1.2	499
Gujrat	26.1	97.2	57.8	95.2	66.6	2.8	311
Hafizabad	20.3	98.1	63.5	96.6	68.4	0.3	128
Mandi Bahauddin	24.9	98.0	75.0	96.5	77.9	1.0	173
Narowal	12.0	98.2	69.2	94.7	70.0	1.0	214
Sialkot	29.0	95.8	58.7	94.1	70.0	2.5	378
<b>Lahore</b>	35.0	99.4	73.0	97.5	81.3	0.6	1,044
Kasur	23.8	99.0	56.8	93.1	61.0	0.2	363
Nankana Sahib	31.8	98.5	69.0	95.3	76.0	0.7	158
Sheikhupura	36.6	94.5	60.1	93.2	65.6	0.9	366
<b>Multan</b>	27.9	96.0	61.3	95.0	69.3	1.6	468
Khanewal	19.4	99.3	59.9	96.0	62.8	0.0	288
Lodhran	10.9	97.4	57.4	95.2	55.9	0.8	191
Vehari	19.4	96.5	62.7	96.2	62.1	0.4	301
<b>Sahiwal</b>	31.6	98.9	71.9	90.3	74.2	0.3	231
Pakpattan	27.6	99.4	66.1	87.0	70.0	0.2	215
Okara	32.4	97.9	57.3	89.7	62.9	1.5	368
<b>Rawalpindi</b>	49.3	94.5	63.1	94.5	75.1	0.4	484
Attock	34.8	95.3	62.2	89.9	71.7	2.7	184
Chakwal	33.3	97.9	54.6	91.6	65.5	0.8	131
Jhelum	25.0	98.5	61.4	95.9	72.2	0.8	100
<b>Sargodha</b>	31.1	98.6	62.7	92.3	72.3	0.6	320
Bhakkar	8.2	98.9	72.4	94.5	70.8	0.8	173
Khushab	13.5	100.0	63.2	96.3	65.5	0.0	141
Mianwali	10.9	99.3	88.3	96.7	88.3	0.7	166

<sup>1</sup> MICS indicator 6.8 - Early child development index

**Table D.ED.1: Literacy (young women)**

Percentage of women age 15-24 years who are literate, Punjab, 2014.

	Percentage literate <sup>1</sup>	Percentage not known	Number of women age 15-24 years
<b>Punjab</b>	72.6	0.2	21,119
<b>District</b>			
<b>Bahawalpur</b>	52.3	1.1	624
Bahawalnagar	59.9	0.0	562
RY Khan	48.1	0.1	916
<b>DG Khan</b>	43.5	0.2	488
Layyah	65.2	0.0	311
Muzaffargarh	51.4	0.0	632
Rajanpur	37.1	0.0	252
<b>Faisalabad</b>	82.7	0.0	1,597
Chiniot	52.5	0.0	259
Jhang	61.9	0.6	441
TT Singh	81.2	0.0	435
<b>Gujranwala</b>	84.9	0.3	1,000
Gujrat	91.0	0.0	588
Hafizabad	76.8	0.5	253
Mandi Bahauddin	77.1	0.0	376
Narowal	85.5	0.0	384
Sialkot	93.1	0.0	844
<b>Lahore</b>	88.5	0.2	2,037
Kasur	70.0	0.0	685
Nankana Sahib	74.7	0.0	338
Sheikhupura	78.9	0.2	823
<b>Multan</b>	71.8	0.3	851
Khanewal	64.2	0.4	534
Lodhran	53.2	0.1	339
Vehari	71.1	0.2	583
<b>Sahiwal</b>	66.3	0.0	464
Pakpattan	58.8	0.0	402
Okara	63.4	0.0	575
<b>Rawalpindi</b>	89.0	0.4	983
Attock	77.3	0.0	364
Chakwal	90.8	0.3	286
Jhelum	87.6	0.0	252
<b>Sargodha</b>	70.0	0.2	699
Bhakkar	57.7	0.1	326
Khushab	61.7	0.0	279
Mianwali	58.4	0.3	338
<sup>1</sup> MICS indicator 7.1; MDG indicator 2.3 - Literacy rate among young women			



<b>Table D.ED.2: School readiness</b>		
Percentage of children attending first grade of primary school who attended pre-school the previous year, Punjab, 2014.		
	Percentage of children attending first grade who attended preschool in previous year <sup>1</sup>	Number of children attending first grade of primary school
<b>Punjab</b>	92.5	6,231
<b>District</b>		
<b>Bahawalpur</b>	86.3	221
Bahawalnagar	88.3	161
RY Khan	94.8	225
<b>DG Khan</b>	90.2	144
Layyah	94.2	102
Muzaffargarh	93.8	175
Rajanpur	94.9	81
<b>Faisalabad</b>	92.3	436
Chiniot	91.7	66
Jhang	92.4	138
TT Singh	98.8	121
<b>Gujranwala</b>	92.8	264
Gujrat	96.2	203
Hafizabad	97.5	77
Mandi Bahauddin	96.3	111
Narowal	94.2	108
Sialkot	94.7	236
<b>Lahore</b>	95.2	621
Kasur	85.5	214
Nankana Sahib	91.4	111
Sheikhupura	90.1	240
<b>Multan</b>	88.6	328
Khanewal	89.8	180
Lodhran	96.0	115
Vehari	96.6	180
<b>Sahiwal</b>	96.8	112
Pakpattan	98.0	102
Okara	92.9	171
<b>Rawalpindi</b>	88.3	273
Attock	89.9	97
Chakwal	91.1	85
Jhelum	93.5	76
<b>Sargodha</b>	88.6	193
Bhakkar	97.9	86
Khushab	92.7	80
Mianwali	96.3	95
<sup>1</sup> MICS indicator 7.2 - School readiness		

**Table D.ED.2A: Pre-school attendance**

Percentage of children of aged 3-4 years attending pre-school, Punjab, 2014.

	Male		Female		Total	
	Pre-school attendance	Number of children age 3-4 years	Pre-school attendance	Number of children age 3-4 years	Pre-school attendance	Number of children age 3-4 years
<b>Punjab</b>	37.2	6,418	37.4	6,173	37.3	12,591
<b>District</b>						
<b>Bahawalpur</b>	19.9	214	27.0	218	23.5	432
Bahawalnagar	26.5	204	18.1	161	22.8	364
RY Khan	21.6	341	22.1	305	21.9	647
<b>DG Khan</b>	11.3	212	17.0	201	14.1	413
Layyah	26.2	133	25.4	117	25.8	250
Muzaffargarh	21.5	287	19.9	267	20.7	554
Rajapur	27.2	156	18.1	131	23.0	287
<b>Faisalabad</b>	42.9	423	45.0	388	43.9	810
Chiniot	25.0	77	35.6	72	30.2	149
Jhang	27.9	141	28.7	150	28.4	291
TT Singh	39.2	131	41.9	99	40.3	230
<b>Gujranwala</b>	47.5	268	48.2	286	47.9	554
Gujrat	54.5	159	60.6	169	57.6	327
Hafizabad	33.5	67	49.3	70	41.6	137
Mandi Bahauddin	49.3	111	51.5	88	50.3	199
Narowal	54.0	118	40.4	117	47.2	234
Sialkot	54.0	185	54.2	220	54.1	405
<b>Lahore</b>	46.8	538	46.9	572	46.8	1,109
Kasur	32.4	187	37.4	201	35.0	388
Nankana Sahib	53.6	93	41.2	95	47.3	188
Sheikhupura	45.0	200	34.0	197	39.5	397
<b>Multan</b>	28.9	295	24.6	279	26.8	575
Khanewal	27.3	167	26.1	168	26.7	336
Lodhran	21.9	114	27.8	84	24.4	199
Vehari	35.0	174	34.6	161	34.8	335
<b>Sahiwal</b>	41.8	104	38.1	139	39.7	243
Pakpattan	43.5	129	40.2	113	42.0	242
Okara	37.2	227	32.7	176	35.2	403
<b>Rawalpindi</b>	58.0	265	52.9	284	55.4	549
Attock	47.0	100	46.3	91	46.7	191
Chakwal	65.3	68	53.8	65	59.7	133
Jhelum	58.0	58	50.4	48	54.5	106
<b>Sargodha</b>	40.1	185	53.0	180	46.5	365
Bhakkar	30.4	99	31.4	102	30.9	201
Khushab	38.0	83	34.9	73	36.5	156
Mianwali	38.7	108	45.0	84	41.4	192

<b>Table D.ED.3: Primary school entry</b>				
Percentage of children of primary school entry age entering grade 1 (net intake rate) and percentage of children age 6 years entering grade 1, Punjab, 2014.				
	Percentage of children of primary school entry age entering grade 1 <sup>1</sup>	Number of children of primary school entry age (5 years old)	Percentage of children age 6 years entering grade 1	Number of children age 6 years
<b>Punjab</b>	23.4	6,396	46.1	6,594
<b>District</b>				
<b>Bahawalpur</b>	21.6	217	38.0	261
Bahawalnagar	17.3	167	35.2	207
RY Khan	15.9	261	25.4	349
<b>DG Khan</b>	7.9	214	22.9	249
Layyah	14.8	102	37.8	132
Muzaffargarh	10.6	275	23.4	312
Rajanpur	10.9	124	18.0	156
<b>Faisalabad</b>	28.0	376	58.9	378
Chiniot	15.5	89	35.7	81
Jhang	19.7	140	39.9	176
TT Singh	33.4	90	56.2	123
<b>Gujranwala</b>	28.5	275	58.6	272
Gujrat	32.8	177	73.7	191
Hafizabad	24.4	73	51.5	68
Mandi Bahauddin	26.7	84	55.0	92
Narowal	29.0	126	54.6	104
Sialkot	32.7	215	68.3	198
<b>Lahore</b>	22.5	637	56.2	576
Kasur	24.8	210	45.9	210
Nankana Sahib	20.1	100	51.7	102
Sheikhupura	25.2	211	46.2	185
<b>Multan</b>	18.7	345	39.7	295
Khanewal	23.2	187	41.3	191
Lodhran	26.5	105	36.7	118
Vehari	21.6	166	47.9	189
<b>Sahiwal</b>	22.1	131	48.4	145
Pakpattan	18.1	117	40.7	123
Okara	19.3	205	38.9	207
<b>Rawalpindi</b>	29.8	259	62.0	236
Attock	40.2	97	58.4	93
Chakwal	45.1	77	70.8	70
Jhelum	43.7	65	79.7	61
<b>Sargodha</b>	35.5	202	49.0	173
Bhakkar	19.1	99	37.6	105
Khushab	25.6	71	55.6	83
Mianwali	23.8	106	52.8	84
<sup>1</sup> MICS indicator 7.3 - Net intake rate in primary education				

**Table D.ED.4: Primary school net attendance and out of school children**

Percentage of children of primary school age attending primary or secondary school (adjusted net attendance ratio), percentage attending preschool, and percentage out of school, Punjab, 2014.

	Male					Female					Total				
	Percentage of children:					Percentage of children:					Percentage of children:				
	Net attendance ratio (adjusted)	Not attending school or preschool	Attending preschool	Out of school <sup>a</sup>	Number of children	Net attendance ratio (adjusted)	Not attending school or preschool	Attending preschool	Out of school <sup>a</sup>	Number of children	Net attendance ratio (adjusted) <sup>1</sup>	Not attending school or preschool	Attending preschool	Out of school <sup>a</sup>	Number of children
<b>Punjab</b>	58.9	16.8	24.2	41.0	16,255	56.8	21.5	21.4	42.9	15,392	57.9	19.1	22.9	41.9	31,647
<b>District</b>															
<b>Bahawalpur</b>	48.5	33.1	18.2	51.2	588	45.3	39.0	15.3	54.3	554	47.0	35.9	16.8	52.7	1,142
Bahawalnagar	54.9	18.8	26.3	45.1	490	45.2	34.8	20.0	54.8	449	50.3	26.4	23.3	49.7	939
RY Khan	43.2	38.0	18.9	56.8	855	33.4	50.9	15.7	66.6	746	38.6	44.0	17.4	61.4	1,601
<b>DG Khan</b>	33.9	40.1	25.7	65.8	601	32.2	49.0	18.8	67.7	517	33.1	44.2	22.5	66.7	1,119
Layyah	51.0	19.0	30.0	49.0	291	46.1	24.1	29.7	53.8	283	48.6	21.5	29.9	51.4	574
Muzaffargarh	39.3	32.8	27.9	60.7	730	36.0	43.5	20.6	64.0	703	37.7	38.0	24.3	62.3	1,433
Rajanpur	42.0	32.9	25.0	58.0	376	21.4	63.1	15.3	78.5	374	31.7	48.0	20.2	68.2	750
<b>Faisalabad</b>	65.5	11.1	23.4	34.5	989	70.9	8.5	20.5	29.0	896	68.1	9.8	22.0	31.9	1,885
Chiniot	55.4	19.0	25.6	44.6	208	46.0	29.9	24.1	54.0	214	50.6	24.5	24.9	49.4	422
Jhang	56.6	17.9	25.3	43.2	369	47.9	30.7	21.1	51.8	393	52.1	24.5	23.1	47.7	762
TT Singh	69.6	5.6	24.9	30.4	301	69.6	9.7	20.7	30.4	270	69.6	7.6	22.9	30.4	570
<b>Gujranwala</b>	71.8	5.3	22.8	28.2	679	67.8	6.4	25.8	32.2	626	69.9	5.8	24.3	30.1	1,305
Gujrat	71.2	5.3	23.5	28.8	409	79.3	2.0	18.7	20.7	395	75.2	3.7	21.1	24.8	804
Hafizabad	66.5	8.8	24.7	33.5	175	60.7	11.6	27.4	39.0	179	63.6	10.2	26.1	36.3	354
Mandi Bahauddin	67.3	7.5	25.3	32.7	193	68.7	7.4	23.9	31.3	209	68.0	7.4	24.5	32.0	402
Narowal	70.0	7.0	23.0	30.0	273	68.8	3.7	26.7	30.3	280	69.4	5.3	24.9	30.2	553
Sialkot	72.8	6.5	20.7	27.2	528	74.2	5.0	20.8	25.8	506	73.5	5.8	20.8	26.5	1,034
<b>Lahore</b>	65.1	6.8	28.1	34.9	1,372	64.8	8.1	27.0	35.2	1,379	64.9	7.5	27.5	35.0	2,751
Kasur	58.1	16.5	25.2	41.8	528	62.2	14.7	22.8	37.6	502	60.1	15.7	24.0	39.7	1,030
Nankana Sahib	64.6	9.8	25.6	35.4	245	66.6	8.9	24.5	33.4	240	65.6	9.4	25.1	34.4	484
Sheikhupura	62.8	12.6	24.1	36.7	557	67.5	10.0	22.2	32.3	482	65.0	11.4	23.3	34.6	1,039
<b>Multan</b>	53.5	22.2	24.0	46.2	779	52.3	25.8	20.3	46.1	725	52.9	23.9	22.2	46.2	1,504
Khanewal	58.6	20.5	20.7	41.2	501	50.7	29.1	19.7	48.8	461	54.8	24.6	20.2	44.8	962
Lodhran	53.1	26.0	20.6	46.6	287	44.8	36.3	18.9	55.2	283	49.0	31.1	19.8	50.9	570
Vehari	58.5	19.0	22.3	41.3	444	56.8	24.1	19.1	43.2	403	57.7	21.4	20.7	42.2	848
<b>Sahiwal</b>	56.3	15.6	28.1	43.7	343	61.7	18.7	19.6	38.3	327	59.0	17.1	23.9	41.0	670
Pakpattan	54.2	14.8	31.1	45.8	310	51.7	19.4	28.8	48.3	285	53.0	17.0	30.0	47.0	595
Okara	52.9	19.6	27.3	46.9	520	51.3	24.3	24.0	48.3	488	52.1	21.9	25.7	47.6	1,007

**Table D.ED.4: Primary school net attendance and out of school children**

Percentage of children of primary school age attending primary or secondary school (adjusted net attendance ratio), percentage attending preschool, and percentage out of school, Punjab, 2014.

	Male					Female					Total				
	Percentage of children:					Percentage of children:					Percentage of children:				
	Net attendance ratio (adjusted)	Not attending school or preschool	Attending preschool	Out of school <sup>a</sup>	Number of children	Net attendance ratio (adjusted)	Not attending school or preschool	Attending preschool	Out of school <sup>a</sup>	Number of children	Net attendance ratio (adjusted) <sup>1</sup>	Not attending school or preschool	Attending preschool	Out of school <sup>a</sup>	Number of children
<b>Rawalpindi</b>	73.7	3.1	22.8	26.0	612	72.7	5.7	20.7	26.4	577	73.2	4.4	21.8	26.2	1,189
Attock	75.3	7.9	16.8	24.7	243	72.5	7.9	19.6	27.5	220	74.0	7.9	18.1	26.0	463
Chakwal	81.3	2.9	15.9	18.7	175	78.9	3.7	17.5	21.1	175	80.1	3.3	16.7	19.9	350
Jhelum	80.9	2.3	16.8	19.1	143	79.7	5.3	15.0	20.3	153	80.3	3.8	15.9	19.7	296
<b>Sargodha</b>	63.9	8.5	27.0	35.5	454	67.3	11.5	21.0	32.6	449	65.6	10.0	24.1	34.1	903
Bhakkar	53.5	19.9	26.4	46.3	266	45.9	32.1	22.0	54.1	236	49.9	25.6	24.4	50.0	503
Khushab	68.0	10.1	21.8	31.9	185	61.1	16.1	22.9	38.9	173	64.6	13.0	22.3	35.3	358
Mianwali	63.8	7.1	29.1	36.2	236	56.5	22.6	20.9	43.5	239	60.1	14.9	25.0	39.9	475
<b>Punjab</b>	58.9	16.8	24.2	41.0	16,255	56.8	21.5	21.4	42.9	15,392	57.9	19.1	22.9	41.9	31,647

<sup>1</sup> MICS indicator 7.4; MDG indicator 2.1 - Primary school net attendance ratio (adjusted)<sup>a</sup> The percentage of children of primary school age out of school are those not attending school and those attending preschool

**Table D.ED.4B: Primary school gross attendance ratio (5-9) years**

Percentage of children of all ages attending primary school or secondary school (adjusted gross attendance), Punjab, 2014.

	Male		Female		Total	
	Gross attendance ratio (adjusted)	Number of children	Gross attendance ratio (adjusted)	Number of children	Gross attendance ratio (adjusted)	Number of children
<b>Punjab</b>	89.8	16,255	82.1	15,392	86.1	31,647
<b>District</b>						
<b>Bahawalpur</b>	80.6	588	64.2	554	72.6	1,142
Bahawalnagar	87.8	490	69.3	449	79.0	939
RY Khan	69.0	855	52.9	746	61.5	1,601
<b>DG Khan</b>	61.3	601	54.4	517	58.1	1,119
Layyah	86.1	291	71.2	283	78.8	574
Muzaffargarh	64.7	730	54.6	703	59.8	1,433
Rajanpur	69.5	376	32.6	374	51.1	750
<b>Faisalabad</b>	98.4	989	101.5	896	99.9	1,885
Chiniot	92.0	208	67.2	214	79.4	422
Jhang	86.9	369	76.3	393	81.4	762
TT Singh	97.0	301	101.4	270	99.1	570
<b>Gujranwala</b>	102.8	679	96.6	626	99.8	1,305
Gujrat	100.6	409	108.7	395	104.6	804
Hafizabad	106.9	175	88.7	179	97.7	354
Mandi Bahauddin	106.5	193	101.9	209	104.1	402
Narowal	97.4	273	106.4	280	102.0	553
Sialkot	104.6	528	105.0	506	104.8	1,034
<b>Lahore</b>	97.1	1,372	90.8	1,379	94.0	2,751
Kasur	89.8	528	86.7	502	88.3	1,030
Nankana Sahib	98.0	245	92.4	240	95.3	484
Sheikhupura	92.5	557	101.5	482	96.6	1,039
<b>Multan</b>	82.9	779	75.0	725	79.1	1,504
Khanewal	90.4	501	73.7	461	82.4	962
Lodhran	84.9	287	63.0	283	74.0	570
Vehari	87.9	444	86.2	403	87.1	848
<b>Sahiwal</b>	86.9	343	84.3	327	85.6	670
Pakpattan	85.7	310	78.1	285	82.1	595
Okara	80.3	520	75.6	488	78.0	1,007
<b>Rawalpindi</b>	105.3	612	95.9	577	100.7	1,189
Attock	109.4	243	102.3	220	106.0	463
Chakwal	109.3	175	102.6	175	106.0	350
Jhelum	120.2	143	102.0	153	110.8	296
<b>Sargodha</b>	98.4	454	98.9	449	98.6	903
Bhakkar	83.9	266	64.6	236	74.8	503
Khushab	104.0	185	85.8	173	95.2	358
Mianwali	100.9	236	80.9	239	90.8	475

**Table D.ED.5: Secondary school attendance and out of school children**

Percentage of children of secondary school age attending secondary school or higher (adjusted net attendance ratio), percentage attending primary school, and percentage out of school, Punjab, 2014.

	Male				Female				Total			
	Percentage of children:				Percentage of children:				Percentage of children:			
	Net attendance ratio (adjusted)	Attending primary school	Out of school <sup>a</sup>	Number of children	Net attendance ratio (adjusted)	Attending primary school	Out of school <sup>a</sup>	Number of children	Net attendance ratio (adjusted) <sup>1</sup>	Attending primary school	Out of school <sup>a</sup>	Number of children
<b>Punjab</b>	42.6	33.5	23.8	14,454	41.7	27.5	30.7	13,560	42.1	30.6	27.2	28,014
<b>District</b>												
<b>Bahawalpur</b>	27.6	33.7	38.6	505	31.5	24.0	44.2	412	29.3	29.4	41.1	916
Bahawalnagar	32.1	35.6	32.3	418	31.3	26.7	41.6	377	31.7	31.4	36.7	795
RY Khan	26.6	30.5	42.9	705	21.2	21.5	57.3	675	23.9	26.1	50.0	1,379
<b>DG Khan</b>	26.0	33.6	40.0	434	20.9	25.4	53.6	422	23.5	29.6	46.7	856
Layyah	37.5	40.5	22.0	243	34.1	27.6	38.3	247	35.8	34.0	30.2	490
Muzaffargarh	35.2	32.2	32.6	559	24.9	24.5	50.6	550	30.1	28.4	41.5	1,109
Rajanpur	22.7	33.9	43.3	305	15.4	14.2	70.2	298	19.1	24.2	56.6	603
<b>Faisalabad</b>	50.0	30.4	19.6	1,008	51.0	29.6	19.3	902	50.5	30.0	19.5	1,910
Chiniot	38.0	39.2	22.8	191	26.0	27.7	46.3	154	32.7	34.0	33.3	344
Jhang	44.4	30.8	24.8	352	28.1	30.5	41.4	344	36.3	30.7	33.0	696
TT Singh	48.7	29.3	22.0	296	46.5	31.4	22.0	255	47.7	30.3	22.0	552
<b>Gujranwala</b>	47.3	34.2	18.6	598	56.5	30.3	13.1	575	51.8	32.3	15.9	1,173
Gujrat	57.2	31.7	11.1	386	61.4	31.6	7.0	349	59.2	31.7	9.2	735
Hafizabad	42.6	39.9	17.3	164	43.4	31.6	25.0	156	43.0	35.9	21.0	320
Mandi Bahauddin	39.7	36.8	23.5	190	50.0	29.0	21.0	207	45.1	32.7	22.2	397
Narowal	58.3	32.9	8.7	227	49.3	40.6	10.1	237	53.7	36.8	9.4	464
Sialkot	52.3	31.8	15.7	521	60.3	28.1	11.6	551	56.4	29.9	13.6	1,072
<b>Lahore</b>	50.9	31.4	17.6	1,358	58.2	27.5	14.1	1,239	54.4	29.6	16.0	2,597
Kasur	40.1	36.1	23.8	475	39.6	28.5	31.6	378	39.9	32.7	27.2	852
Nankana Sahib	36.6	37.4	26.1	202	46.6	29.8	23.3	201	41.6	33.6	24.7	403
Sheikhupura	47.9	34.4	17.7	472	47.9	29.7	22.4	535	47.9	31.9	20.2	1,006
<b>Multan</b>	37.2	36.3	26.2	625	33.8	27.0	39.2	615	35.5	31.7	32.6	1,241
Khanewal	35.0	38.5	26.5	409	34.4	24.9	40.4	404	34.7	31.8	33.4	812
Lodhran	33.3	33.3	32.8	253	23.8	22.2	54.0	232	28.7	28.0	42.9	484
Vehari	36.3	35.2	28.4	367	38.9	30.4	30.7	368	37.6	32.8	29.5	736
<b>Sahiwal</b>	40.7	32.8	26.5	321	40.8	24.6	34.4	291	40.7	28.9	30.3	612
Pakpattan	32.4	38.4	29.2	249	28.5	31.4	40.1	221	30.6	35.1	34.3	470
Okara	39.8	33.3	26.5	406	34.1	29.6	36.3	384	37.0	31.5	31.3	790

**Table D.ED.5: Secondary school attendance and out of school children**

Percentage of children of secondary school age attending secondary school or higher (adjusted net attendance ratio), percentage attending primary school, and percentage out of school, Punjab, 2014.

	Male				Female				Total			
	Percentage of children:				Percentage of children:				Percentage of children:			
	Net attendance ratio (adjusted)	Attending primary school	Out of school <sup>a</sup>	Number of children	Net attendance ratio (adjusted)	Attending primary school	Out of school <sup>a</sup>	Number of children	Net attendance ratio (adjusted) <sup>1</sup>	Attending primary school	Out of school <sup>a</sup>	Number of children
<b>Rawalpindi</b>	56.6	32.4	11.0	574	61.5	23.1	15.1	533	59.0	27.9	13.0	1,107
Attock	57.6	33.2	8.8	224	44.4	30.6	24.3	206	51.2	31.9	16.3	430
Chakwal	60.2	30.0	9.1	160	67.0	24.0	8.6	170	63.7	26.9	8.9	330
Jhelum	54.3	33.0	12.7	159	56.1	28.5	15.3	123	55.1	31.1	13.8	282
<b>Sargodha</b>	44.3	31.0	24.3	484	43.6	33.9	22.0	407	44.0	32.3	23.3	891
Bhakkar	39.7	35.7	24.6	218	28.6	22.5	48.5	186	34.6	29.6	35.6	403
Khushab	46.2	39.8	14.0	166	38.1	24.9	37.0	155	42.3	32.6	25.1	321
Mianwali	55.2	36.4	8.4	232	29.8	26.9	43.3	201	43.4	32.0	24.6	432
<b>Punjab</b>	42.6	33.5	23.8	14,454	41.7	27.5	30.7	13,560	42.1	30.6	27.2	28,014

<sup>1</sup> MICS indicator 7.5 - Secondary school net attendance ratio (adjusted)

<sup>a</sup> The percentage of children of secondary school age out of school are those who are not attending primary, secondary, or higher education



**Table D.ED.6: Children reaching last grade of primary school**

Percentage of children entering first grade of primary school who eventually reach the last grade of primary school (Survival rate to last grade of primary school), Punjab, 2014.

	Percent attending grade 1 last school year who are in grade 2 this school year	Percent attending grade 2 last school year who are attending grade 3 this school year	Percent attending grade 3 last school year who are attending grade 4 this school year	Percent attending grade 4 last school year who are attending grade 5 this school year	Percent who reach grade 5 of those who enter grade 1 <sup>1</sup>
<b>Punjab</b>	99.5	99.2	98.7	98.3	95.8
<b>District</b>					
<b>Bahawalpur</b>	99.6	98.5	99.2	100.0	97.3
Bahawalnagar	99.1	99.3	98.1	98.2	94.8
RY Khan	100.0	100.0	100.0	100.0	100.0
<b>DG Khan</b>	100.0	98.5	99.5	96.3	94.4
Layyah	100.0	99.2	100.0	100.0	99.2
Muzaffargarh	100.0	99.4	97.9	97.1	94.5
Rajapur	98.8	96.4	100.0	100.0	95.2
<b>Faisalabad</b>	99.1	100.0	97.3	99.3	95.8
Chiniot	100.0	98.7	98.6	98.0	95.4
Jhang	99.5	99.3	97.0	96.2	92.3
TT Singh	100.0	100.0	100.0	100.0	100.0
<b>Gujranwala</b>	99.7	97.8	99.7	97.8	95.1
Gujrat	99.6	99.5	100.0	98.9	98.0
Hafizabad	99.3	99.1	99.4	97.7	95.5
Mandi Bahauddin	99.0	98.5	98.5	97.7	93.8
Narowal	100.0	100.0	99.4	100.0	99.4
Sialkot	99.5	100.0	98.0	99.1	96.6
<b>Lahore</b>	99.6	100.0	99.0	99.2	97.8
Kasur	99.3	98.5	98.5	96.8	93.2
Nankana Sahib	99.1	100.0	98.9	100.0	98.0
Sheikhupura	99.3	99.0	95.7	98.0	92.2
<b>Multan</b>	99.4	98.4	99.1	97.9	94.9
Khanewal	100.0	99.0	97.9	98.2	95.2
Lodhran	99.7	96.6	98.2	95.5	90.3
Vehari	97.7	99.0	99.6	99.1	95.5
<b>Sahiwal</b>	98.5	99.2	99.2	98.3	95.2
Pakpattan	100.0	100.0	97.1	97.4	94.6
Okara	99.5	98.7	99.1	95.6	93.0
<b>Rawalpindi</b>	99.6	100.0	99.2	98.8	97.7
Attock	99.1	100.0	98.4	96.6	94.3
Chakwal	100.0	98.5	100.0	99.0	97.5
Jhelum	100.0	100.0	99.1	99.3	98.4
<b>Sargodha</b>	99.5	97.8	98.8	96.9	93.1
Bhakkar	99.2	98.7	100.0	97.4	95.3
Khushab	100.0	97.1	98.4	95.7	91.5
Mianwali	100.0	99.6	98.8	98.5	97.0

<sup>1</sup> MICS indicator 7.6; MDG indicator 2.2 - Children reaching last grade of primary

**Table D.ED.7: Primary school completion and transition to secondary school**

Primary school completion rates and transition and effective transition rates to secondary school, Punjab, 2014.

	Primary school completion rate <sup>1</sup>	Number of children of primary school completion age	Transition rate to secondary school <sup>2</sup>	Number of children who were in the last grade of primary school the previous year	Effective transition rate to secondary school	Number of children who were in the last grade of primary school the previous year and are not repeating that grade in the current school year
<b>Punjab</b>	74.9	5,872	91.4	3,946	92.5	3,899
<b>District</b>						
<b>Bahawalpur</b>	62.7	197	87.1	89	89.5	87
Bahawalnagar	66.6	174	88.8	105	91.1	102
RY Khan	49.2	301	97.1	97	98.3	96
<b>DG Khan</b>	55.8	192	95.3	69	95.3	69
Layyah	70.0	99	95.0	61	96.2	60
Muzaffargarh	55.1	264	92.4	123	92.4	123
Rajanpur	30.1	157	98.4	57	98.4	57
<b>Faisalabad</b>	83.3	382	91.3	294	92.6	290
Chiniot	64.8	77	91.6	33	91.6	33
Jhang	76.1	138	85.2	89	87.2	87
TT Singh	76.5	107	93.4	98	94.1	97
<b>Gujranwala</b>	75.9	255	89.3	192	91.7	187
Gujrat	92.2	148	97.0	149	98.4	146
Hafizabad	103.6	67	90.8	47	92.5	46
Mandi Bahauddin	91.2	79	92.8	63	94.7	62
Narowal	96.1	98	97.7	79	97.7	79
Sialkot	106.9	191	93.6	187	93.6	187
<b>Lahore</b>	93.6	504	94.2	405	94.2	405
Kasur	68.5	195	84.9	139	85.7	138
Nankana Sahib	81.9	84	95.9	66	96.8	66
Sheikhupura	86.6	206	92.5	161	93.6	159
<b>Multan</b>	62.4	277	84.9	142	85.9	141
Khanewal	48.5	196	92.2	94	92.7	93
Lodhran	49.8	106	90.0	50	93.4	48
Vehari	78.8	148	92.9	96	93.5	96
<b>Sahiwal</b>	78.4	126	92.3	87	94.2	86
Pakpattan	58.4	115	82.5	59	85.3	57
Okara	69.4	187	90.3	111	90.3	111
<b>Rawalpindi</b>	89.1	214	90.0	210	91.0	207
Attock	98.8	86	92.2	80	95.4	77
Chakwal	105.6	59	93.5	59	93.5	59
Jhelum	118.2	53	88.3	53	91.9	51
<b>Sargodha</b>	89.4	169	88.7	138	89.2	138
Bhakkar	70.2	78	94.2	49	96.4	48
Khushab	85.6	66	80.5	55	83.3	53
Mianwali	86.6	78	86.8	59	88.3	58

<sup>1</sup> MICS indicator 7.7 - Primary completion rate<sup>2</sup> MICS indicator 7.8 - Transition rate to secondary school

**Table D.ED.8: Education gender parity index (GPI)**

Ratio of adjusted net attendance ratios of girls to boys, in primary and secondary school, Punjab, 2014.

	Primary school			Secondary school		
	Primary school adjusted net attendance ratio (NAR), girls	Primary school adjusted net attendance ratio (NAR), boys	Gender parity index (GPI) for primary school adjusted NAR <sup>1</sup>	Secondary school adjusted net attendance ratio (NAR), girls	Secondary school adjusted net attendance ratio (NAR), boys	Gender parity index (GPI) for secondary school adjusted NAR <sup>2</sup>
<b>Punjab</b>	56.8	58.9	0.97	41.2	42.2	0.98
<b>District</b>						
<b>Bahawalpur</b>	45.3	48.5	0.93	30.8	27.4	1.12
Bahawalnagar	45.2	54.9	0.82	30.9	31.5	0.98
RY Khan	33.4	43.2	0.77	20.1	26.0	0.77
<b>DG Khan</b>	32.2	33.9	0.95	20.3	25.5	0.80
Layyah	46.1	51.0	0.90	34.1	37.4	0.91
Muzaffargarh	36.0	39.3	0.92	24.7	34.1	0.72
Rajanpur	21.4	42.0	0.51	14.9	22.6	0.66
<b>Faisalabad</b>	70.9	65.5	1.08	50.7	49.7	1.02
Chiniot	46.0	55.4	0.83	25.5	38.0	0.67
Jhang	47.9	56.6	0.85	28.1	44.4	0.63
TT Singh	69.6	69.6	1.00	45.3	48.6	0.93
<b>Gujranwala</b>	67.8	71.8	0.94	56.2	47.0	1.20
Gujrat	79.3	71.2	1.11	61.2	57.1	1.07
Hafizabad	60.7	66.5	0.91	42.5	42.2	1.01
Mandi Bahauddin	68.7	67.3	1.02	49.6	39.5	1.26
Narowal	68.8	70.0	0.98	49.0	57.7	0.85
Sialkot	74.2	72.8	1.02	60.2	51.8	1.16
<b>Lahore</b>	64.8	65.1	0.99	58.1	50.1	1.16
Kasur	62.2	58.1	1.07	39.1	39.9	0.98
Nankana Sahib	66.6	64.6	1.03	45.7	36.2	1.26
Sheikhupura	67.5	62.8	1.07	47.5	47.9	0.99
<b>Multan</b>	52.3	53.5	0.98	33.3	37.0	0.90
Khanewal	50.7	58.6	0.86	33.5	35.0	0.96
Lodhran	44.8	53.1	0.84	23.3	32.4	0.72
Vehari	56.8	58.5	0.97	37.7	36.0	1.05
<b>Sahiwal</b>	61.7	56.3	1.10	40.4	40.5	1.00
Pakpattan	51.7	54.2	0.96	27.4	31.4	0.88
Okara	51.3	52.9	0.97	33.7	39.1	0.86
<b>Rawalpindi</b>	72.7	73.7	0.99	60.8	56.6	1.07
Attock	72.5	75.3	0.96	43.4	57.2	0.76
Chakwal	78.9	81.3	0.97	67.0	60.2	1.11
Jhelum	79.7	80.9	0.98	55.6	53.2	1.04
<b>Sargodha</b>	67.3	63.9	1.05	43.6	44.1	0.99
Bhakkar	45.9	53.5	0.86	28.1	39.5	0.71
Khushab	61.1	68.0	0.90	37.7	46.2	0.82
Mianwali	56.5	63.8	0.89	29.8	55.2	0.54

<sup>1</sup> MICS indicator 7.9; MDG indicator 3.1 - Gender parity index (primary school)<sup>2</sup> MICS indicator 7.10; MDG indicator 3.1 - Gender parity index (secondary school)

**Table D.ED.9: Out of school gender parity**

Percentage of girls in the total out of school population, in primary and secondary school, Punjab, 2014.

	Primary school				Secondary school			
	Percentage of out of school children	Number of children of primary school age	Percentage of girls in the total out of school population of primary school age	Number of children of primary school age out of school	Percentage of out of school children	Number of children of secondary school age	Percentage of girls in the total out of school population of secondary school age	Number of children of secondary school age out of school
<b>Punjab</b>	41.9	31,647	49.8	13,274	27.2	28,014	54.8	7,609
<b>District</b>								
<b>Bahawalpur</b>	52.7	1,142	50.0	602	41.1	916	48.3	376
Bahawalnagar	49.7	939	52.7	467	36.7	795	53.7	292
RY Khan	61.4	1,601	50.6	983	50.0	1,379	56.1	689
<b>DG Khan</b>	66.7	1,119	47.0	746	46.7	856	56.6	400
Layyah	51.4	574	51.6	295	30.2	490	63.8	148
Muzaffargarh	62.3	1,433	50.4	893	41.5	1,109	60.4	461
Rajanpur	68.2	750	57.4	512	56.6	603	61.3	341
<b>Faisalabad</b>	31.9	1,885	43.2	601	19.5	1,910	46.9	372
Chiniot	49.4	422	55.5	209	33.3	344	62.1	115
Jhang	47.7	762	56.1	363	33.0	696	62.0	230
TT Singh	30.4	570	47.3	173	22.0	552	46.3	121
<b>Gujranwala</b>	30.1	1,305	51.3	393	15.9	1,173	40.3	186
Gujrat	24.8	804	41.0	200	9.2	735	36.2	67
Hafizabad	36.3	354	54.3	128	21.0	320	57.9	67
Mandi Bahauddin	32.0	402	50.9	129	22.2	397	49.3	88
Narowal	30.2	553	51.0	167	9.4	464	54.7	44
Sialkot	26.5	1,034	47.6	274	13.6	1,072	43.8	145
<b>Lahore</b>	35.0	2,751	50.3	963	16.0	2,597	42.2	414
Kasur	39.7	1,030	46.1	409	27.2	852	51.4	232
Nankana Sahib	34.4	484	48.0	167	24.7	403	47.1	99
Sheikhupura	34.6	1,039	43.2	360	20.2	1,006	58.9	203
<b>Multan</b>	46.2	1,504	48.1	694	32.6	1,241	59.5	405
Khanewal	44.8	962	52.1	431	33.4	812	60.1	271
Lodhran	50.9	570	53.9	290	42.9	484	60.2	208
Vehari	42.2	848	48.8	358	29.5	736	52.0	217
<b>Sahiwal</b>	41.0	670	45.5	275	30.3	612	54.0	185
Pakpattan	47.0	595	49.3	280	34.3	470	55.0	161
Okara	47.6	1,007	49.2	479	31.3	790	56.5	247
<b>Rawalpindi</b>	26.2	1,189	48.9	311	13.0	1,107	55.9	144
Attock	26.0	463	50.2	120	16.3	430	71.8	70
Chakwal	19.9	350	52.9	70	8.9	330	(50.0)	29
Jhelum	19.7	296	53.1	58	13.8	282	48.5	39
<b>Sargodha</b>	34.1	903	47.5	308	23.3	891	43.2	208
Bhakkar	50.0	503	51.0	251	35.6	403	62.7	144
Khushab	35.3	358	53.3	126	25.1	321	71.1	81
Mianwali	39.9	475	54.9	189	24.6	432	81.7	106

**Table D.ED.10: Literacy rate among population age 10 years or above**

Percentage of household members aged 10 years or above who are literate, Punjab, 2014.

	Male		Female		Total	
	Literacy rate	Number of household members age 10 years or above	Literacy rate	Number of household members age 10 years or above	Literacy rate <sup>1</sup>	Number of household members age 10 years or above
<b>Punjab</b>	69.3	92,625	52.1	90,930	60.8	183,555
<b>District</b>						
<b>Bahawalpur</b>	57.2	3,023	38.1	2,807	48.0	5,830
Bahawalnagar	57.6	2,495	39.8	2,426	48.8	4,921
RY Khan	48.7	4,141	29.6	3,946	39.3	8,087
<b>DG Khan</b>	56.2	2,139	31.3	2,233	43.5	4,372
Layyah	65.3	1,373	45.9	1,404	55.5	2,777
Muzaffargarh	59.2	3,027	34.5	2,948	47.0	5,975
Rajanpur	49.9	1,487	23.2	1,416	36.9	2,903
<b>Faisalabad</b>	75.3	6,771	63.1	6,404	69.4	13,174
Chiniot	63.1	1,240	35.8	1,160	49.9	2,399
Jhang	69.2	2,241	40.1	2,090	55.2	4,331
TT Singh	73.2	1,919	59.6	1,821	66.6	3,740
<b>Gujranwala</b>	71.0	3,921	64.1	3,940	67.5	7,861
Gujrat	78.4	2,289	68.4	2,646	73.0	4,935
Hafizabad	66.1	1,075	49.5	1,071	57.8	2,146
Mandi Bahauddin	67.7	1,386	55.4	1,501	61.3	2,887
Narowal	74.0	1,329	59.7	1,538	66.4	2,867
Sialkot	75.2	3,083	69.6	3,426	72.3	6,509
<b>Lahore</b>	79.4	9,274	71.7	8,827	75.7	18,100
Kasur	63.8	2,995	46.8	2,694	55.8	5,689
Nankana Sahib	70.0	1,451	53.9	1,388	62.1	2,839
Sheikhupura	69.2	3,322	58.4	3,236	63.9	6,558
<b>Multan</b>	66.1	3,902	49.1	3,835	57.6	7,736
Khanewal	64.0	2,558	40.9	2,452	52.7	5,011
Lodhran	57.1	1,473	31.2	1,440	44.3	2,912
Vehari	64.9	2,412	45.9	2,376	55.4	4,788
<b>Sahiwal</b>	72.0	2,129	51.5	2,050	61.9	4,179
Pakpattan	63.4	1,695	41.4	1,644	52.5	3,339
Okara	65.3	2,673	45.6	2,531	55.7	5,204
<b>Rawalpindi</b>	87.6	4,471	69.6	4,531	78.5	9,003
Attock	77.8	1,637	52.1	1,637	64.9	3,274
Chakwal	86.0	1,250	63.7	1,330	74.5	2,580
Jhelum	81.3	1,069	65.5	1,053	73.4	2,122
<b>Sargodha</b>	72.3	3,237	49.7	3,075	61.3	6,312
Bhakkar	62.9	1,450	34.9	1,367	49.3	2,817
Khushab	71.9	1,183	40.8	1,182	56.4	2,365
Mianwali	78.0	1,505	37.5	1,506	57.7	3,010

<sup>1</sup> MICS indicator 7.S1. - Literacy rate 10+ (Reported)

**Table D.ED.11: Literacy rate among population age 15 years or above**

Percentage of household members aged 15 years or above who are literate, Punjab, 2014.

	Male		Female		Total	
	Literacy rate	Number of household members age 15 years or above	Literacy rate	Number of household members age 15 years or above	Literacy rate <sup>1</sup>	Number of household members age 15 years or above
<b>Punjab</b>	67.6	77,813	48.3	77,082	58.0	154,895
<b>District</b>						
<b>Bahawalpur</b>	55.9	2,511	34.2	2,379	45.3	4,890
Bahawalnagar	55.2	2,072	36.3	2,040	45.8	4,113
RY Khan	48.2	3,396	27.7	3,270	38.2	6,666
<b>DG Khan</b>	54.7	1,690	27.0	1,799	40.4	3,488
Layyah	62.3	1,124	39.3	1,147	50.7	2,272
Muzaffargarh	56.4	2,443	29.3	2,377	43.0	4,820
Rajapur	47.6	1,161	20.5	1,094	34.5	2,255
<b>Faisalabad</b>	73.8	5,757	58.9	5,474	66.5	11,230
Chiniot	59.3	1,039	31.8	1,000	45.8	2,039
Jhang	67.1	1,885	34.6	1,739	51.5	3,624
TT Singh	71.3	1,624	56.0	1,567	63.8	3,191
<b>Gujranwala</b>	69.2	3,302	60.4	3,366	64.7	6,668
Gujrat	76.6	1,888	64.5	2,285	70.0	4,173
Hafizabad	63.0	908	44.9	909	53.9	1,817
Mandi Bahauddin	66.4	1,188	51.1	1,300	58.4	2,488
Narowal	70.8	1,096	54.3	1,300	61.8	2,396
Sialkot	73.3	2,569	65.0	2,867	68.9	5,436
<b>Lahore</b>	78.1	7,898	68.9	7,560	73.6	15,458
Kasur	60.9	2,512	42.2	2,299	51.9	4,811
Nankana Sahib	68.5	1,243	48.8	1,180	58.9	2,422
Sheikhupura	66.6	2,822	54.2	2,700	60.5	5,522
<b>Multan</b>	64.0	3,260	45.0	3,209	54.6	6,469
Khanewal	62.2	2,135	36.1	2,026	49.5	4,161
Lodhran	55.7	1,210	27.7	1,201	41.8	2,411
Vehari	63.3	2,029	41.2	2,003	52.3	4,032
<b>Sahiwal</b>	70.8	1,790	47.1	1,752	59.0	3,542
Pakpattan	60.9	1,439	37.4	1,411	49.3	2,850
Okara	63.0	2,264	40.9	2,139	52.3	4,403
<b>Rawalpindi</b>	87.1	3,897	67.0	4,001	76.9	7,898
Attock	75.3	1,408	47.5	1,426	61.3	2,834
Chakwal	84.9	1,088	59.3	1,167	71.6	2,254
Jhelum	80.2	910	62.2	934	71.1	1,844
<b>Sargodha</b>	70.7	2,745	45.0	2,659	58.1	5,403
Bhakkar	60.3	1,223	31.5	1,178	46.1	2,401
Khushab	70.5	1,013	35.3	1,024	52.8	2,037
Mianwali	76.7	1,276	33.7	1,301	55.0	2,577

<sup>1</sup> MICS indicator 7.S2 - Literacy rate 15+ (Reported)

Table D.ED.12: Literacy rate among population age 15-24 years						
Percentage of household members aged 15-24 years who are literate, Punjab, 2014.						
	Male		Female		Total	
	Literacy rate	Number of household members age 15-24 years	Literacy rate	Number of household members age 15-24 years	Literacy rate <sup>1</sup>	Number of household members age 15-24 years
<b>Punjab</b>	79.3	24,679	72.4	24,292	75.9	48,972
<b>District</b>						
<b>Bahawalpur</b>	67.7	737	55.4	710	61.7	1,447
Bahawalnagar	67.2	641	60.3	650	63.7	1,291
RY Khan	59.0	1,109	46.6	1,045	52.9	2,154
<b>DG Khan</b>	67.8	582	46.4	566	57.2	1,148
Layyah	79.5	357	68.2	366	73.8	723
Muzaffargarh	68.9	790	53.2	730	61.4	1,520
Rajanpur	61.7	403	40.9	299	52.8	702
<b>Faisalabad</b>	82.8	1,878	82.1	1,796	82.5	3,674
Chiniot	72.9	318	52.4	293	63.0	611
Jhang	78.6	557	63.3	497	71.4	1,054
TT Singh	83.1	516	81.6	504	82.3	1,020
<b>Gujranwala</b>	82.4	1,046	83.9	1,137	83.1	2,183
Gujrat	89.2	588	91.0	658	90.2	1,246
Hafizabad	81.6	286	74.7	303	78.0	590
Mandi Bahauddin	83.3	380	77.9	432	80.4	812
Narowal	86.1	363	84.3	434	85.1	798
Sialkot	88.2	856	92.9	962	90.7	1,818
<b>Lahore</b>	87.3	2,470	85.0	2,408	86.2	4,878
Kasur	74.1	835	69.9	799	72.0	1,634
Nankana Sahib	81.9	384	75.0	393	78.4	777
Sheikhupura	77.0	953	78.0	955	77.5	1,907
<b>Multan</b>	78.5	987	71.5	982	75.0	1,969
Khanewal	73.4	694	62.0	618	68.0	1,312
Lodhran	71.6	377	52.0	379	61.8	756
Vehari	74.8	678	69.7	656	72.3	1,334
<b>Sahiwal</b>	81.3	538	69.9	524	75.7	1,062
Pakpattan	74.3	458	58.4	468	66.3	927
Okara	74.7	713	66.1	668	70.5	1,381
<b>Rawalpindi</b>	93.1	1,152	91.0	1,139	92.0	2,290
Attock	90.8	409	77.3	416	84.0	825
Chakwal	95.2	312	91.5	327	93.3	639
Jhelum	88.9	299	87.0	284	88.0	584
<b>Sargodha</b>	81.8	897	69.4	810	75.9	1,707
Bhakkar	75.9	400	55.8	378	66.1	778
Khushab	86.3	333	61.0	307	74.1	639
Mianwali	87.6	383	55.8	398	71.4	781
<sup>1</sup> MICS indicator 7.S3 - Literacy rate 15-24 years (Reported)						

**Table D.ED.13: Public and private primary school attendance rate**

Percentage of children (5-9 years) attending primary schools by type of school, Punjab, 2014.

	Attending primary school				Total	Number of children 5-9 years old
	Attending Government / Public primary school <sup>1</sup>	Attending Private primary school	Attending Others	Attending primary school but DK / Missing type of school		
<b>Punjab</b>	54.2	45.6	0.1	0.1	100.0	18,310
<b>District</b>						
<b>Bahawalpur</b>	61.3	38.4	0.2	0.1	100.0	538
Bahawalnagar	74.5	24.9	0.5	0.1	100.0	471
RY Khan	71.9	27.7	0.4	0.0	100.0	617
<b>DG Khan</b>	68.3	30.0	0.3	1.4	100.0	370
Layyah	70.9	29.1	0.0	0.0	100.0	279
Muzaffargarh	64.7	35.3	0.0	0.0	100.0	539
Rajanpur	73.4	26.6	0.0	0.0	100.0	238
<b>Faisalabad</b>	45.4	54.5	0.1	0.0	100.0	1,274
Chiniot	69.6	29.9	0.5	0.0	100.0	214
Jhang	61.5	37.5	0.3	0.6	100.0	399
TT Singh	62.3	37.4	0.3	0.0	100.0	397
<b>Gujranwala</b>	38.1	61.9	0.0	0.0	100.0	910
Gujrat	52.8	47.1	0.0	0.1	100.0	604
Hafizabad	59.1	40.9	0.0	0.0	100.0	226
Mandi Bahauddin	49.9	50.1	0.0	0.0	100.0	274
Narowal	61.8	38.2	0.0	0.0	100.0	384
Sialkot	43.3	56.7	0.0	0.0	100.0	759
<b>Lahore</b>	29.0	71.0	0.0	0.0	100.0	1,784
Kasur	52.3	47.4	0.0	0.3	100.0	620
Nankana Sahib	49.3	50.7	0.0	0.0	100.0	317
Sheikhupura	37.2	62.0	0.2	0.6	100.0	675
<b>Multan</b>	58.8	40.5	0.1	0.6	100.0	800
Khanewal	68.7	31.3	0.0	0.0	100.0	526
Lodhran	77.6	22.4	0.0	0.0	100.0	279
Vehari	65.7	34.3	0.0	0.0	100.0	490
<b>Sahiwal</b>	60.8	39.2	0.0	0.0	100.0	394
Pakpattan	65.8	34.2	0.0	0.0	100.0	315
Okara	61.2	38.6	0.2	0.0	100.0	525
<b>Rawalpindi</b>	39.7	60.2	0.0	0.1	100.0	872
Attock	63.0	37.0	0.0	0.0	100.0	342
Chakwal	58.9	40.9	0.0	0.1	100.0	281
Jhelum	56.6	43.4	0.0	0.0	100.0	238
<b>Sargodha</b>	55.3	44.5	0.0	0.2	100.0	592
Bhakkar	72.6	27.4	0.0	0.0	100.0	251
Khushab	55.4	44.3	0.0	0.3	100.0	231
Mianwali	75.1	24.9	0.0	0.0	100.0	286

<sup>1</sup> MICS indicator 7.S4 - Government school attendance rate (Primary)



**Table D.CP.1: Birth registration**

Percentage of children under age 5 by whether birth is registered and percentage of children not registered whose mothers/caretakers know how to register birth, Punjab, 2014.

	Children under age 5 whose birth is registered with civil authorities				Number of children under age 5	Children under age 5 whose birth is not registered	
	Has birth certificate		No birth certificate	Total registered <sup>1</sup>		Percent of children whose mother/caretaker knows how to register birth	Number of children under age 5 without birth registration
	Seen	Not seen					
Punjab	21.7	21.5	29.4	72.7	27,495	36.7	7,516
District							
Bahawalpur	6.2	14.8	21.3	42.3	912	12.8	526
Bahawalnagar	7.5	17.2	35.1	59.8	751	12.7	302
RY Khan	2.6	11.8	27.3	41.6	1,417	8.8	827
DG Khan	2.8	10.1	14.3	27.1	898	17.0	654
Layyah	4.9	20.3	33.5	58.7	514	40.7	212
Muzaffargarh	2.1	9.5	14.4	26.0	1,118	29.9	827
Rajanpur	3.9	4.7	12.9	21.6	621	16.0	487
Faisalabad	24.1	25.3	37.6	86.9	1,807	48.5	236
Chiniot	6.8	27.4	50.8	85.1	335	64.1	50
Jhang	13.4	33.6	21.1	68.1	626	56.9	200
TT Singh	20.2	29.9	40.1	90.1	503	72.3	50
Gujranwala	47.0	19.1	18.2	84.4	1,210	65.1	189
Gujrat	44.4	10.7	39.7	94.8	744	(74.2)	39
Hafizabad	15.7	22.5	47.6	85.8	310	39.3	44
Mandi Bahauddin	21.4	18.4	48.7	88.6	401	60.5	46
Narowal	29.9	21.5	43.0	94.5	529	83.6	29
Sialkot	32.0	37.3	24.9	94.2	906	72.7	52
Lahore	32.2	43.8	10.5	86.6	2,467	77.9	331
Kasur	21.6	22.7	33.6	77.9	898	52.5	199
Nankana Sahib	26.4	27.4	26.8	80.6	418	47.9	81
Sheikhupura	31.2	31.1	16.6	78.9	887	45.5	187
Multan	17.2	20.1	18.6	55.8	1,179	38.0	521
Khanewal	13.5	18.4	40.5	72.4	720	50.0	199
Lodhran	5.5	11.0	44.1	60.6	451	31.9	178
Vehari	16.4	11.7	50.2	78.2	668	51.6	146
Sahiwal	19.4	14.4	57.7	91.5	628	66.7	53
Pakpattan	14.1	8.8	66.7	89.6	526	77.8	54
Okara	21.6	24.0	34.8	80.3	878	60.1	173
Rawalpindi	54.0	22.9	8.1	85.0	1,180	67.3	177
Attock	58.4	17.4	13.4	89.3	429	51.7	46
Chakwal	55.0	18.9	20.1	93.9	310	(86.0)	19
Jhelum	38.1	14.8	40.6	93.5	246	(61.6)	16
Sargodha	17.0	28.6	39.0	84.6	823	61.6	127
Bhakkar	6.1	9.9	52.9	69.0	416	62.5	129
Khushab	10.3	21.9	55.0	87.2	325	52.8	42
Mianwali	11.1	7.4	65.8	84.4	440	81.3	69

<sup>1</sup> MICS indicator 8.1 - Birth registration

( ) Figures that are based on 25-49 unweighted cases

**Table D.CP.2: Children's involvement in economic activities**

Percentage of children by involvement in economic activities during the last week, according to age groups, Punjab, 2014.

	Percentage of children age 5-11 years involved in economic activity for at least one hour	Number of children age 5-11 years	Percentage of children age 12-14 years involved in:		Number of children age 12-14 years	Percentage of children age 15-17 years involved in:		Number of children age 15-17 years
			Economic activity less than 14 hours	Economic activity for 14 hours or more		Economic activity less than 43 hours	Economic activity for 43 hours or more	
<b>Punjab</b>	8.4	42,013	13.3	9.1	17,779	25.4	5.2	15,176
<b>District</b>								
<b>Bahawalpur</b>	10.1	1,327	13.4	10.1	689	23.0	0.2	389
Bahawalnagar	6.4	1,187	8.3	11.8	488	24.7	4.1	408
RY Khan	2.5	2,046	8.8	7.2	922	24.9	6.1	660
<b>DG Khan</b>	17.7	1,531	18.1	17.6	477	57.9	9.3	377
Layyah	10.0	699	21.9	4.4	322	34.2	4.3	255
Muzaffargarh	18.1	1,835	31.5	16.8	764	41.2	11.9	507
Rajanpur	20.9	956	20.6	25.3	322	46.0	6.1	308
<b>Faisalabad</b>	7.3	2,689	12.9	7.8	1,121	17.7	7.8	1,147
Chiniot	17.5	554	23.4	8.1	232	44.4	3.8	148
Jhang	18.1	997	20.2	12.8	443	42.3	2.0	335
TT Singh	13.6	748	22.6	9.8	347	33.5	5.1	321
<b>Gujranwala</b>	4.3	1,677	8.0	5.0	731	21.2	7.0	725
Gujrat	4.2	1,108	2.6	0.7	425	7.8	6.3	375
Hafizabad	2.7	484	3.4	4.9	191	22.6	8.1	190
Mandi Bahauddin	2.2	514	4.8	5.6	251	18.9	4.4	245
Narowal	14.1	792	22.6	23.3	326	48.9	1.9	249
Sialkot	9.3	1,441	13.5	8.6	697	34.2	3.2	613
<b>Lahore</b>	1.1	3,831	2.7	6.4	1,571	10.2	5.6	1,441
Kasur	15.4	1,288	23.2	10.5	631	33.0	5.8	477
Nankana Sahib	3.8	612	11.2	10.6	268	14.8	7.1	243
Sheikhupura	7.1	1,394	9.3	7.1	618	18.9	2.7	624
<b>Multan</b>	7.4	2,072	9.5	12.5	787	26.2	1.6	548
Khanewal	9.4	1,367	24.5	5.7	498	22.3	3.9	326
Lodhran	3.7	780	15.7	11.1	305	28.7	3.7	228
Vehari	6.9	1,107	18.3	7.8	465	31.2	2.5	421
<b>Sahiwal</b>	10.8	940	13.3	14.3	394	33.7	9.2	272
Pakpattan	5.9	740	8.2	7.4	304	23.2	12.0	321
Okara	10.1	1,288	14.1	12.4	470	25.4	5.3	464
<b>Rawalpindi</b>	7.4	1,481	9.8	3.0	764	16.8	2.6	747
Attock	1.5	625	7.8	2.8	275	7.5	1.1	236
Chakwal	1.0	434	4.9	0.6	217	23.4	1.6	227
Jhelum	6.0	409	9.3	2.9	177	10.5	1.3	157
<b>Sargodha</b>	10.6	1,268	14.9	6.7	553	24.6	6.9	505
Bhakkar	8.0	683	11.7	17.3	241	36.4	10.4	242
Khushab	14.1	460	19.5	9.6	237	27.0	5.3	199
Mianwali	2.5	650	13.0	3.5	260	35.8	0.6	248

**Table D.CP.3: Children's involvement in household chores**

Percentage of children by involvement in household chores during the last week, according to age groups, Punjab, 2014.

	Percentage of children age 5-11 years involved in:			Percentage of children age 12-14 years involved in:			Percentage of children age 15-17 years involved in:			Number of children age 15- 17 years
	Household chores less than 28 hours	Household chores for 28 hours or more	Number of children age 5-11 years	Household chores less than 28 hours	Household chores for 28 hours or more	Number of children age 12-14 years	Household chores less than 43 hours	Household chores for 43 hours or more		
<b>Punjab</b>	66.0	0.8	42,013	82.4	3.2	17,779	87.0	1.1	15,176	
<b>District</b>										
<b>Bahawalpur</b>	58.5	0.8	1,327	75.9	1.1	689	79.6	0.0	389	
Bahawalnagar	49.1	0.4	1,187	77.2	5.0	488	90.6	1.2	408	
RY Khan	42.8	1.2	2,046	76.3	4.9	922	88.8	0.0	660	
<b>DG Khan</b>	57.7	2.6	1,531	68.6	5.2	477	80.8	0.9	377	
Layyah	52.2	0.3	699	72.2	1.8	322	85.4	0.8	255	
Muzaffargarh	52.1	2.1	1,835	76.2	4.3	764	77.9	1.2	507	
Rajanpur	56.6	2.0	956	83.2	5.6	322	85.4	0.0	308	
<b>Faisalabad</b>	79.5	1.3	2,689	86.8	5.5	1,121	89.2	2.5	1,147	
Chiniot	90.4	1.8	554	86.3	8.9	232	88.4	5.4	148	
Jhang	66.4	2.7	997	85.3	1.7	443	92.3	0.2	335	
TT Singh	75.6	0.6	748	86.8	4.2	347	96.4	0.0	321	
<b>Gujranwala</b>	70.6	0.1	1,677	87.3	2.8	731	93.5	0.0	725	
Gujrat	76.3	0.0	1,108	94.5	0.0	425	94.9	0.1	375	
Hafizabad	67.2	0.0	484	91.5	0.7	191	84.9	0.0	190	
Mandi Bahauddin	75.5	0.0	514	79.3	3.6	251	87.4	3.6	245	
Narowal	94.0	0.0	792	96.5	1.4	326	97.3	0.3	249	
Sialkot	85.2	0.4	1,441	90.2	4.0	697	92.9	0.0	613	
<b>Lahore</b>	59.1	0.0	3,831	81.4	0.7	1,571	84.7	1.3	1,441	
Kasur	75.1	0.9	1,288	85.4	1.6	631	82.9	1.8	477	
Nankana Sahib	70.2	0.0	612	76.3	3.0	268	84.8	3.9	243	
Sheikhupura	71.0	0.3	1,394	76.2	1.6	618	81.6	0.7	624	
<b>Multan</b>	69.1	0.9	2,072	84.8	4.7	787	87.8	3.0	548	
Khanewal	71.0	0.0	1,367	93.0	2.1	498	90.4	0.0	326	
Lodhran	54.7	0.6	780	86.7	2.5	305	92.3	0.8	228	
Vehari	77.2	0.0	1,107	93.8	1.7	465	93.4	0.1	421	
<b>Sahiwal</b>	63.9	0.6	940	79.3	3.1	394	78.3	2.0	272	
Pakpattan	54.4	1.2	740	70.8	5.1	304	76.0	2.0	321	
Okara	56.6	2.7	1,288	71.0	0.8	470	79.1	0.6	464	
<b>Rawalpindi</b>	61.9	1.2	1,481	81.9	4.8	764	85.3	3.0	747	
Attock	74.7	0.0	625	83.5	3.5	275	93.9	0.0	236	
Chakwal	69.8	0.0	434	87.9	2.3	217	90.9	1.2	227	
Jhelum	78.5	0.0	409	88.9	0.3	177	96.1	0.0	157	
<b>Sargodha</b>	71.8	0.2	1,268	79.9	2.4	553	85.1	0.4	505	
Bhakkar	65.1	1.0	683	77.8	8.3	241	84.5	1.1	242	
Khushab	67.5	0.0	460	78.2	7.7	237	78.6	0.0	199	
Mianwali	69.1	0.0	650	84.2	1.6	260	88.2	1.3	248	

**Table D.CP.4: Child labour**

Percentage of children age 5-17 years by involvement in economic activities or household chores during the last week, percentage working under hazardous conditions during the last week, and percentage engaged in child labour during the last week, Punjab, 2014.

	Children involved in economic activities for a total number of hours during last week:		Children involved in household chores for a total number of hours during last week:		Children working under hazardous conditions	Total child labour <sup>1</sup>	Number of children age 5-17 years
	Below the age specific threshold	At or above the age specific threshold	Below the age specific threshold	At or above the age specific threshold			
<b>Punjab</b>	8.6	7.9	74.1	1.4	14.3	16.4	74,968
<b>District</b>							
<b>Bahawalpur</b>	7.8	8.5	66.9	0.8	13.6	16.3	2,404
Bahawalnagar	6.8	7.2	63.8	1.7	13.3	15.4	2,082
RY Khan	6.8	4.4	59.7	1.9	11.0	12.9	3,628
<b>DG Khan</b>	14.4	16.4	63.5	2.9	26.6	30.9	2,385
Layyah	12.4	7.5	63.9	0.8	19.4	20.2	1,276
Muzaffargarh	14.6	16.7	62.2	2.5	30.1	32.2	3,105
Rajanpur	13.1	18.9	67.6	2.3	30.1	32.7	1,586
<b>Faisalabad</b>	7.1	7.5	83.4	2.5	10.9	14.4	4,958
Chiniot	13.9	13.0	89.1	4.1	18.3	27.7	934
Jhang	13.1	13.7	76.0	2.0	23.8	26.3	1,775
TT Singh	13.1	10.7	83.1	1.4	22.6	24.1	1,415
<b>Gujranwala</b>	6.9	5.1	79.8	0.7	9.8	11.2	3,132
Gujrat	2.1	3.9	84.0	0.0	5.3	5.7	1,908
Hafizabad	6.1	4.4	76.5	0.1	8.6	9.3	865
Mandi Bahauddin	5.8	3.6	79.3	1.8	6.2	9.4	1,010
Narowal	14.3	14.1	95.2	0.4	27.0	27.9	1,367
Sialkot	11.9	7.8	88.2	1.2	16.7	19.0	2,751
<b>Lahore</b>	2.9	3.3	69.6	0.4	4.0	4.9	6,842
Kasur	14.4	12.2	79.4	1.3	22.1	24.3	2,395
Nankana Sahib	6.0	6.1	74.8	1.6	8.7	11.8	1,123
Sheikhupura	7.1	6.0	74.7	0.7	10.4	12.4	2,636
<b>Multan</b>	6.7	7.7	75.8	2.1	11.6	14.7	3,407
Khanewal	8.9	7.8	78.9	0.5	15.1	16.5	2,191
Lodhran	8.6	5.4	68.7	1.1	13.1	13.7	1,313
Vehari	10.9	6.2	84.5	0.4	15.6	16.1	1,992
<b>Sahiwal</b>	9.3	11.4	70.1	1.4	19.7	21.7	1,607
Pakpattan	7.3	7.7	63.1	2.2	14.0	16.2	1,365
Okara	8.5	9.6	64.3	1.8	15.0	17.1	2,222
<b>Rawalpindi</b>	7.2	5.1	72.9	2.6	10.2	12.8	2,991
Attock	3.4	1.7	80.8	0.9	4.3	5.2	1,136
Chakwal	7.3	1.0	79.7	0.9	7.1	7.7	878
Jhelum	4.6	4.3	84.7	0.1	7.3	8.4	742
<b>Sargodha</b>	10.4	8.9	76.6	0.8	17.1	18.8	2,326
Bhakkar	10.2	10.4	71.7	2.5	18.9	21.1	1,166
Khushab	11.3	11.0	72.8	2.0	18.8	20.5	896
Mianwali	10.6	2.3	76.6	0.6	10.0	11.1	1,158

<sup>1</sup> MICS indicator 8.2 - Child labour

**Table D.CP.5: Child discipline**

Percentage of children age 1-14 years by child disciplining methods experienced during the last one month, Punjab, 2014.

	Percentage of children age 1-14 years who experienced:					Number of children age 1-14 years
	Only non-violent discipline	Psychological aggression	Physical punishment		Any violent discipline method <sup>1</sup>	
			Any	Severe		
<b>Punjab</b>	6.1	73.6	67.7	26.6	80.7	85,311
<b>District</b>						
<b>Bahawalpur</b>	10.7	67.8	60.3	15.7	78.0	2,973
Bahawalnagar	5.5	67.9	61.5	21.1	80.8	2,421
RY Khan	5.4	69.8	57.7	16.6	78.4	4,368
<b>DG Khan</b>	4.7	58.7	57.6	13.7	67.4	2,819
Layyah	3.6	63.7	57.8	8.8	68.7	1,572
Muzaffargarh	5.0	60.7	56.7	13.3	68.5	3,611
Rajanpur	2.5	75.4	61.0	18.3	78.8	1,874
<b>Faisalabad</b>	4.1	79.2	72.2	35.9	85.3	5,363
Chiniot	3.4	81.9	77.2	38.9	88.1	1,096
Jhang	5.6	73.5	63.2	23.2	79.8	2,010
TT Singh	6.2	79.9	72.6	26.6	83.5	1,556
<b>Gujranwala</b>	5.8	74.6	73.3	37.1	84.4	3,572
Gujrat	6.9	78.7	76.7	27.0	86.8	2,238
Hafizabad	5.7	81.7	68.6	32.0	83.1	961
Mandi Bahauddin	4.8	84.7	79.4	30.6	89.2	1,174
Narowal	0.3	92.3	83.0	44.0	96.2	1,518
Sialkot	1.7	87.3	78.0	32.3	91.8	2,916
<b>Lahore</b>	8.4	72.3	69.3	39.5	79.1	7,700
Kasur	3.3	80.8	79.2	48.7	86.0	2,750
Nankana Sahib	6.2	76.3	73.4	35.7	80.8	1,281
Sheikhupura	8.8	69.3	69.4	29.9	76.5	2,837
<b>Multan</b>	5.1	70.9	59.3	21.9	76.7	3,918
Khanewal	6.0	75.9	64.8	26.1	80.6	2,549
Lodhran	9.7	68.8	57.9	18.7	75.9	1,459
Vehari	11.3	70.2	62.7	16.5	79.6	2,243
<b>Sahiwal</b>	6.6	77.0	74.5	35.1	83.8	1,879
Pakpattan	3.7	76.1	78.9	34.1	85.4	1,525
Okara	13.1	61.5	65.6	24.8	74.0	2,580
<b>Rawalpindi</b>	6.5	74.3	67.2	21.3	81.7	3,325
Attock	6.1	74.2	70.8	22.2	83.9	1,286
Chakwal	7.7	76.5	71.9	19.7	86.1	935
Jhelum	8.8	80.0	69.8	22.3	86.5	807
<b>Sargodha</b>	7.4	71.4	67.1	21.4	79.2	2,589
Bhakkar	3.5	82.1	74.8	18.0	87.1	1,306
Khushab	6.3	76.4	70.4	16.8	82.0	970
Mianwali	2.6	82.3	72.7	18.5	86.4	1,329

<sup>1</sup> MICS indicator 8.3 - Violent discipline

<sup>1</sup> MICS indicator 8.3 - Violent discipline

**Table D.CP.6: Attitudes toward physical punishment**

Percentage of respondents to the child discipline module who believe that physical punishment is needed to bring up, raise, or educate a child properly, Punjab, 2014.

	Respondent believes that a child needs to be physically punished	Number of respondents to the child discipline module
<b>Punjab</b>	34.2	26,143
<b>District</b>		
<b>Bahawalpur</b>	29.3	916
Bahawalnagar	28.9	745
RY Khan	32.5	1,236
<b>DG Khan</b>	26.3	725
Layyah	37.6	438
Muzaffargarh	34.9	976
Rajanpur	40.4	457
<b>Faisalabad</b>	44.5	1,771
Chiniot	54.2	353
Jhang	37.1	604
TT Singh	36.8	504
<b>Gujranwala</b>	41.3	1,086
Gujrat	42.3	685
Hafizabad	30.1	308
Mandi Bahauddin	33.3	389
Narowal	55.6	436
Sialkot	42.3	847
<b>Lahore</b>	17.6	2,449
Kasur	49.4	818
Nankana Sahib	35.3	399
Sheikhupura	31.6	857
<b>Multan</b>	26.9	1,266
Khanewal	34.1	798
Lodhran	36.2	451
Vehari	38.3	680
<b>Sahiwal</b>	44.9	563
Pakpattan	46.6	484
Okara	37.2	745
<b>Rawalpindi</b>	27.3	1,196
Attock	31.4	434
Chakwal	30.1	321
Jhelum	36.7	281
<b>Sargodha</b>	26.0	868
Bhakkar	33.7	380
Khushab	22.4	307
Mianwali	29.2	373

**Table D.CP.7: Early marriage and polygyny (women)**

Percentage of women age 15-49 years who first married before their 15th birthday, percentages of women age 20-49 years who first married before their 15th and 18th birthdays, percentage of women age 15-19 years currently married, and the percentage of women who are in a polygynous marriage, Punjab, 2014.

	Women age 15-49 years		Women age 20-49 years			Women age 15-19 years		Women age 15-49 years	
	Percentage married before age 15 <sup>1</sup>	Number of women age 15-49 years	Percentage married before age 15	Percentage married before age 18 <sup>2</sup>	Number of women age 20-49 years	Percentage currently married <sup>3</sup>	Number of women age 15-19 years	Percentage in polygynous marriage <sup>4</sup>	Number of women age 15-49 years currently married
<b>Punjab</b>	5.2	53,668	6.1	20.8	42,510	9.2	11,158	2.5	33,047
<b>District</b>									
<b>Bahawalpur</b>	7.9	1,666	9.3	26.5	1,310	14.6	356	3.7	1,090
Bahawalnagar	4.0	1,421	4.7	21.8	1,121	6.0	300	3.0	834
RY Khan	5.2	2,282	6.6	23.8	1,711	9.1	571	2.6	1,434
<b>DG Khan</b>	11.9	1,273	13.7	36.4	1,016	20.1	258	8.2	924
Layyah	6.8	825	8.4	23.7	641	9.5	185	3.8	533
Muzaffargarh	8.9	1,705	10.7	30.1	1,353	13.3	352	4.4	1,169
Rajanpur	7.0	758	7.9	30.0	599	12.2	160	7.9	549
<b>Faisalabad</b>	3.3	3,880	4.2	15.1	3,024	7.0	857	1.0	2,249
Chiniot	5.7	672	6.5	21.1	539	10.8	133	2.5	415
Jhang	7.0	1,162	8.2	25.1	929	12.5	233	2.2	740
TT Singh	3.1	1,081	3.8	15.0	843	5.1	239	1.3	626
<b>Gujranwala</b>	3.7	2,401	4.6	16.7	1,889	6.2	512	1.5	1,436
Gujrat	3.4	1,521	4.1	15.4	1,225	4.4	296	1.3	923
Hafizabad	6.2	642	7.1	22.4	524	9.8	118	0.6	393
Mandi Bahauddin	4.1	884	4.7	19.0	692	11.0	192	1.7	523
Narowal	2.1	891	2.5	13.4	685	4.5	207	1.7	525
Sialkot	3.2	1,987	3.8	16.8	1,536	5.9	451	1.7	1,102
<b>Lahore</b>	4.1	5,357	4.9	18.0	4,349	6.7	1,007	1.8	3,399
Kasur	4.2	1,602	5.2	20.1	1,219	8.7	382	1.8	989
Nankana Sahib	3.5	821	3.9	18.5	633	11.3	189	2.2	513
Sheikhpura	5.0	1,905	6.2	20.2	1,470	7.2	435	2.6	1,124
<b>Multan</b>	8.1	2,263	9.5	29.6	1,825	9.5	438	3.1	1,444
Khanewal	6.8	1,412	8.2	23.4	1,127	10.7	285	2.6	888
Lodhran	5.4	826	6.2	19.9	645	10.5	181	3.5	504
Vehari	5.2	1,386	5.9	23.1	1,079	11.1	307	2.1	816
<b>Sahiwal</b>	3.9	1,205	4.5	16.4	964	11.4	241	1.7	732
Pakpattan	4.3	984	4.9	18.8	780	11.4	204	3.0	599
Okara	6.7	1,497	7.7	24.9	1,201	10.7	295	3.8	934
<b>Rawalpindi</b>	4.4	2,741	5.1	17.5	2,274	8.6	466	2.9	1,663
Attock	5.3	972	6.2	23.2	796	8.6	176	1.7	600
Chakwal	4.3	756	5.0	18.3	616	5.5	140	3.1	447
Jhelum	3.4	617	3.8	14.7	492	6.8	126	0.7	357
<b>Sargodha</b>	6.4	1,833	6.9	22.4	1,490	13.0	343	1.2	1,111
Bhakkar	5.0	824	6.2	20.8	643	9.6	181	2.6	487
Khushab	5.0	706	6.2	21.8	556	12.1	149	1.3	417
Mianwali	5.1	907	5.9	18.4	714	10.9	193	2.2	560

<sup>1</sup> MICS indicator 8.4 - Marriage before age 15

<sup>2</sup> MICS indicator 8.5 - Marriage before age 18

<sup>3</sup> MICS indicator 8.6 - Young women age 15-19 years currently married

<sup>4</sup> MICS indicator 8.7 - Polygyny

**Table D.CP.10: Attitudes toward domestic violence (women)**

Percentage of women age 15-49 years who believe a husband is justified in beating his wife in various circumstances, Punjab, 2014.

	Percentage of women age 15-49 years who believe a husband is justified in beating his wife:						Number of women age 15-49 years
	If she goes out without telling him	If she neglects the children	If she argues with him	If she refuses sex with him	If she burns the food	For any of these five reasons <sup>1</sup>	
<b>Punjab</b>	26.4	26.5	27.7	20.5	14.8	39.8	53,668
<b>District</b>							
<b>Bahawalpur</b>	35.9	37.7	35.4	29.5	23.0	59.6	1,666
Bahawalnagar	34.6	39.8	36.8	37.7	24.6	61.8	1,421
RY Khan	40.8	40.3	39.4	36.6	22.8	64.2	2,282
<b>DG Khan</b>	28.1	26.1	27.8	19.1	21.3	39.8	1,273
Layyah	30.2	29.1	22.4	19.4	18.4	38.5	825
Muzaffargarh	28.9	29.3	24.5	19.3	17.5	38.3	1,705
Rajanpur	37.8	33.4	31.2	23.7	21.1	47.6	758
<b>Faisalabad</b>	29.4	29.3	31.8	20.0	15.1	42.6	3,880
Chiniot	45.8	45.3	48.4	39.2	29.2	60.4	672
Jhang	26.5	27.7	27.4	19.9	14.0	37.5	1,162
TT Singh	22.2	24.9	23.9	18.1	12.9	35.5	1,081
<b>Gujranwala</b>	25.9	25.7	25.1	17.9	11.8	37.8	2,401
Gujrat	23.9	24.3	22.1	16.0	8.4	33.9	1,521
Hafizabad	23.4	25.5	27.3	18.8	8.8	40.7	642
Mandi Bahauddin	28.1	25.8	28.3	21.7	13.5	41.7	884
Narowal	51.7	42.6	44.5	27.8	13.0	60.7	891
Sialkot	30.7	24.8	31.5	14.1	8.4	45.0	1,987
<b>Lahore</b>	8.1	8.8	12.1	6.5	3.4	17.4	5,357
Kasur	30.1	28.6	32.0	25.5	23.4	41.8	1,602
Nankana Sahib	23.8	23.1	23.5	17.0	11.6	38.3	821
Sheikhupura	22.6	21.6	24.6	17.1	11.2	37.7	1,905
<b>Multan</b>	13.1	12.8	15.6	11.2	7.6	23.9	2,263
Khanewal	18.7	19.5	20.4	17.9	11.3	29.3	1,412
Lodhran	28.7	27.2	31.1	23.6	16.7	45.4	826
Vehari	16.6	15.7	20.1	13.7	8.3	27.2	1,386
<b>Sahiwal</b>	43.8	48.7	47.0	40.5	26.6	59.5	1,205
Pakpattan	49.2	52.4	53.3	45.2	27.4	64.0	984
Okara	36.8	40.3	42.1	38.7	19.2	56.5	1,497
<b>Rawalpindi</b>	13.7	12.7	15.0	10.4	9.8	22.5	2,741
Attock	16.1	16.6	15.9	14.7	12.4	22.9	972
Chakwal	13.0	12.2	16.1	11.0	10.7	19.1	756
Jhelum	23.2	22.9	22.9	18.8	12.3	33.2	617
<b>Sargodha</b>	27.5	30.2	33.1	20.3	17.5	45.5	1,833
Bhakkar	36.4	41.3	43.3	26.6	29.2	53.3	824
Khushab	35.9	42.3	40.6	27.6	27.6	53.2	706
Mianwali	35.7	37.7	38.9	24.6	23.3	49.9	907

<sup>1</sup> MICS indicator 8.12 - Attitudes towards domestic violence



**Table D.CP.11: Children's living arrangements and orphanhood**

Percent distribution of children age 0-17 years according to living arrangements, percentage of children age 0-17 years not living with a biological parent and percentage of children who have one or both parents dead, Punjab, 2014.

	Living with both parents	Living with neither biological parent				Living with mother only		Living with father only		Missing information on father/mother	Total	Living with neither biological parent <sup>1</sup>	One or both parents dead <sup>2</sup>	Number of children age 0-17 years
		Only father alive	Only mother alive	Both alive	Both dead	Father alive	Father dead	Mother alive	Mother dead					
<b>Punjab</b>	88.0	0.2	0.1	0.9	0.2	5.9	2.9	0.3	1.3	0.1	100.0	1.4	4.8	106,585
<b>District</b>														
<b>Bahawalpur</b>	90.0	0.5	0.0	1.1	0.1	2.5	3.3	0.5	1.7	0.4	100.0	1.7	5.7	3,569
Bahawalnagar	91.5	0.5	0.2	0.5	0.1	2.6	2.6	0.1	1.9	0.0	100.0	1.2	5.2	2,987
RY Khan	92.2	0.0	0.1	0.7	0.3	2.5	2.7	0.1	1.2	0.1	100.0	1.1	4.4	5,288
<b>DG Khan</b>	83.8	0.4	0.1	0.7	0.1	12.0	2.3	0.1	0.3	0.1	100.0	1.3	3.3	3,394
Layyah	90.6	0.0	0.1	1.4	0.1	4.4	1.9	0.3	1.1	0.0	100.0	1.6	3.3	1,923
Muzaffargarh	88.9	0.2	0.1	0.9	0.0	5.9	2.1	0.4	1.4	0.1	100.0	1.3	3.8	4,360
Rajanpur	90.8	0.0	0.2	0.6	0.1	3.7	2.4	0.1	2.0	0.1	100.0	0.9	4.7	2,318
<b>Faisalabad</b>	89.7	0.1	0.1	0.7	0.1	4.6	3.2	0.2	1.2	0.1	100.0	1.0	4.7	6,949
Chiniot	90.7	0.1	0.4	1.0	0.2	2.1	3.3	0.4	1.7	0.1	100.0	1.7	5.7	1,329
Jhang	92.2	0.3	0.1	0.5	0.1	2.1	2.1	0.2	2.0	0.3	100.0	1.0	4.6	2,496
TT Singh	90.5	0.3	0.0	1.1	0.1	3.7	2.3	0.1	1.7	0.1	100.0	1.5	4.5	2,001
<b>Gujranwala</b>	84.9	0.0	0.1	0.5	0.3	9.8	2.8	0.4	1.0	0.1	100.0	0.9	4.3	4,558
Gujrat	66.7	0.5	0.1	1.1	0.2	26.6	3.7	0.3	0.7	0.0	100.0	1.9	5.3	2,779
Hafizabad	87.3	0.0	0.0	1.5	0.2	6.6	2.7	0.6	1.0	0.0	100.0	1.8	4.0	1,223
Mandi Bahauddin	79.9	0.6	0.3	1.5	0.1	13.2	2.8	0.4	1.3	0.0	100.0	2.5	5.1	1,502
Narowal	75.9	0.2	0.1	0.8	0.1	19.9	2.1	0.2	0.6	0.0	100.0	1.3	3.1	1,888
Sialkot	78.5	0.1	0.1	0.6	0.2	15.8	2.9	0.5	1.2	0.1	100.0	1.0	4.4	3,746
<b>Lahore</b>	91.5	0.4	0.1	0.9	0.1	2.8	3.2	0.1	0.9	0.1	100.0	1.5	4.7	9,661
Kasur	91.9	0.4	0.1	0.7	0.1	2.0	2.7	0.3	1.5	0.2	100.0	1.4	4.8	3,454
Nankana Sahib	86.9	0.5	0.6	1.5	0.3	4.1	3.3	0.5	2.1	0.2	100.0	2.9	6.8	1,619
Sheikhupura	91.0	0.2	0.1	0.9	0.2	2.7	3.0	0.4	1.3	0.1	100.0	1.5	4.8	3,661
<b>Multan</b>	89.6	0.1	0.3	1.2	0.1	2.8	3.3	0.3	1.9	0.5	100.0	1.7	5.7	4,751
Khanewal	90.3	0.1	0.3	0.8	0.1	2.7	3.4	0.6	1.6	0.0	100.0	1.4	5.6	3,017
Lodhran	91.4	0.1	0.2	0.6	0.2	3.1	3.3	0.3	0.9	0.0	100.0	1.0	4.6	1,796
Vehari	87.6	0.4	0.0	1.1	0.2	5.4	3.4	0.3	1.6	0.0	100.0	1.6	5.6	2,789
<b>Sahiwal</b>	87.3	0.1	0.1	2.0	0.3	6.3	2.2	0.5	1.3	0.0	100.0	2.4	3.9	2,296
Pakpattan	88.4	0.5	0.3	1.8	0.2	2.5	3.6	0.8	1.9	0.1	100.0	2.7	6.4	1,952
Okara	88.9	0.3	0.3	1.7	0.1	3.3	3.0	0.4	1.9	0.2	100.0	2.3	5.5	3,236

**Table D.CP.11: Children's living arrangements and orphanhood**

Percent distribution of children age 0-17 years according to living arrangements, percentage of children age 0-17 years not living with a biological parent and percentage of children who have one or both parents dead, Punjab, 2014.

	Living with both parents	Living with neither biological parent				Living with mother only		Living with father only		Missing information on father/mother	Total	Living with neither biological parent <sup>1</sup>	One or both parents dead <sup>2</sup>	Number of children age 0-17 years
		Only father alive	Only mother alive	Both alive	Both dead	Father alive	Father dead	Mother alive	Mother dead					
<b>Rawalpindi</b>	86.3	0.1	0.0	0.7	0.1	7.6	3.3	0.3	1.1	0.4	100.0	0.9	4.6	4,352
Attock	87.0	0.0	0.1	0.5	0.1	8.3	2.8	0.2	0.7	0.3	100.0	0.6	3.7	1,615
Chakwal	85.9	0.1	0.1	0.6	0.1	8.3	3.5	0.2	0.9	0.4	100.0	0.8	4.6	1,227
Jhelum	81.8	0.1	0.0	0.9	0.3	11.7	2.6	0.4	2.2	0.0	100.0	1.3	5.2	1,014
<b>Sargodha</b>	87.3	0.5	0.2	1.0	0.2	4.2	3.9	0.7	1.7	0.2	100.0	1.9	6.6	3,260
Bhakkar	94.2	0.1	0.0	0.9	0.1	0.9	2.5	0.1	1.1	0.1	100.0	1.2	3.8	1,650
Khushab	90.1	0.3	0.1	0.6	0.2	4.9	2.9	0.2	0.6	0.1	100.0	1.2	4.2	1,250
Mianwali	90.3	0.3	0.1	1.1	0.1	4.2	2.3	0.4	1.1	0.1	100.0	1.6	3.9	1,674
<b>Punjab</b>	88.0	0.2	0.1	0.9	0.2	5.9	2.9	0.3	1.3	0.1	100.0	1.4	4.8	106,585

<sup>1</sup> MICS indicator 8.13 - Children's living arrangements

<sup>2</sup> MICS indicator 8.14 - Prevalence of children with one or both parents dead

**Table D.CP.12: Children with parents living abroad**

Percent distribution of children age 0-17 years by residence of parents in another country, Punjab, 2014.

	Percent distribution of children age 0-17 years:					Percentage of children age 0-17 years with at least one parent living abroad <sup>1</sup>	Number of children age 0-17 years
	With at least one parent living abroad			With neither parent living abroad	Total		
	Only mother abroad	Only father abroad	Both mother and father abroad				
<b>Punjab</b>	0.0	3.9	0.0	96.1	100.0	3.9	106,585
<b>District</b>							
<b>Bahawalpur</b>	0.0	1.2	0.0	98.8	100.0	1.2	3,569
Bahawalnagar	0.0	1.4	0.0	98.6	100.0	1.4	2,987
RY Khan	0.0	1.5	0.0	98.5	100.0	1.5	5,288
<b>DG Khan</b>	0.0	9.3	0.0	90.7	100.0	9.3	3,394
Layyah	0.0	1.0	0.0	99.0	100.0	1.0	1,923
Muzaffargarh	0.0	1.9	0.0	98.1	100.0	1.9	4,360
Rajanpur	0.0	2.2	0.0	97.8	100.0	2.2	2,318
<b>Faisalabad</b>	0.0	3.4	0.0	96.6	100.0	3.4	6,949
Chiniot	0.0	0.7	0.0	99.3	100.0	0.7	1,329
Jhang	0.0	1.0	0.0	99.0	100.0	1.0	2,496
TT Singh	0.0	3.3	0.0	96.7	100.0	3.3	2,001
<b>Gujranwala</b>	0.0	8.2	0.0	91.8	100.0	8.2	4,558
Gujrat	0.0	20.3	0.1	79.6	100.0	20.4	2,779
Hafizabad	0.0	6.1	0.0	93.9	100.0	6.1	1,223
Mandi Bahauddin	0.0	11.1	0.0	88.9	100.0	11.1	1,502
Narowal	0.0	6.2	0.0	93.8	100.0	6.2	1,888
Sialkot	0.0	13.8	0.0	86.2	100.0	13.8	3,746
<b>Lahore</b>	0.0	2.1	0.0	97.9	100.0	2.1	9,661
Kasur	0.0	0.4	0.0	99.6	100.0	0.4	3,454
Nankana Sahib	0.0	3.4	0.0	96.6	100.0	3.4	1,619
Sheikhupura	0.0	1.6	0.0	98.4	100.0	1.6	3,661
<b>Multan</b>	0.0	1.4	0.0	98.6	100.0	1.4	4,751
Khanewal	0.1	1.0	0.0	98.9	100.0	1.1	3,017
Lodhran	0.0	0.9	0.0	99.1	100.0	0.9	1,796
Vehari	0.0	3.5	0.0	96.5	100.0	3.5	2,789
<b>Sahiwal</b>	0.0	4.0	0.0	96.0	100.0	4.0	2,296
Pakpattan	0.0	1.0	0.0	99.0	100.0	1.0	1,952
Okara	0.0	1.4	0.0	98.6	100.0	1.4	3,236
<b>Rawalpindi</b>	0.0	5.7	0.0	94.3	100.0	5.7	4,352
Attock	0.0	6.8	0.0	93.2	100.0	6.8	1,615
Chakwal	0.0	6.9	0.0	93.1	100.0	6.9	1,227
Jhelum	0.0	9.3	0.0	90.7	100.0	9.3	1,014
<b>Sargodha</b>	0.0	2.7	0.0	97.3	100.0	2.7	3,260
Bhakkar	0.0	0.2	0.0	99.8	100.0	0.2	1,650
Khushab	0.0	2.8	0.0	97.2	100.0	2.8	1,250
Mianwali	0.0	1.9	0.0	98.1	100.0	1.9	1,674

<sup>1</sup> MICS indicator 8.15 - Children with at least one parent living abroad

<b>Table D.HA.1: Knowledge about HIV transmission, misconceptions about HIV, and comprehensive knowledge about HIV transmission (women)</b>											
Percentage of ever married women age 15-49 years who know the main ways of preventing HIV transmission, percentage who know that a healthy looking person can be HIV-positive, percentage who reject common misconceptions, and percentage who have comprehensive knowledge about HIV transmission, Punjab, 2014.											
	<b>Percentage who know transmission can be prevented by:</b>				Percentage who know that a healthy looking person can be HIV-positive	<b>Percentage who know that HIV cannot be transmitted by:</b>			Percentage who reject the two most common misconceptions and know that a healthy looking person can be HIV-positive	Percentage with comprehensive knowledge <sup>1</sup>	Number of ever married women age 15-49 years
	Percentage who have heard of AIDS	Having only one faithful uninfected husband	Using a condom every time	Percentage of women who know both ways		Mosquito bites	Supernatural means	Sharing food with someone with HIV			
<b>Punjab</b>	39.0	24.1	19.8	15.6	25.2	23.0	28.3	20.5	9.8	5.1	34,855
<b>District</b>											
<b>Bahawalpur</b>	19.5	11.1	9.2	6.1	12.6	13.9	15.3	9.5	4.8	2.2	1,142
Bahawalnagar	25.6	17.0	15.5	11.8	14.8	16.3	19.6	10.9	4.5	2.7	887
RY Khan	41.3	31.4	29.7	26.1	22.9	23.8	27.9	14.1	5.8	3.6	1,499
<b>DG Khan</b>	16.3	7.2	7.2	4.7	9.2	9.5	11.5	8.0	4.0	2.0	949
Layyah	12.0	7.7	6.9	5.6	8.7	7.2	9.2	4.7	2.8	1.3	552
Muzaffargarh	12.8	7.2	5.6	5.1	7.9	7.6	9.6	5.7	3.1	1.7	1,218
Rajanpur	14.2	8.9	6.4	5.5	7.6	6.7	9.2	5.8	2.6	1.5	566
<b>Faisalabad</b>	40.9	30.6	21.4	18.7	26.2	26.4	33.4	23.7	12.8	8.1	2,397
Chiniot	21.4	17.4	13.4	11.5	13.8	15.5	17.8	13.6	7.1	5.1	447
Jhang	20.6	12.9	10.3	8.0	11.5	13.9	15.9	10.7	4.7	2.5	779
TT Singh	36.9	27.7	21.7	19.2	20.5	25.9	29.9	20.0	9.3	6.3	650
<b>Gujranwala</b>	49.2	27.4	22.4	18.1	34.6	26.5	34.0	24.9	12.1	5.8	1,504
Gujrat	61.4	40.1	25.6	22.6	43.6	34.7	44.1	29.7	14.2	6.4	977
Hafizabad	31.6	12.4	10.7	6.6	21.6	16.2	22.8	14.1	6.1	1.1	416
Mandi Bahauddin	40.4	21.1	17.6	13.3	26.5	22.2	31.1	18.6	8.6	3.2	554
Narowal	60.9	33.7	22.7	19.3	37.5	27.0	38.2	27.8	11.2	5.8	549
Sialkot	71.3	51.8	38.8	33.7	49.8	35.2	51.6	31.5	12.5	7.4	1,155
<b>Lahore</b>	66.7	39.8	35.2	25.4	40.1	41.4	46.9	41.7	18.8	8.4	3,553
Kasur	30.3	8.2	10.5	4.5	16.9	14.9	20.7	16.4	5.2	0.8	1,025
Nankana Sahib	32.7	11.3	10.2	5.4	23.7	17.2	20.4	15.5	7.2	1.7	535
Sheikhupura	41.3	17.7	15.1	9.5	27.7	22.1	29.9	21.2	9.7	3.6	1,172
<b>Multan</b>	30.7	20.0	17.2	14.3	20.8	20.5	24.8	16.8	8.9	5.3	1,523
Khanewal	17.2	12.2	10.9	8.9	13.5	11.9	14.0	9.1	5.7	3.6	944
Lodhran	26.4	18.4	15.6	13.5	16.2	16.1	19.8	9.1	3.0	2.0	525
Vehari	21.3	14.1	11.3	8.6	15.1	13.6	16.9	9.4	5.4	3.0	876
<b>Sahiwal</b>	33.3	23.2	19.5	15.3	22.7	17.9	23.6	17.4	8.7	4.5	784
Pakpattan	28.0	18.3	15.1	11.4	19.8	13.6	18.9	13.1	5.6	3.1	648
Okara	27.1	18.1	16.0	12.8	20.0	17.0	21.1	14.5	9.1	5.9	1,004

<b>Table D.HA.1: Knowledge about HIV transmission, misconceptions about HIV, and comprehensive knowledge about HIV transmission (women)</b>											
Percentage of ever married women age 15-49 years who know the main ways of preventing HIV transmission, percentage who know that a healthy looking person can be HIV-positive, percentage who reject common misconceptions, and percentage who have comprehensive knowledge about HIV transmission, Punjab, 2014.											
	<b>Percentage who know transmission can be prevented by:</b>				Percentage who know that a healthy looking person can be HIV-positive	<b>Percentage who know that HIV cannot be transmitted by:</b>			Percentage who reject the two most common misconceptions and know that a healthy looking person can be HIV-positive	Percentage with comprehensive knowledge <sup>1</sup>	Number of ever married women age 15-49 years
	Percentage who have heard of AIDS	Having only one faithful uninfected husband	Using a condom every time	Percentage of women who know both ways		Mosquito bites	Supernatural means	Sharing food with someone with HIV			
<b>Rawalpindi</b>	58.2	38.3	30.3	23.5	38.4	40.0	43.7	37.9	19.7	10.4	1,780
Attock	39.2	22.4	21.6	18.2	27.3	23.6	25.7	19.0	11.2	7.1	641
Chakwal	42.7	23.3	21.8	16.8	26.1	25.0	32.1	23.9	10.5	6.7	479
Jhelum	59.1	36.2	29.6	25.4	38.7	32.0	38.1	28.2	14.0	8.2	381
<b>Sargodha</b>	41.7	25.9	19.2	14.7	26.6	23.3	30.0	21.8	11.1	5.5	1,200
Bhakkar	23.3	13.2	11.6	9.3	15.7	12.3	16.7	11.2	5.8	4.0	509
Khushab	34.2	21.1	14.1	12.1	22.7	18.2	24.0	16.1	8.8	3.6	448
Mianwali	42.5	21.8	16.7	12.6	26.6	18.6	25.8	15.6	7.8	3.8	588
<b>Punjab</b>	39.0	24.1	19.8	15.6	25.2	23.0	28.3	20.5	9.8	5.1	34,855
<sup>1</sup> MICS indicator 9.S1 - Knowledge about HIV prevention among young women											

**Table D.HA.2: Knowledge of mother-to-child HIV transmission (women)**

Percentage of ever married women age 15-49 years who correctly identify means of HIV transmission from mother to child, Punjab, 2014.

	Percentage of women age 15-49 who have heard of AIDS and:						Number of ever married women age 15-49 years
	Know HIV can be transmitted from mother to child:					Do not know any of the specific means of HIV transmission from mother to child	
	During pregnancy	During delivery	By breastfeeding	By at least one of the three means	By all three means <sup>1</sup>		
<b>Punjab</b>	29.5	27.7	26.3	31.4	23.6	7.6	34,855
<b>District</b>							
<b>Bahawalpur</b>	14.9	14.6	14.7	16.8	12.0	2.6	1,142
Bahawalnagar	21.2	21.3	19.4	22.5	18.6	3.2	887
RY Khan	33.3	33.8	33.2	37.1	29.8	4.2	1,499
<b>DG Khan</b>	10.8	8.3	8.7	11.5	7.0	4.8	949
Layyah	8.5	7.4	7.6	9.1	6.6	2.9	552
Muzaffargarh	7.8	6.6	7.1	8.8	5.4	4.0	1,218
Rajanpur	8.9	7.8	7.6	9.3	6.7	4.8	566
<b>Faisalabad</b>	33.3	31.3	29.4	34.8	26.9	6.1	2,397
Chiniot	16.8	16.9	15.0	17.6	14.4	3.8	447
Jhang	17.6	17.2	18.0	18.8	16.5	1.7	779
TT Singh	32.5	31.8	33.5	34.9	30.4	2.0	650
<b>Gujranwala</b>	33.4	29.7	26.9	35.2	23.4	14.0	1,504
Gujrat	47.8	44.1	41.3	49.9	36.9	11.4	977
Hafizabad	22.5	19.8	19.7	24.9	16.4	6.6	416
Mandi Bahauddin	32.5	30.6	30.6	33.4	29.1	7.1	554
Narowal	51.1	45.9	43.8	52.6	41.8	8.3	549
Sialkot	56.7	48.6	48.4	60.3	41.6	11.0	1,155
<b>Lahore</b>	47.4	45.7	40.7	49.9	37.5	16.9	3,553
Kasur	21.1	19.4	19.5	22.2	17.3	8.1	1,025
Nankana Sahib	25.3	23.4	21.8	26.3	19.9	6.3	535
Sheikhupura	30.9	28.5	26.1	33.4	22.9	7.9	1,172
<b>Multan</b>	23.4	21.1	21.2	25.9	17.1	4.7	1,523
Khanewal	14.3	13.5	12.8	15.2	11.4	2.0	944
Lodhran	19.8	19.7	19.1	22.2	17.1	4.2	525
Vehari	16.3	15.7	15.9	18.2	13.6	3.1	876
<b>Sahiwal</b>	26.0	24.3	22.2	27.4	19.8	5.9	784
Pakpattan	19.9	19.4	18.6	22.1	16.0	5.9	648
Okara	19.9	19.4	15.7	21.3	14.3	5.8	1,004
<b>Rawalpindi</b>	46.1	43.9	40.4	48.2	37.5	10.0	1,780
Attock	27.5	26.6	25.6	28.8	23.9	10.5	641
Chakwal	31.2	30.6	29.7	32.0	28.1	10.7	479
Jhelum	42.9	39.6	39.5	45.7	35.3	13.4	381
<b>Sargodha</b>	31.4	28.8	27.2	33.6	23.8	8.1	1,200
Bhakkar	16.1	15.3	15.3	18.1	13.3	5.2	509
Khushab	26.4	25.3	26.8	28.5	23.6	5.7	448
Mianwali	32.7	31.9	32.4	35.0	29.5	7.4	588

<sup>1</sup> MICS indicator 9.S2 - Knowledge of mother-to-child transmission of HIV

**Table D.HA.3: Accepting attitudes toward people living with HIV (women)**

Percentage of ever married women age 15-49 years who have heard of AIDS who express an accepting attitude towards people living with HIV, Punjab, 2014.

	Percentage of women who:						Number of ever married women age 15-49 who have heard of AIDS
	Are willing to care for a family member who is HIV-positive in own home	Would buy fresh vegetables from a shopkeeper or vendor who is HIV-positive	Believe that a female teacher who is HIV-positive and is not sick should be allowed to continue teaching	Would not want to keep secret that a family member is HIV-positive	Agree with at least one accepting attitude	Express accepting attitudes on all four indicators <sup>1</sup>	
<b>Punjab</b>	68.2	50.0	58.5	61.6	95.7	19.0	13,601
<b>District</b>							
<b>Bahawalpur</b>	70.7	30.0	39.8	56.9	93.1	10.7	222
Bahawalnagar	60.3	38.3	42.5	58.6	97.1	9.2	227
RY Khan	58.8	38.4	51.1	57.9	93.7	10.8	619
<b>DG Khan</b>	77.6	43.6	54.1	48.8	90.4	19.5	154
Layyah	84.3	50.1	60.5	61.4	94.4	27.5	67
Muzaffargarh	80.9	44.6	52.3	49.4	95.0	17.8	156
Rajanpur	74.1	34.4	40.1	47.1	88.2	12.4	80
<b>Faisalabad</b>	45.4	49.2	58.6	68.8	95.2	14.6	981
Chiniot	48.8	48.7	54.5	69.8	94.8	13.5	96
Jhang	42.2	38.0	46.8	46.3	85.1	6.8	160
TT Singh	43.5	38.8	44.2	59.5	87.8	8.3	240
<b>Gujranwala</b>	57.6	49.8	61.6	65.1	95.8	16.6	740
Gujrat	60.3	47.5	58.4	72.5	98.0	15.5	599
Hafizabad	62.0	55.9	62.0	78.3	97.1	22.6	131
Mandi Bahauddin	53.3	54.9	60.4	66.8	96.4	16.2	224
Narowal	66.3	39.3	59.1	81.1	99.7	16.2	334
Sialkot	72.5	45.1	62.7	66.3	97.4	18.0	824
<b>Lahore</b>	76.4	59.5	60.7	64.4	96.1	27.9	2,371
Kasur	81.0	54.0	63.1	45.2	92.6	21.6	311
Nankana Sahib	71.8	56.7	65.4	64.5	97.4	24.1	175
Sheikhupura	72.9	58.6	65.6	58.9	97.5	22.4	484
<b>Multan</b>	77.2	38.7	53.3	55.9	96.4	14.4	467
Khanewal	70.6	42.7	55.4	53.4	96.6	13.6	162
Lodhran	63.4	44.6	57.9	54.5	92.6	15.1	138
Vehari	68.4	42.3	57.2	56.3	94.9	15.3	187
<b>Sahiwal</b>	86.4	55.0	65.3	62.3	97.7	26.1	261
Pakpattan	86.4	49.7	61.3	67.7	97.8	27.6	181
Okara	83.4	56.5	66.8	56.1	94.9	25.0	272
<b>Rawalpindi</b>	72.2	59.4	64.1	58.2	96.8	21.5	1,036
Attock	65.5	54.4	55.9	68.6	94.3	23.5	252
Chakwal	72.7	53.3	60.9	50.4	95.3	18.5	205
Jhelum	62.8	41.7	50.4	72.1	96.7	19.3	225
<b>Sargodha</b>	75.7	48.0	58.3	43.8	94.6	14.8	500
Bhakkar	72.1	49.4	62.5	58.9	97.7	17.2	119
Khushab	75.6	45.5	54.3	53.6	95.6	13.4	153
Mianwali	68.0	44.9	52.7	57.0	95.0	13.4	249

<sup>1</sup> MICS indicator 9.S3 - Accepting attitudes towards people living with HIV

**Table D.HA.4: Knowledge of a place for HIV testing (women)**

Percentage of ever married women age 15-49 years who know where to get an HIV test, percentage who have ever been tested, percentage who have ever been tested and know the result of the most recent test, percentage who have been tested in the last 12 months, and percentage who have been tested in the last 12 months and know the result, Punjab, 2014

	Percentage of women who:					Number of ever married women age 15-49
	Know a place to get tested <sup>1</sup>	Have ever been tested	Have ever been tested and know the result of the most recent test	Have been tested in the last 12 months	Have been tested in the last 12 months and know the result <sup>2,3</sup>	
<b>Punjab</b>	8.5	1.8	1.6	0.6	0.6	34,855
<b>District</b>						
<b>Bahawalpur</b>	4.1	1.1	0.8	0.4	0.4	1,142
Bahawalnagar	7.1	0.6	0.6	0.4	0.4	887
RY Khan	12.2	1.7	1.2	0.5	0.4	1,499
<b>DG Khan</b>	4.1	0.8	0.7	0.1	0.0	949
Layyah	3.8	0.6	0.4	0.3	0.3	552
Muzaffargarh	3.0	0.7	0.7	0.4	0.4	1,218
Rajanpur	3.4	0.2	0.2	0.0	0.0	566
<b>Faisalabad</b>	9.9	1.4	1.1	0.5	0.5	2,397
Chiniot	8.1	0.8	0.5	0.3	0.1	447
Jhang	2.3	0.1	0.1	0.1	0.1	779
TT Singh	5.9	0.6	0.3	0.1	0.0	650
<b>Gujranwala</b>	12.6	4.9	4.3	1.2	1.2	1,504
Gujrat	18.0	6.1	5.8	2.1	1.9	977
Hafizabad	6.0	1.2	1.1	0.4	0.4	416
Mandi Bahauddin	8.1	1.7	1.7	0.5	0.5	554
Narowal	8.5	1.2	1.2	0.3	0.3	549
Sialkot	21.0	6.4	6.0	3.0	2.8	1,155
<b>Lahore</b>	9.6	1.9	1.8	0.6	0.6	3,553
Kasur	3.4	1.0	0.8	0.4	0.2	1,025
Nankana Sahib	4.5	1.3	1.0	0.7	0.5	535
Sheikhupura	10.0	2.7	2.1	0.4	0.4	1,172
<b>Multan</b>	8.4	0.9	0.5	0.5	0.4	1,523
Khanewal	5.0	0.8	0.8	0.4	0.4	944
Lodhran	5.5	0.5	0.4	0.1	0.1	525
Vehari	5.5	0.4	0.3	0.3	0.3	876
<b>Sahiwal</b>	9.9	1.8	1.6	0.9	0.9	784
Pakpattan	8.3	1.1	0.7	0.4	0.3	648
Okara	7.9	1.1	0.9	0.6	0.5	1,004
<b>Rawalpindi</b>	14.8	3.8	3.4	1.5	1.3	1,780
Attock	7.7	2.1	1.6	0.1	0.1	641
Chakwal	8.8	1.6	1.0	0.9	0.7	479
Jhelum	11.5	2.5	2.5	1.0	1.0	381
<b>Sargodha</b>	6.9	1.1	1.0	0.5	0.5	1,200
Bhakkar	3.2	0.1	0.1	0.0	0.0	509
Khushab	2.4	0.1	0.0	0.0	0.0	448
Mianwali	2.2	0.4	0.0	0.2	0.0	588

<sup>1</sup> MICS indicator 9.S4 - Women who know where to be tested for HIV

<sup>2</sup> MICS indicator 9.S5 - Women who have been tested for HIV and know the results



**Table D.HA.5: HIV counselling and testing during antenatal care**

Percentage of ever married women age 15-49 years with a live birth in the last 2 years who received antenatal care from a health professional during the last pregnancy, percentage who received HIV counselling, percentage who were offered and tested for HIV, percentage who were offered, tested and received the results of the HIV test, and percentage who received counselling and were offered, accepted and received the results of the HIV test, Punjab, 2014.

	Percentage of women who:					Number of ever married women age 15-49 years with a live birth in the last 2 years
	Received antenatal care from a health professional for last pregnancy	Received HIV counselling during antenatal care <sup>1</sup>	Were offered an HIV test and were tested for HIV during antenatal care	Were offered an HIV test and were tested for HIV during antenatal care, and received the results <sup>2</sup>	Received HIV counselling, were offered an HIV test, accepted and received the results	
<b>Punjab</b>	78.8	1.3	1.2	1.1	0.7	10,653
<b>District</b>						
<b>Bahawalpur</b>	66.1	1.2	1.0	1.0	0.5	342
Bahawalnagar	64.5	1.4	0.2	0.2	0.2	254
RY Khan	53.6	1.2	2.2	1.8	0.6	472
<b>DG Khan</b>	57.0	1.0	0.7	0.7	0.2	361
Layyah	69.2	0.0	0.5	0.5	0.0	182
Muzaffargarh	66.2	0.3	0.0	0.0	0.0	414
Rajanpur	57.9	0.2	0.0	0.0	0.0	223
<b>Faisalabad</b>	90.4	1.3	0.5	0.5	0.5	692
Chiniot	90.1	0.4	0.4	0.4	0.4	123
Jhang	68.6	0.5	0.2	0.2	0.2	237
TT Singh	83.5	0.7	0.0	0.0	0.0	185
<b>Gujranwala</b>	76.7	3.3	3.2	2.4	2.1	481
Gujrat	91.1	4.0	4.8	4.5	2.5	258
Hafizabad	83.1	0.0	0.0	0.0	0.0	129
Mandi Bahauddin	80.3	0.5	0.5	0.5	0.5	173
Narowal	93.2	0.2	0.0	0.0	0.0	200
Sialkot	97.3	8.8	8.4	8.2	7.9	336
<b>Lahore</b>	87.9	0.6	1.7	1.7	0.6	988
Kasur	66.9	0.3	0.5	0.5	0.0	376
Nankana Sahib	84.6	0.0	0.2	0.2	0.0	182
Sheikhupura	80.6	0.7	0.6	0.6	0.0	369
<b>Multan</b>	79.8	0.7	0.9	0.9	0.3	465
Khanewal	82.4	0.9	0.5	0.5	0.5	289
Lodhran	70.2	0.5	0.2	0.2	0.2	176
Vehari	83.9	0.0	0.0	0.0	0.0	232
<b>Sahiwal</b>	85.7	1.5	1.4	1.4	1.3	261
Pakpattan	83.3	0.7	0.2	0.2	0.2	221
Okara	74.5	1.1	1.0	0.8	0.5	344
<b>Rawalpindi</b>	89.2	3.1	2.3	2.1	0.9	496
Attock	85.2	1.5	0.6	0.3	0.3	168
Chakwal	89.2	1.7	1.8	1.8	1.5	120
Jhelum	88.3	1.7	1.1	1.1	0.0	97
<b>Sargodha</b>	80.6	0.3	0.0	0.0	0.0	319
Bhakkar	76.5	0.0	0.0	0.0	0.0	174
Khushab	84.5	0.4	0.0	0.0	0.0	127
Mianwali	84.7	0.0	0.0	0.0	0.0	184

<sup>1</sup> MICS indicator 9.S7 - HIV counselling during antenatal care

<sup>2</sup> MICS indicator 9.S8 - HIV testing during antenatal care

**Table D.HA.6: Key HIV and AIDS indicators (young women)**

Percentage of ever married women age 15-24 years by key HIV and AIDS indicators, Punjab, 2014.

	Percentage of ever married women age 15-24 years who:					Number of ever married women age 15-24 years who have heard of AIDS	Percentage who express attitudes towards people living with HIV on all four indicators	
	Have comprehensive knowledge <sup>1</sup>	Know all three means of HIV transmission from mother to child	Know a place to get tested for HIV	Have ever been tested and know the result of the most recent test	Have been tested in the last 12 months and know the result			
<b>Punjab</b>	3.3	19.9	7.5	1.1	0.6	5,144	18.5	1,664
<b>District</b>								
<b>Bahawalpur</b>	2.9	5.9	2.8	0.3	0.3	180	(10.6)	25
Bahawalnagar	1.3	23.7	7.8	0.0	0.0	110	(6.9)	35
RY Khan	2.5	30.8	15.4	0.5	0.0	223	16.3	103
<b>DG Khan</b>	1.3	5.6	4.7	0.5	0.0	192	(19.4)	29
Layyah	0.0	4.7	3.9	0.0	0.0	76	(*)	7
Muzaffargarh	0.0	4.9	2.1	0.0	0.0	209	(*)	21
Rajanpur	0.0	3.1	1.2	0.0	0.0	84	(*)	6
<b>Faisalabad</b>	5.4	24.4	9.3	0.6	0.6	316	13.5	100
Chiniot	1.6	14.6	3.9	0.0	0.0	77	(*)	13
Jhang	1.7	22.0	0.3	0.0	0.0	133	(4.7)	34
TT Singh	4.0	36.0	3.7	0.0	0.0	79	(6.9)	33
<b>Gujranwala</b>	5.1	15.0	8.7	3.4	1.8	217	9.0	69
Gujrat	6.2	34.9	16.4	4.2	1.5	128	13.4	70
Hafizabad	2.1	8.9	5.4	1.0	0.0	57	(*)	12
Mandi Bahauddin	1.4	25.7	6.1	0.8	0.8	94	(33.0)	33
Narowal	10.0	39.3	3.5	1.0	1.0	75	13.0	46
Sialkot	7.3	47.8	27.7	7.4	4.2	132	18.2	97
<b>Lahore</b>	5.8	23.1	4.9	1.2	0.8	479	35.0	226
Kasur	0.0	15.1	1.5	0.4	0.4	173	(3.4)	49
Nankana Sahib	0.8	16.8	4.3	1.4	1.4	84	(25.9)	23
Sheikhupura	2.0	21.0	7.6	1.2	0.5	182	16.9	71
<b>Multan</b>	2.2	18.7	12.5	0.0	0.0	220	12.1	69
Khanewal	2.3	9.3	4.3	0.0	0.0	136	(*)	17
Lodhran	1.7	19.8	6.5	0.0	0.0	82	(10.1)	25
Vehari	2.4	16.9	9.7	0.6	0.6	140	(10.7)	34
<b>Sahiwal</b>	0.9	11.2	6.7	0.5	0.0	121	(30.1)	26
Pakpattan	1.8	10.6	7.6	0.0	0.0	112	(43.3)	19
Okara	1.7	13.1	8.8	1.0	1.0	165	(31.0)	38
<b>Rawalpindi</b>	8.3	36.7	16.0	3.8	1.4	221	18.7	111
Attock	3.8	22.3	8.0	2.2	0.0	104	(22.3)	35
Chakwal	9.5	28.1	9.0	2.7	1.6	55	(21.2)	26
Jhelum	5.0	44.5	15.3	1.1	0.0	54	12.1	34
<b>Sargodha</b>	2.2	16.1	4.3	1.0	1.0	198	17.8	59
Bhakkar	4.2	11.3	1.9	0.0	0.0	78	(11.2)	15
Khushab	3.1	14.8	1.0	0.0	0.0	75	(20.1)	19
Mianwali	1.5	24.8	2.2	0.0	0.0	85	12.3	36

<sup>1</sup> MICS indicator 9.S1 - Knowledge about HIV prevention among young women

( ) Figures that are based on 25-49 unweighted cases

(\*) Figures that are based on fewer than 25 unweighted cases

**Table D.MT.1: Exposure to mass media (women)**

Percentage of women age 15-49 years who are exposed to specific mass media on a weekly basis, Punjab, 2014.

	Percentage of women age 15-49 years who:						Number of women age 15-49 years
	Read a newspaper at least once a week	Listen to the radio at least once a week	Watch television at least once a week	All three media at least once a week <sup>1</sup>	Any media at least once a week	None of the media at least once a week	
<b>Punjab</b>	11.1	4.5	63.7	1.3	66.1	33.8	53,668
<b>District</b>							
<b>Bahawalpur</b>	8.1	4.8	52.6	1.4	55.2	44.7	1,666
Bahawalnagar	7.0	1.3	44.7	0.3	46.6	53.2	1,421
RY Khan	4.0	1.8	59.9	0.4	60.8	39.2	2,282
<b>DG Khan</b>	6.1	3.2	36.3	0.3	38.7	61.3	1,273
Layyah	5.4	3.4	42.3	0.9	45.0	54.9	825
Muzaffargarh	6.3	4.9	40.9	0.6	44.0	55.8	1,705
Rajanpur	3.0	2.5	36.7	0.1	38.7	61.3	758
<b>Faisalabad</b>	10.7	4.7	71.3	1.3	73.4	26.6	3,880
Chiniot	5.7	1.8	55.0	0.4	56.4	43.5	672
Jhang	5.9	2.9	43.4	0.5	45.7	54.2	1,162
TT Singh	10.9	4.9	70.3	1.0	71.7	28.3	1,081
<b>Gujranwala</b>	17.1	5.2	68.4	1.4	72.8	27.0	2,401
Gujrat	17.1	5.0	78.3	2.1	81.0	18.9	1,521
Hafizabad	6.5	1.2	63.3	0.1	65.0	34.9	642
Mandi Bahauddin	12.7	7.1	72.3	2.0	74.7	25.3	884
Narowal	11.6	2.4	68.5	0.9	71.0	28.8	891
Sialkot	14.7	3.8	81.2	1.3	83.5	16.4	1,987
<b>Lahore</b>	19.0	9.0	87.9	3.8	89.7	10.2	5,357
Kasur	7.5	4.0	56.9	0.5	59.9	39.9	1,602
Nankana Sahib	8.9	1.8	72.4	0.6	74.5	25.4	821
Sheikhupura	11.1	5.5	70.9	1.2	72.6	27.3	1,905
<b>Multan</b>	11.2	9.3	59.1	2.1	62.4	37.4	2,263
Khanewal	7.0	2.7	45.2	0.6	48.1	51.4	1,412
Lodhran	8.0	2.4	55.5	1.1	57.3	42.6	826
Vehari	10.0	2.1	54.8	0.7	57.5	42.5	1,386
<b>Sahiwal</b>	8.6	2.4	55.3	0.6	56.7	43.3	1,205
Pakpattan	6.3	1.1	59.0	0.4	60.1	39.9	984
Okara	9.3	3.0	51.8	0.4	53.6	46.2	1,497
<b>Rawalpindi</b>	18.1	7.2	77.2	1.9	81.1	18.9	2,741
Attock	9.2	4.2	59.5	0.9	62.6	37.3	972
Chakwal	14.3	5.3	70.3	1.1	72.8	27.2	756
Jhelum	10.4	5.1	75.2	1.3	77.0	23.0	617
<b>Sargodha</b>	13.0	3.3	65.8	1.5	68.0	31.9	1,833
Bhakkar	8.0	1.4	49.5	0.0	51.6	48.0	824
Khushab	9.8	1.7	52.0	1.1	54.1	45.7	706
Mianwali	9.2	2.0	62.6	0.5	64.8	35.2	907

<sup>1</sup> MICS indicator 10.1 - Exposure to mass media

**Table D.MT.2: Use of computers and internet (women)**

Percentage of young women age 15-24 years who have ever used a computer and the internet, percentage who have used during the last 12 months, and percentage who have used at least once weekly during the last one month, Punjab, 2014.

	Percentage of women age 15-24 who have:						Number of women age 15-24 years
	Ever used a computer	Used a computer during the last 12 months <sup>1</sup>	Used a computer at least once a week during the last one month	Ever used the internet	Used the internet during the last 12 months <sup>2</sup>	Used the internet at least once a week during the last one month	
<b>Punjab</b>	26.4	21.4	13.6	13.7	12.4	8.9	21,119
<b>District</b>							
<b>Bahawalpur</b>	15.9	13.1	7.9	7.4	6.8	5.0	624
Bahawalnagar	12.9	10.8	8.3	4.8	4.5	3.4	562
RY Khan	14.1	12.4	9.4	6.5	6.4	5.2	916
<b>DG Khan</b>	14.0	10.4	4.9	5.8	4.9	3.3	488
Layyah	11.8	7.8	4.8	2.8	2.1	1.3	311
Muzaffargarh	12.7	9.9	4.5	4.7	4.0	2.0	632
Rajanpur	9.4	6.6	4.0	4.4	3.5	2.4	252
<b>Faisalabad</b>	25.6	21.7	15.2	13.0	12.3	9.4	1,597
Chiniot	11.5	10.2	5.9	5.6	5.4	4.2	259
Jhang	14.0	9.3	5.2	6.0	3.5	1.8	441
TT Singh	29.9	23.2	16.5	14.3	12.6	10.8	435
<b>Gujranwala</b>	30.9	26.1	16.5	16.4	15.3	12.1	1,000
Gujrat	36.6	31.1	23.2	26.1	24.6	19.6	588
Hafizabad	26.5	20.5	10.5	12.3	11.4	6.8	253
Mandi Bahauddin	27.0	20.4	11.6	12.6	10.7	7.0	376
Narowal	19.0	16.0	11.7	8.2	7.5	6.3	384
Sialkot	35.3	29.1	19.8	20.1	18.9	13.1	844
<b>Lahore</b>	48.8	41.4	27.7	30.4	28.1	21.0	2,037
Kasur	23.3	18.7	10.1	8.2	7.0	4.4	685
Nankana Sahib	31.4	24.3	10.8	13.5	10.7	7.4	338
Sheikhupura	31.5	24.7	11.5	12.6	9.9	6.1	823
<b>Multan</b>	27.9	22.8	10.4	14.0	13.0	8.3	851
Khanewal	18.6	14.9	7.8	7.8	6.6	4.4	534
Lodhran	12.1	10.7	8.2	4.4	3.9	2.3	339
Vehari	22.3	17.7	10.6	8.5	7.2	3.8	583
<b>Sahiwal</b>	25.4	19.0	12.0	9.6	8.7	6.2	464
Pakpattan	11.8	7.2	3.9	5.0	4.3	3.0	402
Okara	21.7	15.4	10.3	10.1	8.9	6.0	575
<b>Rawalpindi</b>	49.1	39.6	28.6	31.5	28.1	21.5	983
Attock	22.3	15.8	10.7	9.6	8.9	6.2	364
Chakwal	30.0	23.6	11.6	13.4	12.1	5.9	286
Jhelum	33.7	29.6	20.2	22.7	21.4	16.1	252
<b>Sargodha</b>	25.6	20.3	12.5	13.8	12.4	9.1	699
Bhakkar	16.9	12.9	7.8	5.2	4.7	2.2	326
Khushab	16.9	13.4	7.5	6.4	5.7	2.9	279
Mianwali	14.5	10.9	7.2	6.5	6.0	4.4	338

<sup>1</sup> MICS indicator 10.2 - Use of computers

<sup>2</sup> MICS indicator 10.3 - Use of internet

**Table D.SW.1: Domains of life satisfaction (women)**

Percentage of women age 15-24 years who are very or somewhat satisfied in selected domains of satisfaction, Punjab, 2014.

	Percentage of women age 15-24 who are very or somewhat satisfied with selected domains:						Percentage of women age 15-24 years who:			Number of women age 15-24 years	Percentage of women age 15-24 years who are very or somewhat satisfied with school/educational institute	Number of women age 15-24 years attending school	Percentage of women age 15-24 years who are very or somewhat satisfied with their job	Number of women age 15-24 years who have a job	Percentage of women age 15-24 years who are very or somewhat satisfied with their income	Number of women age 15-24 years who have an income
	Family life	Friendships	Health	Living environment	Treatment by others	The way they look	Are attending school	Have a job	Have an income							
<b>Punjab</b>	89.7	82.5	85.6	81.3	85.3	92.0	26.1	6.6	8.3	21,119	91.6	5,505	70.3	1,404	66.9	1,755
<b>District</b>																
<b>Bahawalpur</b>	85.4	83.4	82.9	78.9	80.0	89.2	23.7	10.7	18.1	624	90.4	148	76.5	67	72.0	113
Bahawalnagar	87.2	87.3	83.9	75.2	75.6	90.2	20.0	4.0	3.9	562	92.3	112	(55.2)	22	(64.3)	22
RY Khan	90.1	85.8	80.8	73.0	78.9	89.0	14.7	1.1	2.0	916	93.0	134	(*)	10	(*)	18
<b>DG Khan</b>	86.4	76.6	83.4	79.8	77.7	87.4	14.3	5.4	15.9	488	90.9	70	(69.4)	26	55.8	78
Layyah	93.1	88.7	86.3	87.7	89.3	92.4	16.7	1.8	2.2	311	96.8	52	(*)	5	(*)	7
Muzaffargarh	88.3	84.8	82.1	81.6	82.5	90.1	18.6	3.8	4.7	632	94.3	118	(57.7)	24	(69.6)	30
Rajanpur	87.6	80.7	76.7	82.7	85.7	88.9	13.6	3.0	4.0	252	96.5	34	(*)	7	(*)	10
<b>Faisalabad</b>	88.0	72.8	82.5	72.7	75.8	90.7	30.0	5.9	7.1	1,597	92.7	479	61.9	95	56.4	113
Chiniot	85.5	62.4	84.8	75.1	79.2	88.4	16.7	8.5	9.7	259	98.1	43	(71.5)	22	(57.7)	25
Jhang	84.3	75.4	83.2	75.7	75.6	86.1	17.8	6.0	6.2	441	88.5	79	(63.7)	27	(58.0)	27
TT Singh	86.8	85.2	89.7	75.4	78.3	87.2	31.4	6.9	6.7	435	90.9	137	(63.1)	30	(60.7)	29
<b>Gujranwala</b>	89.3	81.1	86.4	82.2	86.6	91.5	32.2	9.5	11.5	1,000	90.5	322	84.6	95	77.6	116
Gujrat	90.8	82.7	88.1	85.3	86.9	91.7	33.1	3.3	3.2	588	94.7	195	(59.0)	19	(52.1)	19
Hafizabad	89.3	89.4	93.0	86.2	92.4	96.6	19.5	4.2	6.0	253	96.7	49	(*)	11	(90.2)	15
Mandi Bahauddin	91.2	85.9	86.0	86.2	91.8	94.5	25.5	6.1	7.6	376	93.0	96	(75.4)	23	(81.0)	29
Narowal	87.3	76.7	86.7	76.9	87.5	89.1	30.6	5.5	6.2	384	87.0	118	(62.0)	21	(54.1)	24
Sialkot	90.8	76.6	87.5	77.1	84.6	91.5	42.6	8.0	8.5	844	87.2	360	67.0	67	58.2	72
<b>Lahore</b>	93.0	85.5	88.4	85.3	91.3	93.8	32.1	7.9	8.0	2,037	89.1	653	63.8	161	59.0	163
Kasur	87.1	82.3	82.7	78.3	82.5	89.7	24.3	9.0	11.1	685	94.1	167	64.8	62	60.6	76
Nankana Sahib	92.8	84.9	87.7	85.2	89.3	95.3	24.9	4.4	5.0	338	93.9	84	(*)	15	(*)	17
Sheikhupura	90.4	86.4	85.5	85.7	90.2	91.5	27.9	8.2	9.6	823	91.1	229	74.9	68	75.8	79
<b>Multan</b>	90.1	80.8	85.1	79.3	83.2	93.8	22.8	8.7	11.4	851	92.0	194	(59.7)	74	59.3	97
Khanewal	92.3	76.4	88.3	78.1	86.9	93.4	17.5	5.8	8.6	534	90.5	94	(64.4)	31	(64.7)	46
Lodhran	90.0	78.6	87.6	78.0	86.9	93.2	15.9	13.1	12.9	339	92.6	54	62.7	44	63.4	44
Vehari	85.9	74.7	86.2	79.4	89.6	94.8	21.9	15.7	15.8	583	91.9	128	55.7	91	51.2	92
<b>Sahiwal</b>	91.4	86.9	88.6	87.1	90.1	95.7	22.7	13.2	13.9	464	95.7	105	87.2	61	87.7	64
Pakpattan	90.7	81.3	88.2	87.8	94.2	96.4	14.4	8.2	8.9	402	97.2	58	(83.3)	33	(78.9)	36
Okara	90.7	85.9	90.8	82.6	86.8	94.9	21.9	7.2	12.7	575	96.1	126	(72.8)	41	82.8	73

Table D.SW.1: Domains of life satisfaction (women)																
Percentage of women age 15-24 years who are very or somewhat satisfied in selected domains of satisfaction, Punjab, 2014.																
	Percentage of women age 15-24 who are very or somewhat satisfied with selected domains:						Percentage of women age 15-24 years who:			Number of women age 15-24 years	Percentage of women age 15-24 years who are very or somewhat satisfied with school/educational institute	Number of women age 15-24 years attending school	Percentage of women age 15-24 years who are very or somewhat satisfied with their job	Number of women age 15-24 years who have a job	Percentage of women age 15-24 years who are very or somewhat satisfied with their income	Number of women age 15-24 years who have an income
	Family life	Friendships	Health	Living environment	Treatment by others	The way they look	Are attending school	Have a job	Have an income							
Rawalpindi	90.0	83.0	81.7	83.5	85.2	91.3	45.1	5.6	8.7	983	92.0	443	(82.1)	55	66.3	86
Attock	89.8	79.7	85.0	84.7	86.6	92.4	26.5	1.6	4.2	364	90.9	97	(*)	6	(*)	15
Chakwal	92.7	88.2	88.1	87.8	87.8	94.1	40.1	3.8	5.2	286	91.9	115	(*)	11	(*)	15
Jhelum	90.6	86.9	90.3	80.7	83.5	95.7	34.8	2.4	3.0	252	91.0	88	(*)	6	(*)	8
Sargodha	91.2	90.4	88.4	84.1	91.1	96.0	23.6	6.6	9.1	699	91.8	165	(82.2)	46	(78.8)	64
Bhakkar	94.0	93.5	86.7	93.0	93.8	93.2	18.5	4.2	5.1	326	91.3	60	(88.0)	14	(86.6)	17
Khushab	91.8	93.0	85.5	92.0	91.8	92.5	16.4	2.6	4.3	279	91.9	46	(*)	7	(*)	12
Mianwali	91.6	93.5	84.4	93.2	92.1	94.3	16.1	2.0	1.9	338	93.5	54	(*)	7	(*)	6
Punjab	89.7	82.5	85.6	81.3	85.3	92.0	26.1	6.6	8.3	21,119	91.6	5,505	70.3	1,404	66.9	1,755
( ) Figures that are based on 25-49 unweighted cases																
(*) Figures that are based on fewer than 25 unweighted cases																

<b>Table D.SW.2: Overall life satisfaction and happiness (women)</b>				
Percentage of women age 15-24 years who are very or somewhat satisfied with their life overall, the average overall life satisfaction score, and percentage of women age 15-24 years who are very or somewhat happy, Punjab, 2014.				
	Percentage of women with overall life satisfaction <sup>1</sup>	Average life satisfaction score	Percentage of women who are very or somewhat happy <sup>2</sup>	Number of women age 15-24 years
<b>Punjab</b>	90.5	1.6	90.9	21,119
<b>District</b>				
<b>Bahawalpur</b>	85.7	1.8	89.5	624
Bahawalnagar	86.5	1.8	88.4	562
RY Khan	86.7	1.7	91.7	916
<b>DG Khan</b>	87.3	1.8	87.5	488
Layyah	93.0	1.6	94.8	311
Muzaffargarh	88.1	1.8	90.2	632
Rajanpur	86.3	1.7	92.8	252
<b>Faisalabad</b>	87.9	1.7	86.6	1,597
Chiniot	86.8	1.8	81.1	259
Jhang	85.9	1.9	86.8	441
TT Singh	86.5	1.8	90.8	435
<b>Gujranwala</b>	90.6	1.7	91.6	1,000
Gujrat	91.1	1.6	90.5	588
Hafizabad	94.6	1.4	92.7	253
Mandi Bahauddin	92.6	1.5	91.8	376
Narowal	88.5	1.7	89.9	384
Sialkot	93.2	1.6	93.4	844
<b>Lahore</b>	92.6	1.5	93.4	2,037
Kasur	87.5	1.7	90.1	685
Nankana Sahib	92.6	1.6	90.6	338
Sheikhupura	93.8	1.6	90.7	823
<b>Multan</b>	91.2	1.7	91.3	851
Khanewal	92.6	1.8	92.8	534
Lodhran	93.1	1.7	92.5	339
Vehari	91.7	1.8	88.6	583
<b>Sahiwal</b>	94.2	1.4	92.8	464
Pakpattan	93.7	1.5	92.1	402
Okara	93.5	1.5	92.9	575
<b>Rawalpindi</b>	89.9	1.6	91.2	983
Attock	91.7	1.5	90.5	364
Chakwal	92.5	1.4	91.2	286
Jhelum	92.2	1.5	92.1	252
<b>Sargodha</b>	91.0	1.6	90.3	699
Bhakkar	94.4	1.6	94.6	326
Khushab	91.6	1.6	92.4	279
Mianwali	93.8	1.5	91.2	338
<sup>1</sup> MICS Indicator 11.1 - Life satisfaction				
<sup>2</sup> MICS indicator 11.2 - Happiness				

Table D.SW.3: Perception of a better life (women)				
Percentage of women age 15-24 years who think that their lives improved during the last one year and those who expect that their lives will get better after one year, Punjab, 2014.				
	Percentage of women who think that their life			Number of women age 15-24 years
	Improved during the last one year	Will get better after one year	Both <sup>1</sup>	
<b>Punjab</b>	61.2	89.8	59.2	21,119
<b>District</b>				
<b>Bahawalpur</b>	48.5	69.3	45.3	624
Bahawalnagar	55.9	79.5	53.2	562
RY Khan	59.2	80.9	54.4	916
<b>DG Khan</b>	63.0	85.1	59.2	488
Layyah	65.3	92.2	64.2	311
Muzaffargarh	68.3	92.9	66.6	632
Rajanpur	56.3	85.2	55.9	252
<b>Faisalabad</b>	57.5	89.8	56.5	1,597
Chiniot	55.6	86.9	55.4	259
Jhang	43.0	87.3	41.8	441
TT Singh	53.0	87.8	51.2	435
<b>Gujranwala</b>	71.5	95.9	69.9	1,000
Gujrat	67.3	95.1	66.6	588
Hafizabad	62.8	92.9	61.2	253
Mandi Bahauddin	63.3	92.3	62.1	376
Narowal	58.7	83.5	56.5	384
Sialkot	66.4	93.9	65.1	844
<b>Lahore</b>	67.8	91.3	66.0	2,037
Kasur	62.6	91.1	60.1	685
Nankana Sahib	65.3	92.6	64.1	338
Sheikhupura	61.4	88.8	58.6	823
<b>Multan</b>	53.2	91.4	50.1	851
Khanewal	55.3	92.7	52.7	534
Lodhran	53.1	85.9	50.3	339
Vehari	50.4	90.8	49.4	583
<b>Sahiwal</b>	70.0	94.2	68.0	464
Pakpattan	61.0	96.6	60.9	402
Okara	68.1	94.4	64.9	575
<b>Rawalpindi</b>	66.6	88.4	64.0	983
Attock	64.5	91.1	63.2	364
Chakwal	65.9	90.9	63.9	286
Jhelum	58.9	94.5	58.4	252
<b>Sargodha</b>	66.1	93.5	64.6	699
Bhakkar	52.5	91.3	51.6	326
Khushab	54.3	89.5	52.9	279
Mianwali	51.8	94.7	51.2	338
<sup>1</sup> MICS indicator 11.3 - Perception of a better life				



Table D.TA.1: Current and ever use of tobacco (women)										
Percentage of women age 15-49 years by pattern of use of tobacco, Punjab, 2104.										
	Never smoked cigarettes or used other tobacco products	Ever users				Users of tobacco products at any time during the last one month				Number of women age 15-49 years
		Only cigarettes	Cigarettes and other tobacco products	Only other tobacco products	Any tobacco product	Only cigarettes	Cigarettes and other tobacco products	Only other tobacco products	Any tobacco product <sup>1</sup>	
<b>Punjab</b>	94.2	1.1	0.6	4.0	5.7	0.7	0.3	3.2	4.1	53,668
<b>District</b>										
<b>Bahawalpur</b>	95.1	1.3	0.5	2.5	4.3	1.1	0.5	1.7	3.3	1,666
Bahawalnagar	95.0	2.3	0.6	2.1	5.0	2.2	0.5	1.7	4.4	1,421
RY Khan	95.3	1.0	0.1	3.5	4.7	0.8	0.1	3.4	4.3	2,282
<b>DG Khan</b>	86.9	0.2	0.5	12.2	12.9	0.0	0.2	10.3	10.5	1,273
Layyah	85.1	1.5	1.1	12.3	14.9	1.2	0.9	11.9	14.0	825
Muzaffargarh	90.4	1.3	1.0	7.3	9.6	1.3	0.4	7.2	9.0	1,705
Rajanpur	75.8	0.5	2.2	21.5	24.2	0.3	1.0	21.4	22.7	758
<b>Faisalabad</b>	97.2	0.5	0.4	1.7	2.7	0.2	0.3	1.4	1.9	3,880
Chiniot	91.2	1.4	1.8	5.6	8.8	0.9	1.5	5.8	8.2	672
Jhang	90.8	1.1	1.1	6.8	8.9	0.8	0.8	5.9	7.6	1,162
TT Singh	95.2	1.0	1.0	2.8	4.7	0.8	0.7	2.3	3.8	1,081
<b>Gujranwala</b>	96.9	1.2	0.4	1.3	2.9	0.5	0.0	0.6	1.1	2,401
Gujrat	97.4	0.7	0.5	1.4	2.6	0.4	0.3	0.9	1.6	1,521
Hafizabad	93.8	0.9	1.0	4.3	6.2	0.7	0.5	3.3	4.4	642
Mandi Bahauddin	93.8	0.4	0.3	5.5	6.2	0.2	0.2	4.5	5.0	884
Narowal	96.6	1.2	0.6	1.5	3.3	0.7	0.2	0.7	1.7	891
Sialkot	96.7	1.0	0.4	1.9	3.3	0.7	0.2	0.7	1.6	1,987
<b>Lahore</b>	95.4	1.7	0.4	2.5	4.6	0.6	0.1	0.8	1.5	5,357
Kasur	95.7	1.4	0.5	2.4	4.3	0.6	0.2	2.1	2.9	1,602
Nankana Sahib	96.6	1.1	0.7	1.5	3.3	0.5	0.3	1.0	1.9	821
Sheikhupura	96.3	1.2	0.5	2.0	3.7	0.5	0.1	0.9	1.4	1,905
<b>Multan</b>	95.5	1.2	0.2	2.5	3.9	0.7	0.0	1.9	2.6	2,263
Khanewal	94.4	0.9	0.6	4.1	5.6	0.8	0.2	3.4	4.4	1,412
Lodhran	99.1	0.1	0.1	0.7	0.9	0.1	0.1	0.6	0.8	826
Vehari	97.2	0.2	0.3	2.3	2.8	0.2	0.1	2.2	2.5	1,386
<b>Sahiwal</b>	92.7	2.7	1.0	3.6	7.3	1.8	0.5	2.9	5.2	1,205
Pakpattan	95.0	1.5	1.7	1.7	5.0	1.3	1.3	1.6	4.1	984
Okara	93.5	2.0	1.2	3.3	6.5	1.4	0.5	2.6	4.5	1,497

Table D.TA.1: Current and ever use of tobacco (women)										
Percentage of women age 15-49 years by pattern of use of tobacco, Punjab, 2104.										
	Never smoked cigarettes or used other tobacco products	Ever users				Users of tobacco products at any time during the last one month				Number of women age 15-49 years
		Only cigarettes	Cigarettes and other tobacco products	Only other tobacco products	Any tobacco product	Only cigarettes	Cigarettes and other tobacco products	Only other tobacco products	Any tobacco product <sup>1</sup>	
<b>Rawalpindi</b>	93.5	0.7	0.3	5.0	6.0	0.3	0.1	3.3	3.6	2,741
Attock	95.9	0.1	0.1	3.5	3.7	0.0	0.0	2.4	2.4	972
Chakwal	94.8	0.1	0.2	4.7	5.1	0.0	0.0	3.9	3.9	756
Jhelum	96.5	0.4	0.4	2.7	3.4	0.2	0.1	2.4	2.7	617
<b>Sargodha</b>	91.8	1.2	0.8	6.0	8.1	0.9	0.4	4.4	5.7	1,833
Bhakkar	83.6	0.9	0.6	14.9	16.3	0.6	0.3	13.7	14.6	824
Khushab	92.3	0.6	0.7	6.2	7.5	0.4	0.3	5.6	6.3	706
Mianwali	91.0	0.9	0.1	8.1	9.0	0.1	0.0	7.7	7.8	907
<b>Punjab</b>	94.2	1.1	0.6	4.0	5.7	0.7	0.3	3.2	4.1	53,668
<sup>1</sup> MICS indicator 12.1 - Tobacco use										

<b>Table D.HC.1: Reported cough and fever and diagnosis of tuberculosis and hepatitis</b>				
Percentage of population for whom the household respondent reported had a cough and fever during the last three week, percentage of population diagnosed with tuberculosis during the last one year and percentage of the household population diagnosed hepatitis during the last one year, Punjab, 2014.				
	Percent of population having a cough and fever during the last three weeks <sup>1</sup>	Percentage of poluation diagnosed in the last one year with:		Total number of household members
		Diagnosed with Tuberculosis during last one year <sup>2</sup>	Diagnosed with Hepatitis during last one year <sup>3</sup>	
<b>Punjab</b>	3.2	0.5	1.5	246,396
<b>District</b>				
<b>Bahawalpur</b>	3.2	0.5	0.8	8,013
Bahawalnagar	3.4	0.3	0.8	6,704
RY Khan	5.5	0.6	1.4	11,240
<b>DG Khan</b>	3.9	0.6	1.4	6,498
Layyah	3.0	0.3	0.6	3,927
Muzaffargarh	4.6	0.7	1.6	8,664
Rajanpur	2.6	0.7	0.8	4,329
<b>Faisalabad</b>	3.3	0.4	2.0	17,101
Chiniot	4.3	0.5	1.6	3,198
Jhang	2.6	0.4	1.3	5,787
TT Singh	1.5	0.2	2.0	4,885
<b>Gujranwala</b>	2.6	0.5	1.8	10,545
Gujrat	1.0	0.4	1.6	6,553
Hafizabad	4.6	0.5	3.1	2,855
Mandi Bahauddin	3.6	0.8	2.2	3,748
Narowal	4.1	0.3	1.0	4,028
Sialkot	4.9	0.6	1.7	8,584
<b>Lahore</b>	1.4	0.3	1.5	23,671
Kasur	5.0	0.4	1.6	7,752
Nankana Sahib	4.0	0.4	2.6	3,811
Sheikhupura	4.7	0.4	1.8	8,613
<b>Multan</b>	4.0	0.7	2.0	10,610
Khanewal	3.3	0.4	1.8	6,794
Lodhran	3.5	0.5	1.0	3,976
Vehari	4.2	0.4	1.9	6,409
<b>Sahiwal</b>	5.3	0.3	2.1	5,531
Pakpattan	6.5	0.5	1.3	4,520
Okara	5.4	0.4	2.2	7,204
<b>Rawalpindi</b>	1.8	0.5	1.6	11,568
Attock	0.5	0.6	0.9	4,214
Chakwal	0.8	0.4	0.8	3,285
Jhelum	1.6	0.3	1.2	2,700
<b>Sargodha</b>	2.7	0.4	1.3	8,167
Bhakkar	0.3	0.3	0.4	3,807
Khushab	0.2	0.2	0.5	3,104
Mianwali	0.2	0.2	0.5	4,004
<sup>1</sup> MICS indicator 13.S2 - Prevalence of chronic cough				
<sup>2</sup> MICS indicator 13.S3 - Reported tuberculosis				
<sup>3</sup> MICS indicator 13.S4 - Reported hepatitis				

**Table D.HC.2: Care provided by Lady health worker (LHW)**

Percentage of ever married women with a live birth in the last 2 years who reported that a LHW visited the house during the past month, Punjab, 2014.

	HH visited by lady health worker (LHW) during past month <sup>1</sup>	Number of ever married women with a live birth in the last two years	Purpose of Visit					Number of ever married women visited by LHW
			ORT, vitamins, medicines	To weigh child	Education / advice	Other	DK	
<b>Punjab</b>	37.6	10,653	37.6	4.8	54	21.4	1.8	3,991
<b>District</b>								
<b>Bahawalpur</b>	46.9	342	39.6	6.5	52.6	17.7	1.7	160
Bahawalnagar	42.3	254	58.4	7.8	53.7	13.6		107
RY Khan	42.7	472	73.2	1.3	39.7	9.3		201
<b>DG Khan</b>	51.5	361	19.1	0.9	42.0	51.4	4.2	186
Layyah	48.4	182	12.4	0.7	43.7	52.1	3.6	88
Muzaffargarh	53.1	414	14.8	1.1	41.5	47.2	7.8	220
Rajanpur	47.9	223	11.1	0.3	38.3	61.7		107
<b>Faisalabad</b>	28.9	692	32.1	4.6	64.9	9.3	3.8	200
Chiniot	39.0	123	45.0	1.0	72.3	1.7		48
Jhang	24.7	237	24.5		78.6	4.4	2.5	59
TT Singh	39.3	185	22.7		71.7	8.5		73
<b>Gujranwala</b>	36.1	481	41.3	6.3	50.1	14.4	2.1	174
Gujrat	51.7	258	28.4	8.8	67.3	2.6	1.9	133
Hafizabad	37.8	129	34.3	1.2	53.7	15.1	1.2	49
Mandi Bahauddin	44.7	173	37.2	3.5	64.8	12.5	2.2	77
Narowal	54.0	200	42.5	0.8	48.6	19.9	1.9	108
Sialkot	51.2	336	36.9	2.5	54.9	18.6	2.6	172
<b>Lahore</b>	13.5	988	38.2	5.0	62.5	15.3	2.0	129
Kasur	22.0	376	62.1	6.2	45.6	15.9	1.3	83
Nankana Sahib	29.1	182	29.1	2.0	58.3	22.4	3.3	53
Sheikhupura	25.4	369	27.1	4.4	58.6	29.3	3.4	93
<b>Multan</b>	33.8	465	41.8	6.0	63.8	21.4	0.5	157
Khanewal	44.7	289	39.7	1.8	64.3	17.5		127
Lodhran	43.6	176	64.3	3.8	47.6	17.5		77
Vehari	39.5	232	46.1	2.2	62.4	13.3	0.6	89
<b>Sahiwal</b>	49.5	261	36.3	4.8	58.7	13.9	1.4	129
Pakpattan	49.5	221	39.0	6.1	61.0	7.8	0.8	110
Okara	37.2	344	35.8	1.9	61.3	10.3	0.6	128
<b>Rawalpindi</b>	34.1	496	39.9	12.9	54.2	25.5	0.6	169
Attock	32.9	168	59.9	11.9	42.5	15.4		54
Chakwal	49.4	120	44.9	10.6	52.6	14.2		59
Jhelum	56.8	97	46.0	9.4	51.4	17.3	0.8	55
<b>Sargodha</b>	31.6	319	43.2	15.5	48.7	25.4		101
Bhakkar	31.8	174	43.7	23.0	49.2	10.5	4.1	55
Khushab	35.3	127	52.0	4.4	44.9	13.0		45
Mianwali	62.8	184	23.6	3.9	49.9	45.7	0.9	115

<sup>1</sup> MICS indicator 13.S1 - Care provided by Lady Health Worker (LHW)

**Table D.SED.1: House, agricultural land, and livestock ownership**

Percent distribution of household population living in Households that own their property, and percentages of household population who own: agricultural land or livestock, Punjab, 2014.

	Percent of household by house ownership				Percentage of households who own agriculture land	Percentage of households who own livestock	Percentage of households own certain assets (house, land or livestock) <sup>1</sup>	Number of households
	Own	Rent	Other/ Missing	Total				
<b>Punjab</b>	87.0	7.8	5.2	100.0	30.5	45.5	90.8	38,405
<b>District</b>								
<b>Bahawalpur</b>	90.0	4.3	5.7	100.0	34.2	53.1	94.4	1,299
Bahawalnagar	89.1	2.7	8.2	100.0	39.7	65.7	95.0	1,074
RY Khan	90.7	3.4	6.0	100.0	39.3	62.5	95.3	1,719
<b>DG Khan</b>	93.8	4.0	2.3	100.0	37.2	68.7	97.0	935
Layyah	93.6	1.9	4.5	100.0	48.0	78.3	97.8	597
Muzaffargarh	93.0	2.4	4.6	100.0	45.3	70.9	97.0	1,303
Rajanpur	91.2	2.0	6.8	100.0	46.3	72.5	96.7	600
<b>Faisalabad</b>	84.7	10.3	5.1	100.0	22.6	27.4	86.5	2,711
Chiniot	87.4	4.6	8.0	100.0	29.1	52.6	92.3	504
Jhang	88.6	3.0	8.4	100.0	42.9	62.4	94.5	893
TT Singh	88.8	5.3	6.0	100.0	36.9	50.6	92.6	780
<b>Gujranwala</b>	88.8	9.1	2.1	100.0	20.4	27.9	90.5	1,589
Gujrat	90.8	5.7	3.4	100.0	37.0	37.7	92.4	1,024
Hafizabad	93.1	3.0	3.9	100.0	30.0	48.2	94.8	433
Mandi Bahauddin	90.9	5.6	3.6	100.0	41.6	55.7	94.3	589
Narowal	97.8	1.7	0.5	100.0	42.1	57.9	98.6	634
Sialkot	90.1	8.3	1.7	100.0	31.3	35.0	92.1	1,299
<b>Lahore</b>	77.2	19.1	3.7	100.0	6.5	9.8	79.6	3,614
Kasur	90.0	5.5	4.5	100.0	26.8	40.7	92.4	1,171
Nankana Sahib	89.0	4.8	6.2	100.0	30.1	45.4	92.5	580
Sheikhupura	89.8	7.1	3.1	100.0	23.1	36.5	92.1	1,266
<b>Multan</b>	83.7	10.4	5.9	100.0	19.3	36.6	86.1	1,835
Khanewal	89.3	4.0	6.7	100.0	34.6	56.6	94.2	1,123
Lodhran	95.2	1.1	3.7	100.0	42.4	63.3	97.7	647
Vehari	89.1	3.7	7.3	100.0	36.6	55.1	94.6	1,028
<b>Sahiwal</b>	85.5	5.3	9.2	100.0	37.0	56.7	92.0	832
Pakpattan	87.8	3.6	8.6	100.0	34.1	54.9	93.2	718
Okara	81.9	6.7	11.4	100.0	29.2	51.9	89.3	1,088
<b>Rawalpindi</b>	69.5	24.3	6.2	100.0	25.8	28.2	76.4	1,923
Attock	88.2	8.7	3.1	100.0	32.8	48.6	92.6	689
Chakwal	93.2	4.2	2.6	100.0	47.5	55.7	96.2	568
Jhelum	89.1	7.7	3.2	100.0	29.1	39.5	90.9	452
<b>Sargodha</b>	86.6	7.9	5.6	100.0	24.7	47.9	91.4	1,324
Bhakkar	88.8	3.6	7.6	100.0	48.8	76.3	96.9	544
Khushab	90.7	4.0	5.4	100.0	45.8	64.4	95.1	471
Mianwali	93.0	3.0	4.0	100.0	48.9	71.4	96.4	545

<sup>1</sup> MICS indicator 14.S1 - Ownership of assets: House, land, livestock

**Table D.SED.2: Working outside village/city/country**

Percentage of household members working outside village/city/country, and percent distribution of the place of work for members working outside village/city, Punjab, 2014.

	Percentage of households members working outside village/ town/ overseas <sup>1</sup>	Number of household members	Place of work of members working outside village/city						Number of household members working outside village/ town
			Other village/ city	Other district	Other province	Overseas	DK/ Missing	Total	
<b>Punjab</b>	12.0	246,396	14.5	8.3	7.2	69.5	0.5	100.0	29,670
<b>District</b>									
<b>Bahawalpur</b>	7.5	8,013	21.0	13.1	12.3	53.7	-	100.0	600
Bahawalnagar	4.8	6,704	13.7	14.3	5.4	66.6	-	100.0	322
RY Khan	6.4	11,240	15.1	14.9	11.6	58.4	-	100.0	716
<b>DG Khan</b>	22.9	6,498	19.9	1.8	11.2	67.1	-	100.0	1,489
Layyah	9.7	3,927	17.4	25.4	33.9	23.3	-	100.0	382
Muzaffargarh	11.7	8,664	35.5	5.4	28.5	30.3	0.2	100.0	1,013
Rajanpur	10.0	4,329	18.0	9.9	24.3	47.8	-	100.0	433
<b>Faisalabad</b>	8.3	17,101	6.0	9.8	1.0	83.2	-	100.0	1,411
Chiniot	4.7	3,198	6.6	2.3	6.2	84.9	-	100.0	149
Jhang	6.0	5,787	21.1	30.7	9.3	38.9	-	100.0	346
TT Singh	9.8	4,885	3.3	3.7	1.8	90.6	0.7	100.0	481
<b>Gujranwala</b>	22.6	10,545	13.4	7.7	1.5	77.1	0.3	100.0	2,382
Gujrat	43.0	6,553	10.1	5.7	3.6	80.5	0.2	100.0	2,815
Hafizabad	13.3	2,855	7.3	5.1	3.3	71.3	13.1	100.0	379
Mandi Bahauddin	26.6	3,748	4.9	3.2	-	91.9	-	100.0	996
Narowal	31.2	4,028	21.9	33.0	6.2	39.0	-	100.0	1,258
Sialkot	29.3	8,584	5.4	0.7	2.0	91.9	-	100.0	2,511
<b>Lahore</b>	6.2	23,671	6.2	2.3	-	90.5	1.1	100.0	1,468
Kasur	5.4	7,752	53.2	5.0	6.1	32.1	3.5	100.0	420
Nankana Sahib	13.6	3,811	19.5	15.3	3.7	61.5	-	100.0	518
Sheikhupura	8.6	8,613	14.3	5.7	5.4	74.6	-	100.0	741
<b>Multan</b>	6.5	10,610	29.1	12.5	15.7	42.7	-	100.0	694
Khanewal	7.4	6,794	43.0	4.0	15.6	36.1	1.3	100.0	503
Lodhran	6.7	3,976	28.1	16.4	20.5	35.0	-	100.0	265
Vehari	13.0	6,409	21.0	7.5	13.5	58.0	-	100.0	834
<b>Sahiwal</b>	12.1	5,531	11.9	4.4	17.2	66.0	0.5	100.0	668
Pakpattan	6.9	4,520	27.0	20.3	11.3	41.4	-	100.0	314
Okara	6.4	7,204	16.3	20.2	9.2	54.4	-	100.0	459
<b>Rawalpindi</b>	15.8	11,568	12.6	2.7	2.1	81.7	0.9	100.0	1,828
Attock	14.7	4,214	8.1	5.4	4.4	80.7	1.4	100.0	618
Chakwal	16.1	3,285	10.0	7.7	13.2	69.1	-	100.0	529
Jhelum	21.0	2,700	1.3	4.1	4.2	90.4	-	100.0	567
<b>Sargodha</b>	10.9	8,167	17.0	9.9	8.0	64.6	0.5	100.0	894
Bhakkar	3.0	3,807	13.6	27.1	6.3	53.0	-	100.0	115
Khushab	7.7	3,104	6.3	6.4	12.7	74.6	-	100.0	238
Mianwali	7.8	4,004	4.8	18.6	14.1	62.6	-	100.0	314

<sup>1</sup> MICS indicator 14.S3 - Proportion of population working outside village/city/country

**Table D.SED.6: Pension Benefits**

Percentage of households receiving pension and by percent distribution of the source, Punjab, 2014.

	Percentage of household receiving pension <sup>1</sup>	Number of households	Percent of households receiving pension by source					Number of households receiving pension
			Government	EOBI	Others	DK	Total	
<b>Punjab</b>	8.1	38,405	94.2	4.0	1.3	0.8	100.0	3,097
<b>District</b>								
<b>Bahawalpur</b>	5.1	1,299	97.0	0.0	1.5	1.5	100.0	66
Bahawalnagar	3.2	1,074	(92.3)	(5.8)	(1.9)	(0.0)	100.0	35
RY Khan	2.1	1,719	(96.8)	(3.2)	(0.0)	(0.0)	100.0	37
<b>DG Khan</b>	4.1	935	(96.7)	(2.1)	(0.0)	(1.2)	100.0	39
Layyah	2.7	597	(100.0)	(0.0)	(0.0)	(0.0)	100.0	16
Muzaffargarh	3.2	1,303	93.4	0.0	6.6	0.0	100.0	42
Rajanpur	2.2	600	(100.0)	(0.0)	(0.0)	(0.0)	100.0	13
<b>Faisalabad</b>	7.4	2,711	84.4	11.5	3.0	1.1	100.0	201
Chiniot	4.2	504	(91.6)	(8.8)	(2.8)	(0.0)	100.0	21
Jhang	4.9	893	91.8	0.0	0.8	7.5	100.0	44
TT Singh	6.2	780	96.5	2.1	0.0	1.3	100.0	48
<b>Gujranwala</b>	5.0	1,589	94.8	1.1	3.8	2.1	100.0	80
Gujrat	14.8	1,024	97.1	0.5	2.9	0.0	100.0	152
Hafizabad	3.5	433	(*)	(*)	(*)	(*)	100.0	15
Mandi Bahauddin	8.9	589	98.3	1.2	0.0	0.5	100.0	53
Narowal	10.8	634	100.0	0.0	0.0	0.0	100.0	69
Sialkot	5.9	1,299	95.2	2.5	2.3	0.0	100.0	76
<b>Lahore</b>	9.4	3,614	91.0	6.9	1.3	1.4	100.0	342
Kasur	4.4	1,171	99.2	0.0	0.8	0.0	100.0	51
Nankana Sahib	5.2	580	(94.9)	(3.1)	(0.0)	(2.0)	100.0	30
Sheikhupura	7.0	1,266	88.9	12.4	0.0	0.0	100.0	88
<b>Multan</b>	3.8	1,835	92.5	7.5	0.0	0.0	100.0	70
Khanewal	5.2	1,123	95.0	3.8	0.0	1.1	100.0	59
Lodhran	1.4	647	(*)	(*)	(*)	(*)	100.0	9
Vehari	2.9	1,028	(89.2)	(5.1)	(5.7)	(0.0)	100.0	29
<b>Sahiwal</b>	8.0	832	98.2	0.9	0.9	0.0	100.0	67
Pakpattan	2.5	718	(98.0)	(2.0)	(0.0)	(0.0)	100.0	18
Okara	5.9	1,088	90.2	4.4	3.2	2.2	100.0	64
<b>Rawalpindi</b>	22.6	1,923	93.0	5.5	1.4	1.2	100.0	434
Attock	18.8	689	95.2	4.0	0.8	0.0	100.0	129
Chakwal	35.5	568	94.9	3.8	1.0	0.3	100.0	202
Jhelum	18.5	452	96.9	2.0	1.2	0.0	100.0	84
<b>Sargodha</b>	11.8	1,324	97.2	2.0	0.0	0.8	100.0	156
Bhakkar	6.7	544	100.0	0.0	0.0	0.0	100.0	37
Khushab	17.6	471	99.4	0.0	0.6	0.0	100.0	83
Mianwali	25.7	545	97.7	0.9	0.6	0.8	100.0	140

<sup>1</sup> MICS indicator 14.S9 - Receiving pensions

( ) Figures that are based on 25-49 unweighted cases

(\*) Figures that are based on fewer than 25 unweighted cases

**Table D.SED.8: Safety nets (utility store)**

Percentage of households who are purchasing goods from government utility stores, and percent distribution of households purchasing goods from government utility stores on a regular or casual basis, MICS Punjab, 2014.

	Percentage of households purchasing goods from utility stores <sup>1</sup>	Total number of households	Percent of households purchasing goods from government utility stores										Number of households purchasing goods from utility stores
			on a regular or casual basis:					who believe government initiatives are benefiting the low income groups					
			Regular <sup>2</sup>	Casual	DK	Missing	Total	Yes	No	DK	Missing	Total	
<b>Punjab</b>	18.0	38,405	29.5	70.3	0.2	0.1	100.0	26.5	65.1	8.1	0.3	100.0	6,902
<b>District</b>													
<b>Bahawalpur</b>	12.7	1,299	21.6	77.8	0.6	0.0	100.0	24.1	66.9	8.7	0.3	100.0	164
Bahawalnagar	17.6	1,074	27.5	72.5	0.0	0.0	100.0	39.8	54.3	5.7	0.2	100.0	189
RY Khan	8.9	1,719	32.1	67.9	0.0	0.0	100.0	56.6	41.4	1.9	0.0	100.0	153
<b>DG Khan</b>	12.0	935	32.7	66.8	0.0	0.5	100.0	29.0	58.7	12.2	0.0	100.0	113
Layyah	15.8	597	23.3	76.7	0.0	0.0	100.0	29.2	66.1	4.6	0.1	100.0	95
Muzaffargarh	9.3	1,303	23.9	75.2	0.0	0.9	100.0	25.6	69.6	4.8	0.0	100.0	121
Rajanpur	6.8	600	30.0	70.0	0.0	0.0	100.0	29.9	65.6	4.5	0.0	100.0	41
<b>Faisalabad</b>	21.0	2,711	24.5	75.1	0.4	0.0	100.0	25.4	66.9	7.5	0.2	100.0	568
Chiniot	17.6	504	20.6	79.4	0.0	0.0	100.0	27.3	67.6	5.1	0.0	100.0	89
Jhang	18.4	893	13.7	86.0	0.4	0.0	100.0	14.3	76.5	9.1	0.1	100.0	165
TT Singh	29.8	780	24.2	75.8	0.0	0.0	100.0	19.5	69.3	11.1	0.1	100.0	233
<b>Gujranwala</b>	9.3	1,589	28.7	69.8	1.5	0.0	100.0	26.0	61.5	12.4	0.2	100.0	148
Gujrat	16.7	1,024	32.2	67.8	0.0	0.0	100.0	31.1	57.2	11.5	0.2	100.0	171
Hafizabad	7.3	433	22.8	77.2	0.0	0.0	100.0	15.6	75.6	7.9	0.9	100.0	32
Mandi Bahauddin	17.9	589	29.0	71.0	0.0	0.0	100.0	27.7	66.5	5.6	0.2	100.0	106
Narowal	6.3	634	20.3	76.6	3.1	0.0	100.0	31.1	51.8	17.0	0.1	100.0	40
Sialkot	16.6	1,299	34.7	64.9	0.0	0.4	100.0	24.7	60.5	14.8	0.0	100.0	216
<b>Lahore</b>	19.3	3,614	30.6	68.6	0.7	0.0	100.0	14.1	75.0	10.2	0.7	100.0	699
Kasur	4.9	1,171	18.6	79.4	0.0	2.0	100.0	28.4	66.4	4.7	0.5	100.0	58
Nankana Sahib	12.6	580	17.8	81.3	0.0	0.9	100.0	22.2	70.2	7.5	0.1	100.0	73
Sheikhupura	15.1	1,266	22.4	77.6	0.0	0.0	100.0	16.7	74.8	8.1	0.4	100.0	191
<b>Multan</b>	16.7	1,835	37.3	62.7	0.0	0.0	100.0	23.7	68.8	7.3	0.2	100.0	306
Khanewal	12.5	1,123	21.3	78.7	0.0	0.0	100.0	20.9	68.5	10.2	0.5	100.0	141
Lodhran	8.3	647	29.9	70.1	0.0	0.0	100.0	40.9	53.6	5.5	0.1	100.0	54
Vehari	17.7	1,028	22.7	77.3	0.0	0.0	100.0	28.0	63.2	8.7	0.1	100.0	182
<b>Sahiwal</b>	22.9	832	27.3	72.7	0.0	0.0	100.0	29.0	65.8	5.2	0.0	100.0	191
Pakpattan	13.3	718	25.0	75.0	0.0	0.0	100.0	26.2	66.8	7.0	0.0	100.0	96
Okara	23.2	1,088	31.1	68.9	0.0	0.0	100.0	29.6	60.4	10.0	0.1	100.0	253
<b>Rawalpindi</b>	41.0	1,923	40.8	59.1	0.1	0.0	100.0	23.8	68.7	6.6	0.9	100.0	788
Attock	22.0	689	37.0	63.0	0.0	0.0	100.0	19.8	76.2	3.6	0.3	100.0	152
Chakwal	37.0	568	34.9	64.7	0.0	0.4	100.0	28.1	64.5	6.3	1.1	100.0	210
Jhelum	32.7	452	33.4	66.6	0.0	0.0	100.0	27.7	61.8	10.4	0.1	100.0	148
<b>Sargodha</b>	23.7	1,324	20.0	80.0	0.0	0.0	100.0	27.6	65.2	7.1	0.1	100.0	314
Bhakkar	17.5	544	34.4	65.6	0.0	0.0	100.0	30.3	59.7	9.4	0.6	100.0	95
Khushab	25.8	471	39.0	61.0	0.0	0.0	100.0	35.3	57.2	7.3	0.2	100.0	122
Mianwali	34.5	545	33.0	67.0	0.0	0.0	100.0	33.3	58.9	7.6	0.1	100.0	188

<sup>1</sup> MICS indicator 14.S8 - Purchasing goods from government utility stores

<sup>2</sup> MICS indicator 14.S8b - Regular purchase from utility stores



<b>Table D.SED.9: Possession of bank account</b>		
Percentage of households with at least one member who has a bank accounts, Punjab, 2014.		
	Possession of Bank account	Total number of households
<b>Punjab</b>	31.6	38,405
<b>District</b>		
<b>Bahawalpur</b>	22.8	1,299
Bahawalnagar	17.6	1,074
RY Khan	20.1	1,719
<b>DG Khan</b>	21.4	935
Layyah	17.5	597
Muzaffargarh	17.5	1,303
Rajanpur	15.1	600
<b>Faisalabad</b>	36.7	2,711
Chiniot	24.0	504
Jhang	23.0	893
TT Singh	36.3	780
<b>Gujranwala</b>	34.0	1,589
Gujrat	43.4	1,024
Hafizabad	25.5	433
Mandi Bahauddin	33.2	589
Narowal	35.7	634
Sialkot	41.5	1,299
<b>Lahore</b>	46.5	3,614
Kasur	23.6	1,171
Nankana Sahib	26.9	580
Sheikhupura	30.8	1,266
<b>Multan</b>	26.1	1,835
Khanewal	23.4	1,123
Lodhran	24.2	647
Vehari	28.8	1,028
<b>Sahiwal</b>	33.8	832
Pakpattan	17.5	718
Okara	24.2	1,088
<b>Rawalpindi</b>	47.2	1,923
Attock	35.4	689
Chakwal	46.0	568
Jhelum	48.4	452
<b>Sargodha</b>	33.6	1,324
Bhakkar	25.4	544
Khushab	37.6	471
Mianwali	51.0	545

**Table D.SED.10: Marital status of household members**

Percent distribution of household members by marital status, Punjab, 2014.

	Marital Status						Total	Total number of households members aged 10 years and above
	Currently married <sup>1</sup>	Widowed	Divorced	Separated	Never married	DK/ Missing		
<b>Punjab</b>	51.4	4.8	0.5	0.4	42.8	0.0	100.0	183,599
<b>District</b>								
<b>Bahawalpur</b>	53.8	5.0	0.3	0.6	39.8	0.5	100.0	5,836
Bahawalnagar	51.2	4.3	0.3	0.9	43.3	0.0	100.0	4,921
RY Khan	52.7	3.7	0.3	0.3	43.0	0.0	100.0	8,087
<b>DG Khan</b>	54.9	2.9	0.1	0.3	41.6	0.2	100.0	4,374
Layyah	51.7	3.6	0.3	0.4	43.9	0.1	100.0	2,777
Muzaffargarh	53.4	3.7	0.4	0.3	42.2	0.0	100.0	5,978
Rajanpur	52.7	3.2	0.2	0.2	43.7	0.0	100.0	2,903
<b>Faisalabad</b>	49.6	4.7	0.6	0.4	44.5	0.2	100.0	13,180
Chiniot	52.3	5.8	1.1	1.1	39.7	0.1	100.0	2,399
Jhang	52.4	4.8	0.5	0.5	41.6	0.2	100.0	4,333
TT Singh	50.2	5.0	0.3	0.3	44.1	0.1	100.0	3,742
<b>Gujranwala</b>	50.5	4.7	0.4	0.3	44.0	0.1	100.0	7,861
Gujrat	50.2	6.1	1.0	0.2	42.4	0.1	100.0	4,935
Hafizabad	51.1	5.1	0.6	0.5	42.3	0.4	100.0	2,146
Mandi Bahauddin	51.7	5.7	0.6	0.3	41.4	0.2	100.0	2,887
Narowal	51.5	4.4	0.5	0.2	43.1	0.2	100.0	2,867
Sialkot	48.6	4.9	0.4	0.3	45.7	0.1	100.0	6,509
<b>Lahore</b>	51.2	5.0	0.4	0.2	43.1	0.2	100.0	18,101
Kasur	51.4	4.4	0.4	0.2	43.3	0.3	100.0	5,692
Nankana Sahib	51.8	5.2	0.6	0.3	42.1	0.1	100.0	2,844
Sheikhupura	50.3	4.0	0.5	0.4	44.8	0.1	100.0	6,559
<b>Multan</b>	52.0	5.0	0.3	0.4	42.2	0.2	100.0	7,739
Khanewal	50.6	4.8	0.6	0.6	43.3	0.1	100.0	5,013
Lodhran	52.5	3.9	0.1	0.4	42.9	0.1	100.0	2,912
Vehari	50.2	5.0	0.7	0.5	43.6	0.0	100.0	4,789
<b>Sahiwal</b>	50.5	5.8	0.8	0.9	41.9	0.0	100.0	4,179
Pakpattan	51.4	5.3	1.3	0.7	41.2	0.1	100.0	3,341
Okara	51.6	5.2	1.0	0.5	41.6	0.0	100.0	5,205
<b>Rawalpindi</b>	52.9	4.6	0.6	0.5	41.4	0.0	100.0	9,003
Attock	52.8	5.8	0.8	0.4	40.2	0.1	100.0	3,274
Chakwal	51.0	6.5	0.9	0.4	41.0	0.2	100.0	2,581
Jhelum	50.1	5.8	0.9	0.5	42.5	0.2	100.0	2,123
<b>Sargodha</b>	50.3	5.7	1.0	0.6	42.3	0.0	100.0	6,312
Bhakkar	50.9	4.3	0.4	0.2	43.9	0.2	100.0	2,817
Khushab	51.5	5.4	1.2	0.5	41.4	0.0	100.0	2,367
Mianwali	52.7	4.5	0.6	0.5	41.6	0.1	100.0	3,010

<sup>1</sup> MICS indicator 14.S11 - Currently married population

**Table D.SED.11: Unemployment rate among population age 10 years or above**

Percentage of population of age 10 years or above who are currently employed or unemployed and seeking work, Punjab, 2014.

	Employment rate among population age 10 years or above	Unemployment rate among population age 10 years or above <sup>1</sup>	Number of household members age 10 years or above (employed or unemployed, but seeking for job) in active labour force	Unemployment rate among population age 15 years or above	Number of household members age 15 years or above (employed or unemployed, but seeking for job) in active labour force
<b>Punjab</b>	92.9	7.1	69,468	6.7	67,995
<b>District</b>					
<b>Bahawalpur</b>	88.9	11.1	2,260	9.6	2,184
Bahawalnagar	92.2	7.8	1,769	6.6	1,713
RY Khan	92.7	7.3	2,788	5.8	2,695
<b>DG Khan</b>	93.1	6.9	1,467	6.4	1,428
Layyah	94.0	6.0	968	5.5	956
Muzaffargarh	94.3	5.7	2,210	4.8	2,144
Rajanpur	94.4	5.6	1,001	4.4	962
<b>Faisalabad</b>	92.4	7.6	5,144	7.3	5,046
Chiniot	94.5	5.5	954	5.4	937
Jhang	95.3	4.7	1,687	4.3	1,647
TT Singh	94.1	5.9	1,485	5.8	1,458
<b>Gujranwala</b>	94.8	5.2	2,910	5.2	2,858
Gujrat	92.1	7.9	1,561	7.7	1,548
Hafizabad	91.3	8.7	797	8.5	784
Mandi Bahauddin	89.3	10.7	1,001	10.2	986
Narowal	95.3	4.7	970	4.6	959
Sialkot	93.9	6.1	2,277	6.2	2,247
<b>Lahore</b>	93.3	6.7	7,156	6.4	7,038
Kasur	93.3	6.7	2,214	6.1	2,152
Nankana Sahib	89.1	10.9	1,109	9.9	1,086
Sheikhupura	90.3	9.7	2,575	9.1	2,524
<b>Multan</b>	94.1	5.9	3,183	5.3	3,083
Khanewal	91.9	8.1	2,056	7.3	1,995
Lodhran	94.7	5.3	1,210	4.5	1,164
Vehari	94.5	5.5	2,105	5.0	2,051
<b>Sahiwal</b>	96.3	3.7	1,583	3.5	1,547
Pakpattan	96.6	3.4	1,316	3.2	1,278
Okara	95.1	4.9	1,987	4.6	1,923
<b>Rawalpindi</b>	91.5	8.5	3,442	8.2	3,422
Attock	91.2	8.8	1,199	8.6	1,190
Chakwal	88.2	11.8	999	11.7	996
Jhelum	88.9	11.1	767	10.7	760
<b>Sargodha</b>	92.1	7.9	2,420	7.4	2,367
Bhakkar	91.7	8.3	999	7.8	984
Khushab	90.0	10.0	848	9.6	840
Mianwali	90.9	9.1	1,052	8.9	1,044

<sup>1</sup> MICS indicator 14.S2 - Unemployment rate (10+ years)