

APPENDIX F: MICS PUNJAB, 2014 INDICATORS: NUMERATORS AND DENOMINATORS



MICS INDICATOR		Module ⁷³	Numerator	Denominator	MDG Indicator Reference ⁷⁴
MORTALITY ⁷⁵					
1.2	Infant mortality rate	CM	Probability of dying between birth and the first birthday		MDG 4.2
1.5	Under-five mortality rate	CM	Probability of dying between birth and the fifth birthday		MDG 4.1
NUTRITION					
2.1a 2.1b	Underweight prevalence	AN	Number of children under age 5 who fall below (a) minus two standard deviations (moderate and severe) (b) minus three standard deviations (severe) of the median weight for age of the WHO standard	Total number of children under age 5	MDG 1.8
2.2a 2.2b	Stunting prevalence	AN	Number of children under age 5 who fall below (a) minus two standard deviations (moderate and severe) (b) minus three standard deviations (severe) of the median height for age of the WHO standard	Total number of children under age 5	
2.3a 2.3b	Wasting prevalence	AN	Number of children under age 5 who fall below (a) minus two standard deviations (moderate and severe) (b) minus three standard deviations (severe) of the median weight for height of the WHO standard	Total number of children under age 5	
2.4	Overweight prevalence	AN	Number of children under age 5 who are above two standard deviations of the median weight for height of the WHO standard	Total number of children under age 5	
2.5	Children ever breastfed	MN	Number of women with a live birth in the last 2 years who breastfed their last live-born child at any time	Total number of women with a live birth in the last 2 years	
2.6	Early initiation of breastfeeding	MN	Number of women with a live birth in the last 2 years who put their last newborn to the breast within one hour of birth	Total number of women with a live birth in the last 2 years	
2.7	Exclusive breastfeeding under 6 months	BD	Number of infants under 6 months of age who are exclusively breastfed ⁷⁶	Total number of infants under 6 months of age	

⁷³ Some indicators are constructed by using questions in several modules in the MICS questionnaires. In such cases, only the module(s) which contains most of the necessary information is indicated.

⁷⁴ Millennium Development Goals (MDG) indicators, effective 15 January 2008 - <http://mdgs.un.org/unsd/mdg/Host.aspx?Content=Indicators/OfficialList.htm>, accessed 10 June 2013.

⁷⁵ When the Birth History module is used, mortality indicators are calculated for the last 5-year period. When the indicators are estimated indirectly (using the Fertility module only), the rates refer to dates as estimated by the indirect technique.

⁷⁶ Infants receiving breast milk, and not receiving any other fluids or foods, with the exception of oral rehydration solution, vitamins, mineral supplements and medicines

MICS INDICATOR		Module ⁷³	Numerator	Denominator	MDG Indicator Reference ⁷⁴
2.8	Predominant breastfeeding under 6 months	BD	Number of infants under 6 months of age who received breast milk as the predominant source of nourishment ⁷⁷ during the previous day	Total number of infants under 6 months of age	
2.9	Continued breastfeeding at 1 year	BD	Number of children age 12-15 months who received breast milk during the previous day	Total number of children age 12-15 months	
2.10	Continued breastfeeding at 2 years	BD	Number of children age 20-23 months who received breast milk during the previous day	Total number of children age 20-23 months	
2.11	Duration of breastfeeding	BD	The age in months when 50 percent of children age 0-35 months did not receive breast milk during the previous day		
2.12	Age-appropriate breastfeeding	BD	Number of children age 0-23 months appropriately fed ⁷⁸ during the previous day	Total number of children age 0-23 months	
2.13	Introduction of solid, semi-solid or soft foods	BD	Number of infants age 6-8 months who received solid, semi-solid or soft foods during the previous day	Total number of infants age 6-8 months	
2.14	Milk feeding frequency for non-breastfed children	BD	Number of non-breastfed children age 6-23 months who received at least 2 milk feedings during the previous day	Total number of non-breastfed children age 6-23 months	
2.15	Minimum meal frequency	BD	Number of children age 6-23 months who received solid, semi-solid and soft foods (plus milk feeds for non-breastfed children) the minimum number of times ⁷⁹ or more during the previous day	Total number of children age 6-23 months	
2.16	Minimum dietary diversity	BD	Number of children age 6-23 months who received foods from 4 or more food groups ⁸⁰ during the previous day	Total number of children age 6-23 months	
2.17a 2.17b	Minimum acceptable diet	BD	(a) Number of breastfed children age 6–23 months who had at least the minimum dietary diversity and the minimum meal frequency during the previous day (b) Number of non-breastfed children age 6–23 months who received at least 2 milk feedings and had at least the minimum dietary diversity not including milk feeds and the minimum meal frequency during the previous day	(a) Number of breastfed children age 6–23 months (b) Number of non-breastfed children age 6–23 months	
2.18	Bottle feeding	BD	Number of children age 0-23 months who were fed with a bottle during the previous day	Total number of children age 0-23 months	

⁷⁷ Infants who receive breast milk and certain fluids (water and water-based drinks, fruit juice, ritual fluids, oral rehydration solution, drops, vitamins, minerals, and medicines), but do not receive anything else (in particular, non-human milk and food-based fluids)

⁷⁸ Infants age 0-5 months who are exclusively breastfed, and children age 6-23 months who are breastfed and ate solid, semi-solid or soft foods

⁷⁹ Breastfeeding children: Solid, semi-solid, or soft foods, two times for infants age 6-8 months, and three times for children 9-23 months; Non-breastfeeding children: Solid, semi-solid, or soft foods, or milk feeds, four times for children age 6-23 months

⁸⁰ The indicator is based on consumption of any amount of food from at least 4 out of the 7 following food groups: 1) grains, roots and tubers, 2) legumes and nuts, 3) dairy products (milk, yogurt, cheese), 4) flesh foods (meat, fish, poultry and liver/organ meats), 5) eggs, 6) vitamin-A rich fruits and vegetables, and 7) other fruits and vegetables

MICS INDICATOR		Module ⁷³	Numerator	Denominator	MDG Indicator Reference ⁷⁴
2.19	Iodized salt consumption	SI	Number of households with salt testing 15 parts per million or more of iodate	Total number of households in which salt was tested or where there was no salt	
2.20	Low-birth weight infants	MN	Number of most recent live births in the last 2 years weighing below 2,500 grams at birth	Total number of most recent live births in the last 2 years	
2.21	Infants weighed at birth	MN	Number of most recent live births in the last 2 years who were weighed at birth	Total number of most recent live births in the last 2 years	
2.S1	Vitamin A supplementation	IM	Number of children age 6-59 months who received at least one high-dose vitamin A supplement in the 6 months preceding the survey	Total number of children age 6-59 months	
CHILD HEALTH					
3.1	Tuberculosis immunization coverage	IM	Number of children age 12-23 months who received BCG vaccine by their first birthday	Total number of children age 12-23 months	
3.2	Polio immunization coverage	IM	Number of children age 12-23 months who received the third dose of OPV vaccine (OPV3) by their first birthday	Total number of children age 12-23 months	
3.3 3.5 3.6	Diphtheria, pertussis and tetanus (DPT) hepatitis B (HepB) and haemophilus influenza type B (Hib) (PENTA) immunization coverage	IM	Number of children age 12-23 months who received the third dose of PENTA vaccine (diphtheria, pertussis, tetanus, hepatitis B and haemophilus influenza B) by their first birthday	Total number of children age 12-23 months	
3.4	Measles immunization coverage ⁸¹	IM	Number of children age 12-23 months who received measles vaccine by their first birthday	Total number of children age 12-23 months	MDG 4.3
3.8	Full immunization coverage	IM	Number of children age 12-23 months who received all vaccinations recommended in the national immunization schedule by their first birthday	Total number of children age 12-23 months	
3.9	Neonatal tetanus protection	MN	Number of women age 15-49 years with a live birth in the last 2 years who were given at least two doses of tetanus toxoid vaccine within the appropriate interval ⁸² prior to the most recent birth	Total number of women age 15-49 years with a live birth in the last 2 years	
3.10	Care-seeking for diarrhoea	CA	Number of children under age 5 with diarrhoea in the last 2 weeks for whom advice or treatment was sought from a health facility or provider	Total number of children under age 5 with diarrhoea in the last 2 weeks	

⁸¹ In countries where measles vaccination is administered at or after 12 months of age according to the vaccination schedule, the indicator is calculated as the proportion of children age 24-35 months who received the measles vaccine by 24 months of age

⁸² See the MICS tabulation plan for a detailed description

MICS INDICATOR		Module ⁷³	Numerator	Denominator	MDG Indicator Reference ⁷⁴
3.11	Diarrhoea treatment with oral rehydration salts (ORS) and zinc	CA	Number of children under age 5 with diarrhoea in the last 2 weeks who received ORS and zinc	Total number of children under age 5 with diarrhoea in the last 2 weeks	
3.12	Diarrhoea treatment with oral rehydration therapy (ORT) and continued feeding	CA	Number of children under age 5 with diarrhoea in the last 2 weeks who received ORT (ORS packet, pre-packaged ORS fluid, recommended homemade fluid or increased fluids) and continued feeding during the episode of diarrhoea	Total number of children under age 5 with diarrhoea in the last 2 weeks	
3.13	Care-seeking for children with acute respiratory infection (ARI) symptoms	CA	Number of children under age 5 with ARI symptoms in the last 2 weeks for whom advice or treatment was sought from a health facility or provider	Total number of children under age 5 with ARI symptoms in the last 2 weeks	
3.14	Antibiotic treatment for children with ARI symptoms	CA	Number of children under age 5 with ARI symptoms in the last 2 weeks who received antibiotics	Total number of children under age 5 with ARI symptoms in the last 2 weeks	
3.15	Use of solid fuels for cooking	HC	Number of household members in households that use solid fuels as the primary source of domestic energy to cook	Total number of household members	
3.20	Care-seeking for fever	CA	Number of children under age 5 with fever in the last 2 weeks for whom advice or treatment was sought from a health facility or provider	Total number of children under age 5 with fever in the last 2 weeks	
3.21	Malaria diagnostics usage	CA	Number of children under age 5 with fever in the last 2 weeks who had a finger or heel stick for malaria testing	Total number of children under age 5 with fever in the last 2 weeks	
3.22	Anti-malarial treatment of children under age 5	CA	Number of children under age 5 with fever in the last 2 weeks who received any antimalarial treatment	Total number of children under age 5 with fever in the last 2 weeks	MDG 6.8
3.23	Treatment with Artemisinin-based Combination Therapy (ACT) among children who received anti-malarial treatment	CA	Number of children under age 5 with fever in the last 2 weeks who received ACT (or other first-line treatment according to national policy)	Total number of children under age 5 with fever in the last 2 weeks who received any anti-malarial drugs	
3.25	Intermittent preventive treatment for malaria during pregnancy	MN	Number of women age 15-49 years who received three or more doses of SP/Fansidar, at least one of which was received during an ANC visit, to prevent malaria during their last pregnancy that led to a live birth in the last 2 years	Total number of women age 15-49 years with a live birth in the last 2 years	
WATER AND SANITATION					
4.1	Use of improved drinking water sources	WS	Number of household members using improved sources of drinking water	Total number of household members	MDG 7.8
4.2	Water treatment	WS	Number of household members in households using unimproved drinking water who use an appropriate treatment method	Total number of household members in households using unimproved drinking water sources	

MICS INDICATOR		Module ⁷³	Numerator	Denominator	MDG Indicator Reference ⁷⁴
4.3	Use of improved sanitation (Not shared)	WS	Number of household members using improved sanitation facilities which are not shared	Total number of household members	MDG 7.9
4.4	Safe disposal of child's faeces	CA	Number of children age 0-2 years whose last stools were disposed of safely	Total number of children age 0-2 years	
4.5	Place for handwashing	HW	Number of households with a specific place for hand washing where water and soap or other cleansing agent are present	Total number of households	
4.6	Availability of soap or other cleansing agent	HW	Number of households with soap or other cleansing agent	Total number of households	
REPRODUCTIVE HEALTH					
5.1	Adolescent birth rate ⁸³	CM - BH	Age-specific fertility rate for women age 15-19 years		MDG 5.4
5.2	Early childbearing	CM - BH	Number of women age 20-24 years who had at least one live birth before age 18	Total number of women age 20-24 years	
5.3	Contraceptive prevalence rate	CP	Number of women age 15-49 years currently married who are using (or whose husband is using) a (modern or traditional) contraceptive method	Total number of women age 15-49 years who are currently married	MDG 5.3
5.4	Unmet need ⁸⁴	UN	Number of women age 15-49 years who are currently married who are fecund and want to space their births or limit the number of children they have and who are not currently using contraception	Total number of women age 15-49 years who are currently married	MDG 5.6
5.5a 5.5b	Antenatal care coverage	MN	Number of women age 15-49 years with a live birth in the last 2 years who were attended during their last pregnancy that led to a live birth (a) at least once by skilled health personnel (b) at least four times by any provider	Total number of women age 15-49 years with a live birth in the last 2 years	MDG 5.5
5.6	Content of antenatal care	MN	Number of women age 15-49 years with a live birth in the last 2 years who had their blood pressure measured and gave urine and blood samples during the last pregnancy that led to a live birth	Total number of women age 15-49 years with a live birth in the last 2 years	
5.S1	Contents of antenatal care (All four)	MN	Number of women age 15-49 years with a live birth in the last 2 years who had their blood pressure measured, weight measured and gave urine and blood samples during the last pregnancy that led to a live birth	Total number of women age 15-49 years with a live birth in the last 2 years	

⁸³ When the Birth History module is used, the indicator is calculated for the last 3-year period. When estimated using the Fertility module only, the rate refers to the last one year

⁸⁴ See the MICS tabulation plan for a detailed description

MICS INDICATOR		Module ⁷³	Numerator	Denominator	MDG Indicator Reference ⁷⁴
5.7	Skilled attendant at delivery	MN	Number of women age 15-49 years with a live birth in the last 2 years who were attended by skilled health personnel during their most recent live birth	Total number of women age 15-49 years with a live birth in the last 2 years	MDG 5.2
5.8	Institutional deliveries	MN	Number of women age 15-49 years with a live birth in the last 2 years whose most recent live birth was delivered in a health facility	Total number of women age 15-49 years with a live birth in the last 2 years	
5.9	Caesarean section	MN	Number of women age 15-49 years whose most recent live birth in the last 2 years was delivered by caesarean section	Total number of women age 15-49 years with a live birth in the last 2 years	
5.10	Post-partum stay in health facility	PN	Number of women age 15-49 years who stayed in the health facility for 12 hours or more after the delivery of their most recent live birth in the last 2 years	Total number of women age 15-49 years with a live birth in the last 2 years	
5.11	Post-natal health check for the newborn	PN	Number of last live births in the last 2 years who received a health check while in facility or at home following delivery, or a post-natal care visit within 2 days after delivery	Total number of last live births in the last 2 years	
5.12	Post-natal health check for the mother	PN	Number of women age 15-49 years who received a health check while in facility or at home following delivery, or a post-natal care visit within 2 days after delivery of their most recent live birth in the last 2 years	Total number of women age 15-49 years with a live birth in the last 2 years	
CHILD DEVELOPMENT					
6.1	Attendance to early childhood education	EC	Number of children age 36-59 months who are attending an early childhood education programme	Total number of children age 36-59 months	
6.2	Support for learning	EC	Number of children age 36-59 months with whom an adult has engaged in four or more activities to promote learning and school readiness in the last 3 days	Total number of children age 36-59 months	
6.3	Father's support for learning	EC	Number of children age 36-59 months whose father has engaged in four or more activities to promote learning and school readiness in the last 3 days	Total number of children age 36-59 months	
6.4	Mother's support for learning	EC	Number of children age 36-59 months whose mother has engaged in four or more activities to promote learning and school readiness in the last 3 days	Total number of children age 36-59 months	
6.5	Availability of children's books	EC	Number of children under age 5 who have three or more children's books	Total number of children under age 5	
6.6	Availability of playthings	EC	Number of children under age 5 with two or more types of playthings	Total number of children under age 5	

MICS INDICATOR		Module ⁷³	Numerator	Denominator	MDG Indicator Reference ⁷⁴
6.7	Inadequate care	EC	Number of children under age 5 left alone or in the care of another child younger than 10 years of age for more than one hour at least once in the last week	Total number of children under age 5	
6.8	Early child development index	EC	Number of children age 36-59 months who are developmentally on track in literacy-numeracy, physical, social-emotional, and learning domains	Total number of children age 36-59 months	
LITERACY AND EDUCATION					
7.1	Literacy rate among young women	WB	Number of women age 15-24 years who are able to read a short simple statement about everyday life or who attended secondary or higher education	Total number of women age 15-24 years	MDG 2.3
7.S1	Literacy rate 10+ (<i>reported</i>)	HL	Number of household members age 10 years or older where it is reported that they are able to both read & write with understanding in any language excluding quranic reading, if this was the only response.	Total household members age 10 year or older surveyed	
7.S2	Literacy rate 15+ (<i>reported</i>)	HL	Number of household members age 15 years or older where it is reported that they are able to both read & write with understanding in any language excluding quranic reading, if this was the only response.	Total household members age 15 year or older surveyed	
7.S3	Literacy rate 15-24 years (<i>reported</i>)	HL	Number of household members age 15-24 years where it is reported that they are able to both read & write with understanding in any language excluding quranic reading, if this was the only response.	Total household members age 15-24 years or older surveyed	
7.2	School readiness	ED	Number of children in first grade of primary school who attended pre-school during the previous school year	Total number of children attending the first grade of primary school	
7.3	Net intake rate in primary education	ED	Number of children of school-entry age who enter the first grade of primary school	Total number of children of school-entry age	
7.4	Primary school net attendance ratio (adjusted)	ED	Number of children of primary school age currently attending primary or secondary school	Total number of children of primary school age	MDG 2.1
7.S4	Primary school gross attendance ratio (adjusted)	ED	Number of children of all age currently attending primary or secondary school	Total number of children of primary school age	
7.5	Secondary school net attendance ratio (adjusted)	ED	Number of children of secondary school age currently attending secondary school or higher	Total number of children of secondary school age	
7.6	Children reaching last grade of primary	ED	Proportion of children entering the first grade of primary school who eventually reach last grade		MDG 2.2

MICS INDICATOR		Module ⁷³	Numerator	Denominator	MDG Indicator Reference ⁷⁴
7.7	Primary completion rate	ED	Number of children attending the last grade of primary school (excluding repeaters)	Total number of children of primary school completion age (age appropriate to final grade of primary school)	
7.8	Transition rate to secondary school	ED	Number of children attending the last grade of primary school during the previous school year who are in the first grade of secondary school during the current school year	Total number of children attending the last grade of primary school during the previous school year	
7.9	Gender parity index (primary school)	ED	Primary school net attendance ratio (adjusted) for girls	Primary school net attendance ratio (adjusted) for boys	MDG 3.1
7.10	Gender parity index (secondary school)	ED	Secondary school net attendance ratio (adjusted) for girls	Secondary school net attendance ratio (adjusted) for boys	MDG 3.1
7.S5	Government school attendance rate (primary)	ED	Number of children aged 5-9 years attending Government primary schools	Total number of children aged 5-9 years attending primary schools	
CHILD PROTECTION					
8.1	Birth registration	BR	Number of children under age 5 whose births are reported registered	Total number of children under age 5	
8.2	Child labour	CL	Number of children age 5-17 years who are involved in child labour ⁸⁵	Total number of children age 5-17 years	
8.3	Violent discipline	CD	Number of children age 1-14 years who experienced psychological aggression or physical punishment during the last one month	Total number of children age 1-14 years	
8.4	Marriage before age 15	MA	Number of women age 15-49 years who were first married age 15	Total number of women age 15-49 years	
8.5	Marriage before age 18	MA	Number of women age 20-49 years who were first married before age 18	Total number of women age 20-49 years	
8.6	Young women age 15-19 years currently married	MA	Number of women age 15-19 years who are married	Total number of women age 15-19 years	
8.7	Polygyny	MA	Number of women age 15-49 years who are in a polygynous marriage	Total number of women age 15-49 years who are married	

⁸⁵ Children involved in child labour are defined as children involved in economic activities above the age-specific thresholds, children involved in household chores above the age-specific thresholds, and children involved in hazardous work. See the MICS tabulation plan for more detailed information on thresholds and classifications

MICS INDICATOR		Module ⁷³	Numerator	Denominator	MDG Indicator Reference ⁷⁴
8.8a 8.8b	Spousal age difference	MA	Number of women who are married and whose spouse is 10 or more years older, (a) among women age 15-19 years, (b) among women age 20-24 years	Total number of women who are married (a) age 15-19 years, (b) age 20-24 years	
8.12	Attitudes towards domestic violence	DV	Number of women who state that a husband is justified in hitting or beating his wife in at least one of the following circumstances: (1) she goes out without telling him, (2) she neglects the children, (3) she argues with him, (4) she refuses sex with him, (5) she burns the food	Total number of women age 15-49 years	
8.13	Children's living arrangements	HL	Number of children age 0-17 years living with neither biological parent	Total number of children age 0-17 years	
8.14	Prevalence of children with one or both parents dead	HL	Number of children age 0-17 years with one or both biological parents dead	Total number of children age 0-17 years	
8.15	Children with at least one parent living abroad	HL	Number of children 0-17 years with at least one biological parent living abroad	Total number of children 0-17 years	
HIV/AIDS⁸⁶					
9.S1	Knowledge about HIV prevention among young women	HA	Number of ever married women age 15-24 years who correctly identify ways of preventing the sexual transmission of HIV ⁸⁷ , and who reject major misconceptions about HIV transmission	Total number of ever married women age 15-24 years	
9.S2	Knowledge of mother-to-child transmission of HIV	HA	Number of ever married women age 15-49 years who correctly identify all three means ⁸⁸ of mother-to-child transmission of HIV	Total number of ever married women age 15-49 years	
9.S3	Accepting attitudes towards people living with HIV	HA	Number of ever married women age 15-49 years expressing accepting attitudes on all four questions ⁸⁹ toward people living with HIV	Total number of ever married women age 15-49 years who have heard of HIV	
9.S4	Women who know where to be tested for HIV	HA	Number of ever married women age 15-49 years who state knowledge of a place to be tested for HIV	Total number of ever married women age 15-49 years	

⁸⁶ All the questions in this module were asked to ever married women only (unlike all women as the indicator is defined) that's why indicators are labelled as survey specific indicators

⁸⁷ Using condoms and limiting sex to one faithful, uninfected husband

⁸⁸ Transmission during pregnancy, during delivery, and by breastfeeding

⁸⁹ Women (1) who think that a female teacher with the AIDS virus should be allowed to teach in school, (2) who would buy fresh vegetables from a shopkeeper or vendor who has the AIDS virus, (3) who would not want to keep it as a secret if a family member became infected with the AIDS virus, and (4) who would be willing to care for a family member who became sick with the AIDS virus

MICS INDICATOR		Module ⁷³	Numerator	Denominator	MDG Indicator Reference ⁷⁴
9.S5	Women who have been tested for HIV and know the results	HA	Number of ever married women age 15-49 years who have been tested for HIV in the last 12 months and who know their results	Total number of ever married women age 15-49 years	
9.S7	HIV counselling during antenatal care	HA	Number of ever married women age 15-49 years who had a live birth in the last 2 years and received antenatal care during the pregnancy of their most recent birth, reporting that they received counselling on HIV during antenatal care	Total number of ever married women age 15-49 years who had a live birth in the last 2 years	
9.S8	HIV testing during antenatal care	HA	Number of ever married women age 15-49 years who had a live birth in the last 2 years and received antenatal care during the pregnancy of their most recent birth, reporting that they were offered and accepted an HIV test during antenatal care and received their results	Total number of ever married women age 15-49 years who had a live birth in the last 2 years	
ACCESS TO MASS MEDIA AND USE OF INFORMATION/COMMUNICATION TECHNOLOGY					
10.1	Exposure to mass media	MT	Number of women age 15-49 years who, at least once a week, read a newspaper or magazine, listen to the radio, and watch television	Total number of women age 15-49 years	
10.2	Use of computers	MT	Number of young women age 15-24 years who used a computer during the last 12 months	Total number of women age 15-24 years	
10.3	Use of internet	MT	Number of young women age 15-24 who used the internet during the last 12 months	Total number of women age 15-24 years	
SUBJECTIVE WELL BEING					
11.1	Life satisfaction	LS	Number of women age 15-24 years who are very or somewhat satisfied with their life, overall	Total number of women age 15-24 years	
11.2	Happiness	LS	Number of women age 15-24 years who are very or somewhat happy	Total number of women age 15-24 years	
11.3	Perception of a better life	LS	Number of women age 15-24 years whose life improved during the last one year, and who expect that their life will be better after one year	Total number of women age 15-24 years	
TOBACCO USE					
12.1	Tobacco use	TA	Number of women age 15-49 years who smoked cigarettes, or used smoked or smokeless tobacco products at any time during the last one month	Total number of women age 15-49 years	
12.2	Smoking before age 15	TA	Number of women age 15-49 years who smoked a whole cigarette before age 15	Total number of women age 15-49 years	

MICS INDICATOR		Module ⁷³	Numerator	Denominator	MDG Indicator Reference ⁷⁴
ADULT HEALTH CARE AND HEALTH CARE					
13.S1	Care provided by Lady Health Worker (LHW)	MN	Number of ever married women aged 15–49 years who have given birth in the previous 2 years and were visited by a Lady Health Worker (LHW) in the last month	Total number of ever married women surveyed aged 15–49 years	
13.S2	Prevalence of chronic cough	HL	Number of household members with cough that lasted for the past 3 weeks	Total household members surveyed	
13.S3	Reported tuberculosis	HL	Number of household members that were diagnosed with tuberculosis in the past year	Total household members surveyed	
13.S4	Reported hepatitis	HL	Number of household members that were diagnosed with hepatitis in the past year	Total household members surveyed	
SOCIO ECONOMIC DEVELOPMENT					
14.S1	Ownership of assets: House, land, livestock	HC	Number of household members living in a household that own a house, land or livestock	Total number of household members in households surveyed	
14.S2	Unemployment rate (10+ years)	IE	Number of household members aged 10 years or older who are unemployed and are seeking jobs	Total number of household members in the active labour force [Government and private sector employees, self employees, labourers, those working in agriculture, livestock, poultry and fishery]	
14.S3	Population working outside village/town/abroad	RM	Number of family members working outside village/town/abroad	Total number of household members in households surveyed plus members working outside village/town/abroad	
14.S4	Receiving remittances from Pakistan	RM	Number of household members who received remittances from Pakistan during the year preceding the survey	Total number of household members in households surveyed	
14.S5	Receiving remittances from abroad	RM	Number of household members living in a household that received remittances from abroad during the year preceding the survey	Total number of household members in households surveyed	
14.S6	Receiving cash donation	RM	Number of household members living in a household that received cash donation such as zakat or other means during the year preceding the survey	Total number of household members in households surveyed	
14.S7	Safety nets (getting benefits from government schemes of social protection)	SN	Number of household members living in a household that got benefits from government schemes of social protection [Benefits include: zakat, dearness allowance, health subsidy, education subsidy, marriage grant, subsidised food, others]	Total number of household members in households surveyed	
14.S8	Purchasing goods from government utility stores	SN	Number of household members living in a household that purchase goods from government utility stores	Total number of household members in households surveyed	

MICS INDICATOR		Module ⁷³	Numerator	Denominator	MDG Indicator Reference ⁷⁴
14.S8b	Regular purchase from utility stores	SN	Number of household members who purchase goods from government utility stores regularly	Total number of household member purchasing goods from utility stores	
14.S9	Receiving pensions	PB	Number of household who received pension during the year preceding the survey	Total number of households surveyed	
14.S10	Mean household size	HL	Number of members in a household	Total number of households surveyed	
14.S11	Currently married population	HL	Number of household members of age 10 years and above currently married	Total number of household members aged 10 years and above	
14.S12	Mean number of persons per room	HC	Number of persons per room	Total number of households surveyed	
14.S13a 14.S13b 14.S13c	Household characteristics	HC	Main material of floor, roof and wall [finished floor (pacca); finished roof (pacca); finished wall (pacca)]	Total number of households surveyed	