



HA

HIV / AIDS

Table HA.1: Knowledge about HIV transmission, misconceptions about HIV/AIDS, and comprehensive knowledge about HIV transmission

Percentage of ever married women age 15-49 years who know the two ways of preventing HIV transmission, percentage who know that a healthy looking person can have the AIDS virus, percentage who reject common misconceptions, and percentage who have comprehensive knowledge about HIV transmission, MICS Punjab, 2011.

	Percentage who know transmission can be prevented by				Percentage who know that HIV cannot be transmitted by				Percentage who reject the two most common misconceptions and know that a healthy looking person can have the AIDS virus [1]	Percentage with comprehensive knowledge of ever married women	
	Percent age who have heard of AIDS	Having sex with uninfected husband who has no other wife	Using a condom every time	Percent age of women who know both ways	Percent age who know that a healthy looking person can have the AIDS virus	Mosquito bites	Supernatural means	Sharing food with someone with AIDS			
Punjab	26.8	17.5	13.6	11.1	18.1	16.9	20.7	14.7	7.8	4.3	85,502
Area of residence											
Rural	18.2	11.4	8.9	7.1	12.2	10.6	13.4	9.4	4.9	2.6	60,370
All Urban	47.3	32.2	24.7	20.8	32.1	32.1	38.3	27.7	14.8	8.4	25,132
Major Cities	53.6	36.7	27.4	23.4	35.4	36.7	43.7	31.7	16.2	9.1	12,689
Other Urban	40.9	27.6	22.0	18.1	28.7	27.5	32.8	23.6	13.4	7.7	12,443
Age											
15-24	25.4	16.6	12.3	10.2	17.0	16.0	19.8	13.7	7.2	3.9	14,182
25-29	32.4	21.6	17.2	14.1	22.3	21.3	25.6	18.6	10.3	5.6	17,260
30-39	29.3	19.3	14.9	12.3	20.0	18.8	22.8	16.4	8.8	4.8	30,562
40-49	20.1	12.6	9.9	8.0	13.0	11.9	15.0	10.5	5.2	3.0	23,498
Women's education											
None/Preschool	6.0	3.0	2.0	1.4	3.5	2.3	3.4	2.3	0.7	0.3	46,344
Primary	25.2	13.4	9.9	7.3	15.4	12.0	16.3	11.1	4.5	1.9	15,058
Middle	46.2	29.2	22.1	17.7	30.0	26.5	34.9	23.4	10.9	5.8	7,468
Secondary	67.5	46.5	36.3	30.3	47.3	47.7	55.6	39.1	21.9	12.0	9,152
Higher	89.2	68.2	56.5	49.0	66.1	70.3	80.2	60.6	38.4	23.3	7,477
Missing/DK	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	3
Wealth index quintiles											
Lowest	2.8	1.5	1.0	0.8	1.5	1.2	1.6	1.2	0.4	0.2	16,761
Second	9.9	5.4	4.1	3.0	6.2	4.8	6.6	4.5	2.0	0.9	16,715
Middle	22.0	13.2	10.1	7.8	14.8	11.9	15.7	10.7	5.3	2.7	17,060
Fourth	36.4	22.9	17.8	14.3	24.6	22.1	27.2	19.2	10.0	5.2	17,465
Highest	60.8	43.1	33.8	28.9	41.9	43.4	50.8	37.1	20.9	12.2	17,500
Punjab	26.8	17.5	13.6	11.1	18.1	16.9	20.7	14.7	7.8	4.3	85,502

(*) Figures that are based on less than 25 unweighted cases

(*) Figures that are based on less than 25 unweighted cases

Table HA.1: Knowledge about HIV transmission, misconceptions about HIV/AIDS, and comprehensive knowledge about HIV transmission

Percentage of ever married women age 15-49 years who know the two ways of preventing HIV transmission, percentage who know that a healthy looking person can have the AIDS virus, percentage who reject common misconceptions, and percentage who have comprehensive knowledge about HIV transmission, MICS Punjab, 2011.

	Percentage who know transmission can be prevented by				Percent age of women who know both ways	Percentage who know that a healthy looking person can have the AIDS virus	Percentage who know that HIV cannot be transmitted by			Percentage who reject the two most common misconceptions and know that a healthy looking person can have the AIDS virus	Percentage with comprehensive knowledge of ever married women	
	Percent age who have heard of AIDS	Having sex with uninfected husband who has no other wife					Using a condom every time	Mosquito bites	Supernatural means			Sharing food with someone with AIDS
Punjab	26.8	17.5	13.6	11.1	18.1	16.9	20.7	14.7	7.8	4.3	85,502	
Division												
Bahawalpur	17.1	10.8	7.0	5.8	10.7	10.2	12.9	8.6	4.4	2.3	8,296	
D.G.Khan	11.4	7.3	5.7	4.4	8.4	7.4	9.6	7.3	4.1	1.9	8,840	
Faisalabad	23.6	16.0	12.8	10.4	17.0	15.3	17.8	12.2	6.9	4.3	11,923	
Gujranwala	40.1	26.0	23.0	19.4	27.4	23.9	30.2	21.1	11.6	7.2	13,278	
Lahore	35.2	23.7	17.2	14.5	22.7	24.7	29.1	21.3	10.7	5.5	12,655	
Multan	22.3	15.4	11.2	9.7	14.4	13.1	16.4	10.7	5.3	3.4	10,049	
Rawalpindi	38.3	23.3	17.5	13.2	22.9	23.3	28.2	22.3	10.6	5.1	7,507	
Sahiwal	13.6	10.7	7.9	6.5	10.6	10.2	11.7	7.7	5.1	2.7	6,628	
Sargodha	29.1	16.3	12.6	9.2	22.3	17.7	22.7	16.5	9.4	4.1	6,326	
District												
Bahawalpur												
B. Nagar	22.2	15.3	8.5	7.9	15.2	14.4	17.8	11.8	7.1	4.1	2,743	
RY Khan	19.4	10.4	7.0	5.0	11.5	10.1	12.5	7.9	3.2	1.3	2,262	
	11.4	7.4	5.8	4.5	6.4	6.7	9.2	6.4	2.9	1.5	3,292	
DG Khan												
Layyah	10.7	8.0	5.5	4.7	7.7	8.1	9.6	7.0	4.4	2.5	1,729	
M. Garh	12.1	8.2	5.2	4.4	9.0	7.6	9.5	7.7	4.1	1.9	1,792	
	12.1	7.7	6.6	5.1	9.2	7.2	10.1	7.5	4.1	1.9	4,124	
Rajapur	9.0	3.9	3.4	2.0	6.1	6.5	7.9	6.5	3.5	1.1	1,195	
Faisalabad												
Chiniot	31.7	21.1	17.0	13.6	23.4	20.1	23.4	15.4	8.3	5.0	6,272	
Jhang	17.1	11.6	9.6	8.0	12.2	11.9	14.8	11.0	6.6	5.0	1,220	
TT Singh	12.2	8.1	6.5	5.0	6.7	8.3	9.4	6.2	3.0	1.3	2,547	
	15.8	12.6	9.5	8.8	12.7	11.3	12.4	10.3	7.9	5.5	1,885	
Gujranwala												
Gujrat	39.1	32.3	28.6	26.4	29.5	25.0	32.5	20.0	11.7	9.0	4,104	
Hafizabad	43.5	21.6	20.3	16.0	27.0	25.6	29.6	24.3	14.1	7.7	2,450	
M. Bahaudin	33.7	21.4	16.2	14.9	15.4	16.1	21.9	14.4	5.5	3.8	879	
Narawal	31.3	18.3	16.3	12.9	19.9	16.6	20.9	13.5	7.8	5.0	1,637	
Sialkot	36.8	18.2	20.8	14.3	29.4	17.7	25.2	15.8	8.8	5.8	1,312	
	47.2	30.0	24.3	19.8	31.9	30.2	37.4	28.8	14.5	7.0	2,896	
Punjab	26.8	17.5	13.6	11.1	18.1	16.9	20.7	14.7	7.8	4.3	85,502	

Table HA.1: Knowledge about HIV transmission, misconceptions about HIV/AIDS, and comprehensive knowledge about HIV transmission

Percentage of ever married women age 15-49 years who know the two ways of preventing HIV transmission, percentage who know that a healthy looking person can have the AIDS virus, percentage who reject common misconceptions, and percentage who have comprehensive knowledge about HIV transmission, MICS Punjab, 2011.

	Percentage who know transmission can be prevented by				Percentage who know that HIV cannot be transmitted by				Percentage who reject the two most common misconceptions and know that a healthy looking person can have the AIDS virus	Percentage with comprehensive knowledge [1]	Number of ever married women
	Percent age who have heard of AIDS	Having sex with uninfected husband who has no other wife	Using a condom every time	Percent age of women who know both ways	Percentage who know that a healthy looking person can have the AIDS virus	Mosquito bites	Supernatural means	Sharing food with someone with AIDS			
Punjab	26.8	17.5	13.6	11.1	18.1	16.9	20.7	14.7	7.8	4.3	85,502
Lahore	46.6	31.9	22.5	19.1	29.7	33.9	39.3	29.3	15.0	8.2	7,069
Kasur	13.9	8.9	6.6	5.2	10.1	7.3	10.0	9.0	4.0	1.6	2,335
N. Sahib	21.0	14.6	11.4	10.2	12.7	15.0	18.3	10.8	4.7	1.7	1,130
Sheikhupura	28.5	17.6	14.2	11.6	18.7	18.5	21.9	13.5	7.1	2.9	2,121
Multan	28.6	17.8	10.7	9.4	17.7	15.0	20.2	12.8	5.6	3.2	3,911
Khanewal	18.5	14.1	11.3	9.4	10.4	12.8	14.6	10.1	4.9	3.3	2,393
Lodhran	15.3	10.9	10.3	9.1	11.8	9.7	14.1	11.0	6.1	4.7	1,322
Vehari	19.8	15.5	12.4	10.8	14.5	12.2	13.3	7.4	4.7	3.2	2,425
Sahiwal	17.3	13.3	12.1	9.4	14.1	13.2	15.1	9.1	6.1	3.6	1,978
Pakpattan	11.4	7.2	4.2	3.2	6.8	7.3	9.2	6.2	3.1	0.9	1,532
Okara	12.3	10.9	7.0	6.3	10.1	9.8	10.8	7.6	5.4	3.1	3,117
Rawalpindi	49.4	30.0	22.6	16.6	28.1	29.9	35.5	29.5	12.8	5.6	3,726
Attock	20.0	10.8	8.9	6.0	13.0	12.6	14.9	11.8	6.4	2.7	1,440
Chakwal	24.9	16.1	11.6	10.8	13.8	17.0	20.4	15.2	8.1	5.5	1,219
Jhelum	39.3	25.0	17.9	13.8	28.1	22.2	29.3	19.8	11.0	6.0	1,122
Sargodha	31.9	18.8	13.8	10.6	23.8	20.6	25.9	18.8	10.9	4.2	2,920
Bhakkar	24.9	10.6	8.0	4.6	18.7	14.0	18.7	12.7	6.3	1.9	1,178
Khushab	29.1	16.3	10.9	7.8	22.5	13.9	21.5	16.7	7.7	3.8	1,104
Mianwali	25.9	15.8	16.0	11.7	22.0	17.9	19.6	14.3	10.2	6.6	1,125
Punjab	26.8	17.5	13.6	11.1	18.1	16.9	20.7	14.7	7.8	4.3	85,502

[1] MICS indicator 9.1

(*) Figures that are based on less than 25 unweighted cases

Table HA.2: Knowledge about HIV transmission, misconceptions about HIV/AIDS, and comprehensive knowledge about HIV transmission among young people

Percentage of young ever married women age 15-24 years who know the two ways of preventing HIV transmission, percentage who know that a healthy looking person can have the AIDS virus, percentage who reject common misconceptions, and percentage who have comprehensive knowledge about HIV transmission, MICS Punjab, 2011.

	Percentage who know transmission can be prevented by			Percentage who know that a healthy looking person can have the AIDS virus		Percentage who know that HIV cannot be transmitted by			Percentage who reject the two most common misconceptions and know that a healthy looking person can have the AIDS virus		Percentage with comprehensive knowledge [1]		Number of ever married women age 15-24
	Percentage who have heard of AIDS	Having sex with uninfected husband who has no other wife	Using a condom every time	Percentage of women who know both ways	Percentage who know that a healthy looking person can have the AIDS virus	Mosquito bites	Supernatural means	Sharing food with someone with AIDS	Percentage who reject the two most common misconceptions and know that a healthy looking person can have the AIDS virus	Percentage with comprehensive knowledge [1]			
Punjab	25.4	16.6	12.3	10.2	17.0	16.0	19.8	13.7	7.2	3.9			14,182
Area of residence													
Rural	19.3	12.2	9.2	7.4	12.8	11.4	14.6	10.0	5.2	2.8			10,617
All Urban	43.4	29.6	21.8	18.5	29.6	29.9	35.6	24.7	13.2	7.2			3,564
Major Cities	48.8	34.5	25.4	22.1	32.2	34.5	41.3	28.4	13.8	7.4			1,788
Other Urban	38.0	24.8	18.2	14.9	27.0	25.3	29.8	21.0	12.6	7.1			1,777
Age													
15-19	14.5	9.1	6.7	5.5	9.7	8.0	11.3	7.6	3.8	2.0			2,781
20-24	28.0	18.4	13.7	11.3	18.8	18.0	21.9	15.2	8.0	4.4			11,400
Women's education													
None/Preschool	4.1	2.2	1.3	1.0	2.1	1.7	2.4	1.8	0.6	0.3			6,504
Primary	19.8	10.6	7.5	5.3	11.7	8.1	12.2	8.6	3.0	1.2			3,049
Middle	39.2	23.9	17.4	14.8	26.3	21.7	30.5	18.7	8.8	4.9			1,575
Secondary	58.7	39.0	29.3	24.8	41.5	41.8	48.6	32.9	17.6	9.4			1,880
Higher	85.8	66.0	52.2	44.0	61.6	66.8	75.9	55.4	35.8	21.3			1,173
Missing/DK	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)			1
Wealth index quintiles													
Lowest	3.6	2.1	1.3	1.1	2.2	1.7	2.2	1.8	0.8	0.4			3,244
Second	11.8	6.7	4.9	3.5	7.2	6.2	8.6	5.7	2.6	1.1			3,087
Middle	26.3	16.5	11.6	9.2	17.8	14.0	19.3	13.8	6.9	3.7			2,917
Fourth	38.7	24.8	19.2	16.2	25.6	24.4	29.7	19.6	9.9	5.7			2,668
Highest	58.0	41.2	31.1	26.4	40.4	42.6	49.5	34.5	19.8	11.0			2,265
Punjab	25.4	16.6	12.3	10.2	17.0	16.0	19.8	13.7	7.2	3.9			14,182

(*) Figures that are based on less than 25 unweighted cases

Table HA.2: Knowledge about HIV transmission, misconceptions about HIV/AIDS, and comprehensive knowledge about HIV transmission among young people

Percentage of young ever married women age 15-24 years who know the two ways of preventing HIV transmission, percentage who know that a healthy looking person can have the AIDS virus, percentage who reject common misconceptions, and percentage who have comprehensive knowledge about HIV transmission, MICS Punjab, 2011.

	Percentage who know transmission can be prevented by				Percentage who know that a healthy looking person can have the AIDS virus	Percentage who know that HIV cannot be transmitted by			Percentage who reject the two most common misconceptions and know that a healthy looking person can have the AIDS virus	Percentage with comprehensive knowledge [1]	Number of ever married women age 15-24
	Percentage who have heard of AIDS	Having sex with uninfected husband who has no other wife	Using a condom every time	Percentage of women who know both ways		Mosquito bites	Supernatural means	Sharing food with someone with AIDS			
Punjab	25.4	16.6	12.3	10.2	17.0	16.0	19.8	13.7	7.2	3.9	14,182
Division											
Bahawalpur	16.5	10.2	6.3	5.1	9.5	9.9	12.1	8.1	3.4	1.8	1,531
D.G.Khan	11.2	7.5	5.1	4.2	8.3	7.5	9.8	7.2	4.2	1.6	1,945
Faisalabad	22.0	14.4	10.8	8.5	14.9	14.2	16.7	10.2	5.7	3.4	1,990
Gujranwala	47.3	30.6	27.0	23.6	34.0	28.4	36.3	23.8	14.0	9.3	1,764
Lahore	30.3	20.3	15.2	12.4	18.4	22.2	25.6	19.6	9.4	4.6	1,941
Multan	23.0	15.7	11.0	9.6	15.2	13.1	17.1	10.3	5.7	3.8	1,726
Rawalpindi	38.3	23.6	17.4	13.2	23.0	23.3	30.0	21.9	9.1	4.2	1,041
Sahiwal	14.3	11.6	7.1	5.8	9.7	9.1	11.1	8.4	4.2	2.3	1,268
Sargodha	29.7	16.5	11.0	8.0	23.1	18.1	22.6	16.6	9.9	3.9	976
District											
Bahawalpur	20.0	12.7	6.5	5.9	13.4	13.0	15.5	9.6	5.3	3.0	518
B. Nagar	18.0	8.7	5.5	3.5	10.6	8.9	12.0	7.6	2.3	0.4	374
RY Khan	12.8	9.2	6.7	5.4	5.6	7.9	9.4	7.1	2.5	1.7	638
DG Khan	10.4	6.8	4.0	3.6	6.1	7.6	9.5	5.8	2.7	1.2	435
Layyah	12.4	9.5	4.0	3.7	10.5	7.8	10.8	7.9	4.8	2.2	356
M. Garh	11.5	8.1	6.4	5.4	9.0	7.0	9.7	7.3	4.3	1.8	914
Rajapur	10.1	3.7	3.5	1.4	6.8	8.6	9.6	8.4	5.5	1.0	240
Faisalabad	33.7	21.9	15.9	12.6	23.8	20.9	25.0	14.9	8.0	4.8	907
Chiniot	16.7	11.2	11.1	8.6	13.1	13.4	14.6	9.4	7.2	5.4	262
Jhang	9.8	6.3	4.9	3.3	4.3	6.5	7.4	4.5	1.6	0.5	560
TT Singh	12.5	9.3	5.9	5.2	8.4	7.9	10.0	7.1	4.7	2.5	262
Gujranwala	45.7	37.3	33.0	31.4	35.0	30.0	37.6	18.3	11.3	9.0	536
Gujrat	49.6	25.9	25.0	21.0	32.3	27.4	37.5	27.8	14.7	9.7	353
Hafizabad	34.6	21.5	14.7	13.0	16.9	15.0	23.9	12.3	4.9	3.4	135
M. Bahaudin	36.2	22.9	22.7	19.3	24.9	23.0	27.6	21.8	14.6	12.1	179
Narowal	52.9	27.5	29.1	22.3	45.7	27.2	36.5	23.7	16.6	11.5	180
Sialkot	54.6	33.9	25.8	21.6	38.8	34.8	41.5	33.1	18.5	9.2	381
Punjab	25.4	16.6	12.3	10.2	17.0	16.0	19.8	13.7	7.2	3.9	14,182

Table HA.2: Knowledge about HIV transmission, misconceptions about HIV/AIDS, and comprehensive knowledge about HIV transmission among young people

Percentage of young ever married women age 15-24 years who know the two ways of preventing HIV transmission, percentage who know that a healthy looking person can have the AIDS virus, percentage who reject common misconceptions, and percentage who have comprehensive knowledge about HIV transmission, MICS Punjab, 2011.

	Percentage who know transmission can be prevented by				Percentage who know that a healthy looking person can have the AIDS virus	Percentage who know that HIV cannot be transmitted by			Percentage who reject the two most common misconceptions and know that a healthy looking person can have the AIDS virus	Percentage with comprehensive knowledge [1]	Number of ever married women age 15-24
	Percentage who have heard of AIDS	Having sex with uninfected husband who has no other wife	Using a condom every time	Percentage of women who know both ways		Mosquito bites	Supernatural means	Sharing food with someone with AIDS			
Punjab	25.4	16.6	12.3	10.2	17.0	16.0	19.8	13.7	7.2	3.9	14,182
Lahore	37.7	26.5	19.9	16.5	23.0	28.9	33.2	25.3	12.1	6.3	1,066
Kasur	13.9	8.8	6.3	5.0	9.6	6.8	10.0	10.3	4.3	2.5	401
N. Sahib	25.7	15.9	10.5	9.0	15.9	20.6	21.3	14.4	8.3	1.9	157
Sheikhupura	28.2	16.2	12.9	9.4	15.5	19.9	21.6	14.9	7.6	2.9	317
Multan	27.7	17.9	10.2	9.4	17.8	13.9	20.1	10.7	5.3	3.4	756
Khanewal	15.5	12.4	7.5	6.0	9.2	10.7	12.2	9.4	4.9	3.1	388
Lodhran	21.7	15.2	15.4	13.6	16.3	14.4	19.9	16.7	8.8	6.8	227
Vehari	22.0	14.9	13.8	11.5	15.7	13.3	14.4	6.3	5.2	3.5	355
Sahiwal	19.3	16.1	12.1	10.1	15.8	14.4	16.2	10.4	7.3	4.1	331
Pakpattan	11.3	7.3	4.1	2.7	6.6	7.2	8.5	4.3	3.0	0.3	310
Okara	13.2	11.4	5.8	5.1	7.9	7.2	9.6	9.5	3.2	2.4	627
Rawalpindi	50.7	32.0	23.9	17.4	28.4	31.8	40.1	30.3	10.5	3.8	480
Attock	17.3	7.1	6.5	4.1	11.0	8.9	14.6	9.4	4.6	2.1	224
Chakwal	31.5	23.5	16.6	15.7	19.8	21.9	27.0	20.4	11.4	8.5	178
Jhelum	37.9	21.7	13.8	10.7	27.5	19.1	24.8	15.9	8.9	3.5	158
Sargodha	28.8	17.6	8.9	6.7	22.2	18.2	22.1	16.2	9.7	2.3	445
Bhakkar	31.1	10.9	9.0	5.5	21.5	16.8	21.9	16.0	7.2	2.4	176
Khushab	29.5	18.6	12.1	9.3	24.9	15.2	22.4	16.7	10.0	5.7	209
Mianwali	30.7	17.2	18.0	13.2	25.1	23.3	25.4	18.5	13.8	7.7	145
Punjab	25.4	16.6	12.3	10.2	17.0	16.0	19.8	13.7	7.2	3.9	14,182

[1] MICS indicator 9.2; MDG indicator 6.3

(*) Figures that are based on less than 25 unweighted cases

Table HA.3: Knowledge of mother-to-child HIV transmission

Percentage of ever married women age 15-49 years who correctly identify means of HIV transmission from mother to child, MICS Punjab, 2011.

	Percentage who know HIV can be transmitted from mother to child	Percentage who know HIV can be transmitted				Does not know any of the specific means	Number of ever married women
		During pregnancy	During delivery	By breastfeeding	All three means [1]		
Punjab	21.7	20.4	17.0	17.0	14.2	5.0	85,502
Area of residence							
Rural	14.5	13.5	11.4	11.9	9.9	3.7	60,370
All Urban	39.0	37.0	30.3	29.2	24.7	8.3	25,132
Major Cities	43.3	41.3	33.7	32.1	27.6	10.3	12,689
Other Urban	34.6	32.6	26.8	26.1	21.7	6.3	12,443
Age group							
15-24	20.5	19.1	15.7	16.3	13.3	4.9	14,182
15-19	11.3	10.2	7.8	9.0	6.4	3.2	2,781
20-24	22.7	21.3	17.6	18.1	15.0	5.3	11,400
25-29	26.4	24.7	20.4	20.8	17.2	6.1	17,260
30-39	24.0	22.6	19.0	18.7	15.9	5.3	30,562
40-49	16.1	15.1	12.6	12.4	10.4	4.1	23,498
Women's education							
None/Preschool	4.5	4.2	3.5	3.7	3.0	1.5	46,344
Primary	19.8	18.5	15.6	16.1	13.4	5.4	15,058
Middle	36.8	34.3	28.9	29.7	25.0	9.5	7,468
Secondary	56.1	52.7	43.5	43.1	36.0	11.4	9,152
Higher	74.9	71.0	59.0	56.4	47.9	14.3	7,477
Missing/DK	(*)	(*)	(*)	(*)	(*)	(*)	3
Wealth index quintiles							
Lowest	2.2	2.1	1.7	1.9	1.5	0.6	16,761
Second	7.9	7.3	6.1	6.7	5.3	2.0	16,715
Middle	17.9	16.6	13.7	14.6	11.9	4.1	17,060
Fourth	29.2	27.3	22.9	23.3	19.5	7.2	17,465
Highest	49.9	47.3	39.4	37.3	31.9	10.9	17,500
Division							
Bahawalpur	14.3	13.2	11.6	12.2	9.9	2.9	8,296
D.G.Khan	10.1	9.2	7.7	8.1	6.5	1.3	8,840
Faisalabad	20.1	18.9	16.1	15.3	13.1	3.5	11,923
Gujranwala	32.3	30.8	26.5	26.1	22.8	7.8	13,278
Lahore	28.0	26.2	20.0	20.2	16.5	7.3	12,655
Multan	17.6	16.4	13.4	13.8	11.0	4.7	10,049
Rawalpindi	29.6	28.0	23.2	22.5	18.7	8.7	7,507
Sahiwal	12.2	11.6	10.2	9.4	8.2	1.4	6,628
Sargodha	23.3	21.4	18.2	20.1	16.2	5.8	6,326
Punjab	21.7	20.4	17.0	17.0	14.2	5.0	85,502

(*) Figures that are based on less than 25 unweighted cases

Table HA.3: Knowledge of mother-to-child HIV transmission

Percentage of ever married women age 15-49 years who correctly identify means of HIV transmission from mother to child, MICS Punjab, 2011.

	Percentage who know HIV can be transmitted from mother to child	Percentage who know HIV can be transmitted				Does not know any of the specific means	Number of ever married women
		During pregnancy	During delivery	By breastfeeding	All three means [1]		
Punjab	21.7	20.4	17.0	17.0	14.2	5.0	85,502
District							
Bahawalpur	18.5	17.5	16.1	17.0	14.8	3.6	2,743
B. Nagar	16.2	14.7	12.3	12.7	9.5	3.2	2,262
RY Khan	9.3	8.6	7.4	7.8	6.2	2.1	3,292
DG Khan	9.1	8.1	6.8	7.1	5.7	1.6	1,729
Layyah	10.7	9.5	7.6	8.9	6.8	1.5	1,792
M. Garh	10.7	9.8	8.2	8.3	6.7	1.3	4,124
Rajanpur	8.3	8.3	7.5	7.5	6.9	0.7	1,195
Faisalabad	27.5	26.2	23.2	21.2	18.9	4.3	6,272
Chiniot	14.5	14.4	9.5	11.4	8.7	2.6	1,220
Jhang	10.1	9.2	8.8	8.6	7.6	2.2	2,547
TT Singh	12.4	10.8	6.8	6.9	4.5	3.4	1,885
Gujranwala	33.5	32.3	27.5	28.3	24.7	5.6	4,104
Gujrat	30.8	29.2	26.3	23.6	20.7	12.6	2,450
Hafizabad	27.9	27.0	19.0	20.9	16.2	5.8	879
M. Bahaudin	21.9	20.7	18.3	18.6	16.7	9.5	1,637
Narowal	32.0	30.7	26.0	22.9	19.9	4.7	1,312
Sialkot	39.2	36.8	32.6	32.2	28.7	8.1	2,896
Lahore	36.4	33.9	24.9	25.1	20.2	10.2	7,069
Kasur	11.0	9.9	8.0	9.3	7.0	2.9	2,335
N. Sahib	17.3	16.9	13.5	12.5	10.2	3.7	1,130
Sheikhupura	24.4	23.4	20.2	20.1	17.7	4.1	2,121
Multan	19.4	17.8	15.5	16.6	13.6	9.3	3,911
Khanewal	16.7	15.6	12.7	13.9	10.8	1.8	2,393
Lodhran	13.4	12.9	11.8	8.2	7.2	1.8	1,322
Vehari	18.1	17.0	11.5	12.3	9.1	1.7	2,425
Sahiwal	16.0	15.6	14.2	13.1	12.2	1.3	1,978
Pakpattan	9.1	8.6	6.7	6.8	5.4	2.3	1,532
Okara	11.2	10.6	9.4	8.3	7.1	1.1	3,117
Rawalpindi	38.2	36.3	31.1	29.8	25.6	11.3	3,726
Attock	16.6	15.7	12.5	12.2	9.8	3.4	1,440
Chakwal	16.8	15.4	11.6	11.9	8.4	8.1	1,219
Jhelum	31.9	29.8	23.2	22.9	18.5	7.4	1,122
Sargodha	26.7	24.5	19.9	22.4	17.6	5.3	2,920
Bhakkar	22.3	20.9	18.7	20.8	17.5	2.6	1,178
Khushab	23.7	21.4	18.8	20.4	16.6	5.5	1,104
Mianwali	15.3	14.0	12.4	13.2	10.9	10.6	1,125
Punjab	21.7	20.4	17.0	17.0	14.2	5.0	85,502

[1] MICS indicator 9.3

(*) Figures that are based on less than 25 unweighted cases

Table HA.4: Accepting attitudes toward people living with HIV/AIDS

Percentage of ever married women age 15-49 years who have heard of AIDS who express an accepting attitude towards people living with HIV/ AIDS, MICS Punjab, 2011.

	Percentage of women who						Number of ever married women who have heard of AIDS
	Are willing to care for a family member with the AIDS virus in own home	Would buy fresh vegetables from a shopkeeper or vendor who has the AIDS virus	Believe that a female teacher with the AIDS virus and is not sick should be allowed to continue teaching	Would not want to keep secret that a family member got infected with the AIDS virus	Agree with at least one accepting attitude	Express accepting attitudes on all four indicators [1]	
Punjab	90.9	57.4	63.3	74.0	96.9	38.8	22,886
Area of residence							
Rural	92.8	58.9	64.3	75.1	96.9	40.8	10,987
All Urban	89.2	55.9	62.3	73.0	96.9	36.9	11,899
Major Cities	86.5	53.7	59.1	72.8	96.2	35.7	6,807
Other Urban	92.7	58.8	66.5	73.3	97.8	38.6	5,092
Age group							
15-24	91.5	58.7	64.3	73.2	96.8	38.9	3,597
15-19	92.6	59.3	67.1	71.6	97.2	38.6	404
20-24	91.4	58.7	64.0	73.4	96.8	39.0	3,193
25-29	91.0	58.9	66.2	73.7	97.1	39.6	5,597
30-39	91.0	57.5	62.7	74.2	97.2	38.8	8,963
40-49	90.2	54.3	60.1	74.8	96.1	37.7	4,729
Women's education							
None/Preschool	88.3	43.8	47.7	69.6	92.9	27.8	2,796
Primary	91.2	48.8	54.2	73.2	96.4	31.8	3,790
Middle	90.0	52.6	59.5	72.5	95.6	35.4	3,451
Secondary	91.8	60.0	66.2	76.7	98.1	41.0	6,175
Higher	91.5	67.9	74.1	74.8	98.3	47.1	6,672
Missing/DK	(*)	(*)	(*)	(*)	(*)	(*)	2
Wealth index quintiles							
Lowest	92.4	46.3	52.2	69.6	95.8	25.7	467
Second	92.0	50.6	55.5	70.7	96.1	31.2	1,657
Middle	92.3	55.9	60.3	75.3	97.0	37.8	3,754
Fourth	92.1	56.2	62.9	74.5	96.7	38.4	6,365
Highest	89.5	60.1	66.2	74.1	97.1	41.1	10,642
Division							
Bahawalpur	95.5	55.6	60.7	78.3	98.1	37.8	1,422
D.G.Khan	97.3	61.4	63.7	71.2	99.0	37.3	1,008
Faisalabad	91.6	55.3	58.8	64.9	97.0	31.9	2,810
Gujranwala	91.2	58.8	65.9	80.2	97.0	42.9	5,328
Lahore	87.8	58.0	62.5	79.3	98.1	40.7	4,461
Multan	89.3	55.5	64.8	70.2	92.4	38.9	2,244
Rawalpindi	89.9	55.9	64.7	65.8	95.0	36.4	2,874
Sahiwal	91.9	62.1	68.4	70.8	99.0	41.9	900
Sargodha	92.3	55.8	59.3	74.9	98.7	36.4	1,839
Punjab	90.9	57.4	63.3	74.0	96.9	38.8	22,886

(*) Figures that are based on less than 25 unweighted cases

Table HA.4: Accepting attitudes toward people living with HIV/AIDS

Percentage of ever married women age 15-49 years who have heard of AIDS who express an accepting attitude towards people living with HIV/ AIDS, MICS Punjab, 2011.

	Percentage of women who					Express accepting attitudes on all four indicators [1]	Number of ever married women who have heard of AIDS
	Are willing to care for a family member with the AIDS virus in own home	Would buy fresh vegetables from a shopkeeper or vendor who has the AIDS virus	Believe that a female teacher with the AIDS virus and is not sick should be allowed to continue teaching	Would not want to keep secret that a family member got infected with the AIDS virus	Agree with at least one accepting attitude		
Punjab	90.9	57.4	63.3	74.0	96.9	38.8	22,886
District							
Bahawalpur	98.3	55.2	57.7	83.3	99.5	38.6	608
B. Nagar	93.8	49.3	57.8	82.0	96.9	35.6	439
RY Khan	93.0	63.6	68.9	65.8	97.2	38.9	376
DG Khan	93.0	65.1	66.0	59.4	97.2	36.0	185
Layyah	97.5	59.9	63.5	71.0	99.1	34.7	218
M. Garh	98.8	63.1	65.0	76.8	99.8	40.8	497
Rajanpur	97.1	50.1	53.9	66.0	98.0	28.8	108
Faisalabad	90.1	52.0	53.7	64.8	96.9	29.1	1,991
Chiniot	95.3	66.8	69.8	50.5	98.9	23.7	209
Jhang	97.2	54.0	66.3	64.1	98.6	29.2	312
TT Singh	92.9	71.1	77.4	76.7	94.7	59.0	299
Gujranwala	89.7	61.2	72.7	77.8	97.3	45.7	1,605
Gujrat	92.9	67.2	68.9	84.6	96.8	53.6	1,065
Hafizabad	94.6	52.5	49.6	68.2	98.0	23.6	296
M. Bahaudin	85.5	51.2	57.6	64.5	92.3	27.7	513
Narowal	92.9	53.7	56.5	84.9	95.9	37.4	482
Sialkot	92.6	55.6	65.7	86.4	98.7	43.0	1,368
Lahore	86.2	59.4	63.0	79.3	98.2	40.9	3,292
Kasur	88.4	67.5	77.9	74.2	98.9	43.4	325
N. Sahib	93.1	46.7	51.6	81.2	97.7	36.9	238
Sheikhupura	94.0	49.7	55.6	80.7	97.8	39.4	605
Multan	84.0	48.1	55.0	62.6	86.2	31.8	1,119
Khanewal	91.5	58.3	72.7	74.7	97.2	40.8	443
Lodhran	96.6	72.1	75.5	88.1	99.9	58.1	202
Vehari	96.8	63.4	75.6	76.5	99.3	45.7	480
Sahiwal	92.9	60.4	71.0	59.3	98.9	34.9	342
Pakpattan	88.2	66.7	69.7	73.1	97.1	42.8	174
Okara	92.6	61.6	65.5	80.0	99.8	47.6	384
Rawalpindi	86.4	54.5	63.1	62.0	93.0	35.7	1,842
Attock	95.3	65.7	71.9	75.4	97.8	47.8	288
Chakwal	95.5	63.5	67.9	74.2	98.3	42.7	304
Jhelum	97.3	50.3	64.6	69.5	99.2	27.5	440
Sargodha	93.2	57.6	61.4	75.5	98.9	37.5	932
Bhakkar	98.4	46.1	50.2	78.2	99.3	30.5	294
Khushab	80.9	54.1	54.6	59.6	98.4	26.6	322
Mianwali	95.8	61.7	67.1	86.5	97.8	49.7	292
Punjab	90.9	57.4	63.3	74.0	96.9	38.8	22,886

[1] MICS indicator 9.4

(*) Figures that are based on less than 25 unweighted cases