



RH

REPRODUCTIVE HEALTH

Table RH.1: Adolescent birth rate and total fertility rate

Adolescent birth rates and total fertility rates, MICS Punjab, 2011.

	Adolescent birth rate [1] (Age-specific fertility rate for women age 15-19)	Total Fertility Rate
Punjab	30	3.58
Area of residence		
Rural	35	3.82
All urban	20	3.06
Major Cities	19	3.02
Other Urban	21	3.10
Women's education		
None/Preschool	60	4.21
Primary	37	3.53
Middle	25	3.56
Secondary	16	3.17
Higher	5	2.63
Missing/DK	0	0.00
Wealth index quintiles		
Lowest	56	4.79
Second	33	3.71
Middle	30	3.54
Fourth	21	3.31
Highest	17	2.80
Division		
Bahawalpur	40	4.02
D.G.Khan	55	4.57
Faisalabad	33	3.45
Gujranwala	19	3.43
Lahore	23	3.48
Multan	32	3.44
Rawalpindi	23	2.98
Sahiwal	33	3.76
Sargodha	28	3.39
Punjab	30	3.58

[1] MICS indicator 5.1; MDG indicator 5.4

Table RH.1: Adolescent birth rate and total fertility rate

Adolescent birth rates and total fertility rates, MICS Punjab, 2011.

	Adolescent birth rate [1] (Age-specific fertility rate for women age 15-19)	Total Fertility Rate
Punjab	30	3.58
District		
Bahawalpur	37	3.53
B. Nagar	35	4.32
RY Khan	47	4.25
DG Khan	59	4.87
Layyah	51	3.97
M. Garh	58	4.65
Rajanpur	45	4.84
Faisalabad	20	3.19
Chiniot	60	3.81
Jhang	69	4.01
TT Singh	20	3.43
Gujranwala	20	3.49
Gujrat	16	3.25
Hafizabad	36	4.10
M. Bahaudin	16	3.20
Narowal	13	3.59
Sialkot	18	3.32
Lahore	15	3.21
Kasur	33	4.38
N. Sahib	33	3.43
Sheikhupura	29	3.45
Multan	39	3.55
Khanewal	27	3.01
Lodhran	34	3.26
Vehari	21	3.74
Sahiwal	15	3.35
Pakpattan	36	4.28
Okara	44	3.78
Rawalpindi	23	3.05
Attock	24	2.80
Chakwal	27	2.51
Jhelum	16	3.45
Sargodha	26	3.71
Bhakkar	23	3.56
Khushab	44	2.91
Mianwali	24	2.87
Punjab	30	3.58

[1] MICS indicator 5.1; MDG indicator 5.4

Table RH.2: Early childbearing

Percentage of ever-married women age 15-19 who have had a live birth or who are pregnant with the first child; percentage of ever-married women age 15-19 who have begun childbearing before age 15, and the percentage of ever-married women age 20-24 who have had a live birth before age 18, MICS Punjab, 2011.

	Number of ever-married women age 15-19 who				Number of ever-married women age 15-19	Percentage of ever-married women age 20-24 who have had a live birth before age 18 [1]	Number of ever-married women age 20-24
	Have had a live birth	Are pregnant with first child	Have begun childbearing	Have had a live birth before age 15			
Punjab	37.3	22.2	59.5	3.6	2,781	13.8	11,400
Area of residence							
Rural	37.3	22.5	59.8	3.5	2,267	14.9	8,351
All Urban	37.3	20.9	58.1	3.9	515	10.7	3,050
Major Cities	39.3	21.5	60.8	5.2	216	10.2	1,572
Other Urban	35.8	20.4	56.2	3.0	299	11.3	1,478
Women's education							
None/Preschool	40.4	19.7	60.1	5.6	1,479	19.5	5,024
Primary	35.2	23.1	58.3	1.8	614	13.0	2,434
Middle	35.8	23.0	58.8	1.0	307	10.5	1,269
Secondary	32.4	29.8	62.3	0.5	304	7.1	1,575
Higher	18.5	30.8	49.3	0.0	77	2.8	1,097
Missing/DK	(*)	(*)	(*)	(*)	0	(*)	1
Wealth index quintiles							
Lowest	42.3	16.3	58.6	5.1	841	21.4	2,403
Second	33.5	26.6	60.0	3.3	708	18.1	2,379
Middle	36.1	24.4	60.5	2.5	574	11.4	2,343
Fourth	37.2	23.2	60.4	3.7	403	8.8	2,265
Highest	34.1	23.2	57.4	1.3	255	8.2	2,010
Division							
Bahawalpur	36.2	23.3	59.5	2.9	366	16.1	1,165
D.G.Khan	40.4	18.9	59.3	6.0	513	20.1	1,432
Faisalabad	38.2	26.2	64.4	3.4	434	11.1	1,556
Gujranwala	39.5	23.1	62.6	3.4	232	10.3	1,533
Lahore	39.4	22.0	61.5	3.8	269	13.0	1,672
Multan	37.6	21.7	59.3	2.2	365	18.6	1,362
Rawalpindi	35.6	21.1	56.8	3.0	171	9.4	869
Sahiwal	33.8	17.3	51.1	3.6	243	12.9	1,026
Sargodha	28.5	27.5	56.0	1.4	190	10.3	786
Punjab	37.3	22.2	59.5	3.6	2,781	13.8	11,400

[1] MICS indicator 5.2

(*) Figures that are based on less than 25 unweighted cases

Table RH.2: Early childbearing

Percentage of ever-married women age 15-19 who have had a live birth or who are pregnant with the first child; percentage of ever-married women age 15-19 who have begun childbearing before age 15, and the percentage of ever-married women age 20-24 who have had a live birth before age 18, MICS Punjab, 2011.

	Number of ever-married women age 15-19 who				Number of ever-married women age 15-19	Percentage of ever-married women age 20-24 who have had a live birth before age 18 [1]	Number of ever-married women age 20-24
	Have had a live birth	Are pregnant with first child	Have begun childbearing	Have had a live birth before age 15			
Punjab	37.3	22.2	59.5	3.6	2,781	13.8	11,400
District							
Bahawalpur	37.3	29.2	66.6	3.2	123	18.9	395
B. Nagar	34.9	24.5	59.3	4.4	80	8.7	294
RY Khan	35.9	18.2	54.1	1.9	163	18.3	476
DG Khan	36.2	15.1	51.3	5.8	147	25.3	288
Layyah	42.6	20.1	62.7	3.5	65	15.4	291
M. Garh	39.0	20.9	59.9	7.1	254	18.3	660
Rajanpur	57.9	18.7	76.6	3.5	47	25.4	193
Faisalabad	34.9	29.0	63.9	2.8	154	8.6	753
Chiniot	43.7	12.1	55.8	6.6	72	14.7	190
Jhang	44.2	27.1	71.3	3.4	149	13.5	411
TT Singh	25.1	34.0	59.1	1.0	59	12.4	203
Gujranwala	39.7	24.2	63.9	0.0	63	11.1	473
Gujrat	40.9	23.5	64.4	0.0	38	8.2	315
Hafizabad	39.0	13.9	52.9	11.6	30	22.1	105
M. Bahaudin	38.8	17.2	56.0	3.9	27	12.4	152
Narowal	36.7	28.0	64.7	6.2	29	9.1	152
Sialkot	40.5	27.7	68.2	3.7	45	7.3	336
Lahore	39.1	22.8	61.8	5.0	102	10.0	964
Kasur	34.9	16.9	51.8	5.1	86	16.0	315
N. Sahib	50.9	12.6	63.5	0.0	32	22.6	124
Sheikhupura	40.5	35.9	76.4	1.7	48	15.8	269
Multan	40.4	22.8	63.3	3.7	175	19.1	581
Khanewal	34.4	16.9	51.3	1.5	85	21.7	302
Lodhran	32.5	36.6	69.2	0.0	52	23.5	175
Vehari	38.4	10.5	48.9	0.8	52	11.7	303
Sahiwal	18.7	24.7	43.3	1.6	54	10.2	277
Pakpattan	37.5	20.2	57.7	6.3	67	13.2	243
Okara	38.5	12.5	50.9	3.1	122	14.3	505
Rawalpindi	48.8	12.4	61.2	6.6	73	10.5	407
Attock	28.2	34.7	62.9	1.0	39	11.2	185
Chakwal	19.6	22.6	42.1	0.0	35	6.5	143
Jhelum	31.5	23.3	54.8	0.0	23	6.8	134
Sargodha	23.5	25.5	49.0	1.5	88	8.2	357
Bhakkar	32.7	28.4	61.0	1.4	35	11.7	141
Khushab	36.5	23.9	60.4	2.2	42	10.5	167
Mianwali	26.8	38.9	65.7	0.0	25	14.8	120
Punjab	37.3	22.2	59.5	3.6	2,781	13.8	11,400

[1] MICS indicator 5.2

(*) Figures that are based on less than 25 unweighted cases

Table RH.3: Trends in early childbearing

Percentage of ever-married women who have had a live birth by age 15 and 18, by age groups, MICS Punjab, 2011.

		Urban				Rural				All			
Age	Percentage of ever-married women with a live birth before age 15	Number of ever-married women	Percentage of ever-married women with a live birth before age 18	Number of ever-married women	Percentage of ever-married women with a live birth before age 15	Number of ever-married women	Percentage of ever-married women with a live birth before age 18	Number of ever-married women	Percentage of ever-married women with a live birth before age 15	Number of ever-married women	Percentage of ever-married women with a live birth before age 18	Number of ever-married women	Percentage of ever-married women with a live birth before age 18
Punjab	2.0	25,132	11.0	24,617	2.4	60,370	12.9	58,103	2.3	85,502	12.4	82,721	
Age													
15-19	3.9	515	na	na	3.5	2,267	na	na	3.6	2,781	na	na	
20-24	2.1	3,050	10.7	3,050	2.1	8,351	14.9	8,351	2.1	11,400	13.8	11,400	
25-29	1.5	4,928	8.9	4,928	2.2	12,332	12.5	12,332	2.0	17,260	11.4	17,260	
30-34	1.8	4,777	10.0	4,777	2.7	11,063	12.4	11,063	2.4	15,841	11.7	15,841	
35-39	1.9	4,606	11.4	4,606	2.2	10,116	12.8	10,116	2.1	14,722	12.4	14,722	
40-44	2.6	3,931	13.2	3,931	2.7	9,019	13.7	9,019	2.7	12,951	13.5	12,951	
45-49	1.9	3,325	12.5	3,325	2.1	7,222	11.6	7,222	2.0	10,547	11.9	10,547	
Punjab	2.0	25,132	11.0	24,617	2.4	60,370	12.9	58,103	2.3	85,502	12.4	82,721	

Table RH.4: Use of contraception

Percentage of currently married women age 15-49 years who are using (or whose husband is using) a contraceptive method, MICS Punjab, 2011.

	Percent of women currently married who are using												Number of currently married women
	Not using any method	Female sterilization	Male sterilization	IUD	Injectables	Implants	Pill	Condom	Lactational amenorrhoea method (LAM)	With drawal	Other	Missing/DK	
Punjab	64.7	11.1	0.1	3.5	3.3	0.1	2.4	8.3	2.7	3.2	0.4	0.1	81,505
Area of residence													
Rural	67.9	10.8	0.1	3.2	3.6	0.1	2.3	6.5	2.6	2.4	0.4	0.1	57,568
All Urban	57.0	12.0	0.2	4.1	2.5	0.1	2.8	12.8	3.0	5.2	0.3	0.1	23,937
Major Cities	54.4	12.6	0.2	4.4	2.5	0.1	2.8	13.7	3.4	5.6	0.4	0.1	12,118
Other Urban	59.7	11.4	0.2	3.8	2.6	0.1	2.7	11.9	2.5	4.8	0.3	0.1	11,819
Age													
15-19	91.7	0.0	0.0	0.3	0.6	0.0	0.2	2.9	3.0	0.9	0.2	0.0	2,681
20-24	80.2	0.5	0.0	1.5	2.3	0.1	1.7	6.9	4.7	1.7	0.3	0.1	11,060
25-29	70.6	2.8	0.1	3.3	3.5	0.1	2.6	9.7	4.3	2.6	0.3	0.0	16,776
30-34	61.0	9.6	0.1	4.7	4.4	0.2	3.0	10.4	3.2	3.0	0.3	0.1	15,358
35-39	54.8	16.6	0.2	4.6	3.9	0.1	3.1	9.9	1.9	4.3	0.5	0.2	14,059
40-44	53.8	21.8	0.2	4.2	3.6	0.1	2.6	7.7	0.7	4.5	0.5	0.1	12,108
45-49	62.9	22.1	0.3	2.4	1.9	0.0	1.6	4.3	0.3	3.6	0.3	0.1	9,463
Number of living children													
0	99.3	0.1	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.1	0.1	0.0	10,440
1	81.0	0.6	0.0	0.7	1.6	0.0	1.3	7.7	4.9	1.8	0.2	0.1	10,868
2	68.6	3.3	0.1	3.3	3.6	0.1	2.7	10.7	4.1	3.2	0.3	0.1	12,166
3	57.2	10.4	0.1	4.8	4.1	0.1	3.0	12.3	3.2	4.3	0.4	0.1	13,350
4+	50.7	20.8	0.3	4.9	4.4	0.2	3.1	8.7	2.2	4.2	0.5	0.1	34,682
Women's education													
None/Preschool	65.9	13.2	0.2	3.4	3.6	0.1	2.5	5.3	2.7	2.8	0.3	0.1	43,787
Primary	64.2	10.8	0.1	3.4	3.3	0.1	2.2	9.0	2.6	3.8	0.5	0.1	14,396
Middle	63.5	9.0	0.1	3.9	2.6	0.1	2.4	11.4	3.0	3.5	0.5	0.1	7,191
Secondary	63.1	7.2	0.0	3.5	3.3	0.2	2.7	13.3	2.9	3.5	0.2	0.0	8,851
Higher	61.6	6.2	0.2	3.5	2.5	0.1	2.6	16.5	2.6	3.8	0.2	0.1	7,278
Missing/DK	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	3
Punjab	64.7	11.1	0.1	3.5	3.3	0.1	2.4	8.3	2.7	3.2	0.4	0.1	81,505

(*) Figures that are based on less than 25 unweighted cases

Table RH.4: Use of contraception

Percentage of currently married women age 15-49 years who are using (or whose husband is using) a contraceptive method, MICS Punjab, 2011.

	Percent of women currently married who are using												Number of currently married women
	Not using any method	Female sterilization	Male sterilization	IUD	Injectables	Implants	Pill	Condom	Lactational amenorrhoea method (LAM)	With drawal	Other	Missing /DK	
Punjab	64.7	11.1	0.1	3.5	3.3	0.1	2.4	8.3	2.7	3.2	0.4	0.1	81,505
Wealth index quintiles													
Lowest	72.0	10.0	0.1	3.3	3.5	0.1	2.4	3.4	3.0	1.6	0.3	0.1	15,924
Second	67.2	11.7	0.1	3.3	4.0	0.2	2.4	5.4	2.6	2.6	0.4	0.1	15,841
Middle	65.2	11.0	0.1	3.6	3.3	0.1	2.2	8.2	2.7	3.1	0.4	0.1	16,234
Fourth	62.5	10.9	0.1	3.3	3.2	0.1	2.5	10.4	2.5	3.9	0.4	0.1	16,655
Highest	57.1	12.0	0.2	3.9	2.6	0.1	2.7	13.8	2.7	4.6	0.3	0.1	16,852
Division													
Bahawalpur	70.0	10.1	0.1	3.2	3.7	0.1	2.6	5.3	2.3	2.2	0.3	0.2	7,905
D.G.Khan	74.2	8.5	0.3	4.0	3.9	0.2	2.3	3.5	0.8	1.8	0.3	0.1	8,606
Faisalabad	61.9	10.7	0.2	3.9	2.8	0.1	2.6	7.0	4.0	6.5	0.3	0.0	11,194
Gujranwala	64.0	10.4	0.2	3.0	2.5	0.1	2.0	9.7	3.6	4.3	0.1	0.1	12,716
Lahore	60.5	13.2	0.1	4.1	2.5	0.1	2.4	10.7	2.9	2.8	0.5	0.1	12,133
Multan	57.5	15.3	0.1	4.3	4.2	0.2	2.7	8.3	4.2	2.5	0.7	0.1	9,595
Rawalpindi	63.4	9.3	0.1	2.4	4.9	0.0	2.6	13.4	1.0	2.7	0.2	0.1	7,150
Sahiwal	66.3	12.9	0.0	2.2	2.6	0.1	2.5	9.6	2.9	0.7	0.1	0.1	6,259
Sargodha	70.4	7.9	0.1	3.6	4.1	0.1	2.5	6.7	0.7	3.2	0.8	0.0	5,947
District													
Bahawalpur	65.6	11.5	0.1	3.4	3.6	0.0	3.3	5.9	3.7	2.6	0.2	0.0	2,608
B. Nagar	73.9	9.8	0.3	3.6	3.4	0.3	1.0	5.4	0.9	0.9	0.4	0.1	2,109
RY Khan	71.0	9.2	0.1	2.7	3.9	0.2	3.0	4.7	2.0	2.7	0.3	0.3	3,188
DG Khan	77.8	6.4	0.1	3.3	4.7	0.1	1.9	2.1	1.7	1.7	0.2	0.1	1,694
Layyah	73.5	9.2	0.2	4.6	4.0	0.0	1.7	3.6	0.4	2.4	0.2	0.1	1,737
M. Garh	72.9	9.5	0.5	4.5	3.5	0.4	2.9	3.4	0.8	1.1	0.4	0.2	4,000
Rajapur	74.8	7.3	0.2	2.1	3.6	0.0	1.9	6.1	0.2	4.0	0.0	0.0	1,175
Faisalabad	59.1	11.2	0.3	3.3	3.0	0.1	2.7	10.1	3.0	7.1	0.2	0.1	5,875
Chinot	58.6	11.0	0.0	4.8	2.9	0.1	3.4	3.7	9.6	5.6	0.4	0.0	1,107
Jhang	66.7	9.4	0.1	5.2	2.5	0.1	2.9	3.0	6.2	3.4	0.5	0.0	2,425
TT Singh	66.4	10.6	0.0	3.7	2.5	0.1	1.6	4.8	0.7	8.9	0.7	0.0	1,787
Punjab	64.7	11.1	0.1	3.5	3.3	0.1	2.4	8.3	2.7	3.2	0.4	0.1	81,505

Table RH.4: Use of contraception

Percentage of currently married women age 15-49 years who are using (or whose husband is using) a contraceptive method, MICs Punjab, 2011.

	Percent of women currently married who are using													Number of currently married women		
	Not using any method	Female sterilization	Male sterilization	IUD	Injectables	Implants	Pill	Condom	Lactational amenorrhoea method (LAM)	With drawal	Other	Missing /DK				
Punjab	64.7	11.1	0.1	3.5	3.3	0.1	2.4	8.3	2.7	3.2	0.4	0.1	29.0	6.3	35.2	81,505
Gujranwala	52.6	14.8	0.2	4.1	2.0	0.1	2.5	12.4	5.1	6.1	0.1	0.0	36.1	11.3	47.3	3,944
Gujrat	74.0	6.5	0.0	2.8	4.1	0.1	1.7	7.5	0.1	3.2	0.0	0.0	22.7	3.3	26.0	2,278
Hafizabad	76.1	10.2	0.1	2.6	1.5	0.3	1.7	4.4	1.6	1.3	0.1	0.1	20.8	3.0	23.8	851
M. Bahaudin	65.5	8.3	0.2	2.5	1.9	0.1	1.1	9.5	1.2	9.6	0.1	0.0	23.5	10.9	34.5	1,581
Narawal	74.9	5.6	0.2	1.6	0.6	0.0	1.9	4.2	10.8	0.0	0.0	0.1	14.2	10.8	25.0	1,267
Sialkot	62.5	10.6	0.3	2.8	3.3	0.1	2.2	11.9	3.2	2.7	0.1	0.2	31.3	6.0	37.3	2,795
Lahore	58.7	12.5	0.1	4.6	2.5	0.1	2.9	11.9	3.0	3.5	0.1	0.1	34.6	6.7	41.2	6,776
Kasur	70.7	11.2	0.0	4.1	1.3	0.2	1.7	6.9	1.4	1.7	0.5	0.2	25.4	3.6	29.0	2,247
N. Sahib	61.2	13.4	0.1	3.6	3.8	0.2	1.6	9.7	3.2	2.2	0.8	0.2	32.4	6.2	38.6	1,074
Sheikhupura	55.0	17.5	0.1	2.6	3.2	0.2	1.9	11.6	3.9	1.9	1.8	0.3	37.1	7.7	44.7	2,036
Multan	57.1	14.5	0.0	3.4	4.0	0.2	2.8	7.8	5.1	3.6	1.4	0.1	32.7	10.1	42.7	3,718
Khanewal	59.5	17.7	0.2	3.8	3.4	0.0	1.8	10.3	0.9	2.0	0.4	0.1	37.1	3.3	40.4	2,272
Lodhran	53.9	11.6	0.2	10.0	8.0	0.7	4.6	10.2	0.6	0.0	0.0	0.2	45.3	0.6	45.9	1,281
Vehari	58.3	16.5	0.1	2.9	3.1	0.1	2.2	6.1	7.9	2.6	0.3	0.0	31.0	10.8	41.7	2,324
Sahiwal	63.1	15.8	0.0	1.4	2.6	0.0	1.5	10.7	3.4	1.4	0.0	0.1	32.0	4.8	36.8	1,879
Pakpattan	67.9	12.9	0.0	1.8	3.4	0.1	2.9	6.6	4.0	0.4	0.0	0.1	27.6	4.4	32.0	1,429
Okara	67.6	11.1	0.0	2.8	2.1	0.1	3.1	10.4	2.1	0.5	0.2	0.0	29.6	2.7	32.3	2,951
Rawalpindi	59.5	9.9	0.1	2.7	4.7	0.1	2.3	15.8	1.1	3.5	0.2	0.2	35.5	4.8	40.3	3,617
Attock	63.3	9.2	0.0	2.5	5.7	0.0	4.0	12.1	0.7	2.4	0.0	0.1	33.5	3.1	36.5	1,358
Chakwal	74.4	7.6	0.0	1.8	4.8	0.1	1.9	7.1	1.3	0.4	0.7	0.0	23.2	2.4	25.6	1,132
Jhelum	65.1	9.3	0.0	2.0	4.6	0.0	2.4	13.4	0.4	2.7	0.0	0.1	31.7	3.1	34.8	1,043
Sargodha	67.4	9.7	0.1	3.0	3.2	0.1	2.3	6.7	0.5	5.5	1.6	0.0	25.0	7.5	32.6	2,716
Bhakkar	78.2	5.4	0.0	4.0	3.0	0.0	1.3	6.8	0.0	1.3	0.0	0.0	20.5	1.3	21.8	1,135
Khushab	72.5	7.7	0.1	4.4	5.0	0.0	2.4	5.2	0.6	1.8	0.2	0.1	24.8	2.6	27.4	1,025
Mianwali	67.7	6.2	0.0	4.1	6.6	0.1	4.3	8.1	1.9	0.8	0.3	0.0	29.3	3.0	32.3	1,071
Punjab	64.7	11.1	0.1	3.5	3.3	0.1	2.4	8.3	2.7	3.2	0.4	0.1	29.0	6.3	35.2	81,505

[1] MICs indicator 5.3; MDG indicator 5.3

(*) Figures that are based on less than 25 unweighted cases

Table RH.4A: Women who ever used but are not currently using contraceptive method

Percentage of married women aged 15-49 years who ever used but are not currently using a contraceptive method by reasons for non use (Currently married women), MICS Punjab, 2011.

	Women who ever used but are not currently using contraceptive method		
	Percentage of Non-Pregnant women who are not using any contraceptive method	Number of Non-Pregnant women who are not using any contraceptive method	Total Number of ever married women who ever used contraceptives
Punjab	7.2	2,219	31,018
Area of residence			
Rural	6.9	1,374	19,881
All Urban	7.6	845	11,137
Major Cities	8.7	530	6,057
Other Urban	6.2	315	5,080
Age			
15-19	4.8	11	232
20-24	6.0	139	2,325
25-29	7.9	423	5,350
30-34	7.2	466	6,459
35-39	6.4	436	6,802
40-44	6.0	358	5,954
45-49	9.9	386	3,895
Women's education			
None/Preschool	6.2	983	15,931
Primary	8.8	497	5,655
Middle	7.2	205	2,831
Secondary	8.3	297	3,564
Higher	7.8	237	3,036
Missing/DK	(*)	0	1
Wealth index quintiles			
Lowest	5.3	250	4,706
Second	6.2	342	5,547
Middle	7.4	449	6,106
Fourth	8.4	573	6,819
Highest	7.7	605	7,839
Division			
Bahawalpur	11.7	313	2,684
D.G.Khan	4.2	98	2,316
Faisalabad	6.6	300	4,567
Gujranwala	7.7	384	4,960
Lahore	5.8	295	5,089
Multan	3.4	143	4,223
Rawalpindi	12.3	366	2,987
Sahiwal	2.9	63	2,173
Sargodha	12.7	256	2,019
Punjab	7.2	2,219	31,018

(*) Figures that are based on less than 25 unweighted cases

Table RH.4A: Women who ever used but are not currently using contraceptive method

Percentage of married women aged 15-49 years who ever used but are not currently using a contraceptive method by reasons for nonuse (Currently married women), MICS Punjab, 2011.

	Women who ever used but are not currently using contraceptive method		
	Percentage of Non-Pregnant women who are not using any contraceptive method	Number of Non-Pregnant women who are not using any contraceptive method	Total Number of ever married women who ever used contraceptives
Punjab	7.2	2,219	31,018
District			
Bahawalpur	11.4	116	1,012
B. Nagar	17.6	117	667
RY Khan	7.9	80	1,006
DG Khan	1.1	4	381
Layyah	8.0	40	500
M. Garh	2.7	30	1,115
Rajanpur	7.3	23	320
Faisalabad	6.9	177	2,578
Chiniot	4.1	20	479
Jhang	2.0	17	824
TT Singh	12.6	87	687
Gujranwala	4.5	87	1,956
Gujrat	16.8	120	712
Hafizabad	6.9	15	218
M. Bahaudin	3.6	21	566
Narowal	17.4	67	385
Sialkot	6.7	75	1,123
Lahore	7.3	221	3,023
Kasur	3.5	24	682
N. Sahib	4.0	17	434
Sheikhupura	3.4	33	950
Multan	4.2	70	1,664
Khanewal	4.4	43	967
Lodhran	1.7	10	601
Vehari	2.1	20	990
Sahiwal	3.0	21	714
Pakpattan	5.6	27	486
Okara	1.5	15	972
Rawalpindi	11.7	195	1,662
Attock	8.1	44	542
Chakwal	17.1	60	350
Jhelum	15.8	68	433
Sargodha	15.6	164	1,051
Bhakkar	13.8	40	287
Khushab	10.7	34	316
Mianwali	5.1	19	365
Punjab	7.2	2,219	31,018

(*) Figures that are based on less than 25 unweighted cases

Table RH.5: Unmet need for contraception

Percentage of currently married women aged 15-49 years with an unmet need for family planning and percentage of demand for contraception satisfied, MICS Punjab, 2011.

	Met need for contraception			Unmet need for contraception			Number of currently married women	Percentage of demand for contraception satisfied	Number of currently married women with need for contraception
	For spacing	For limiting	Total	For spacing	For limiting	Total [1]			
Punjab	10.5	25.1	35.3	8.9	8.2	17.1	81,505	67.4	42,705
Area of residence									
Rural	9.6	22.8	32.1	9.0	8.6	17.6	57,568	64.6	28,628
All Urban	12.5	30.8	43.0	8.7	7.1	15.9	23,937	73.0	14,078
Major Cities	13.3	32.9	45.6	9.2	7.0	16.2	12,118	73.8	7,482
Other Urban	11.6	28.8	40.3	8.3	7.2	15.5	11,819	72.2	6,596
Age									
15-19	7.7	0.6	8.3	10.2	0.8	10.9	2,681	43.0	514
20-24	16.3	3.5	19.7	17.1	2.4	19.5	11,060	50.4	4,337
25-29	17.5	12.0	29.4	15.3	7.1	22.4	16,776	56.7	8,689
30-34	12.8	26.5	39.0	9.9	12.1	22.0	15,358	63.9	9,369
35-39	6.9	38.7	45.2	5.0	13.5	18.5	14,059	71.0	8,961
40-44	4.1	42.7	46.2	2.2	8.4	10.6	12,108	81.3	6,873
45-49	1.6	35.9	37.1	0.7	4.1	4.8	9,463	88.5	3,961
Women's education									
None/Preschool	8.1	26.3	34.1	7.3	8.9	16.2	43,787	67.9	22,014
Primary	10.9	25.1	35.8	9.3	8.3	17.6	14,396	67.0	7,693
Middle	12.0	24.7	36.5	11.3	6.6	17.9	7,191	67.0	3,915
Secondary	14.7	22.4	36.9	11.8	7.2	18.9	8,851	66.1	4,938
Higher	17.0	21.7	38.4	12.4	6.1	18.5	7,278	67.5	4,144
Missing/DK	(*)	(*)	(*)	(*)	(*)	(*)	3	(*)	1
Wealth index quintiles									
Lowest	8.4	19.9	28.0	8.4	10.7	19.1	15,924	59.5	7,491
Second	8.9	24.3	32.8	8.3	9.1	17.4	15,841	65.4	7,955
Middle	10.0	25.0	34.8	8.7	8.0	16.7	16,234	67.5	8,364
Fourth	11.5	26.1	37.5	9.6	7.3	16.9	16,655	68.9	9,054
Highest	13.3	30.0	42.9	9.6	5.8	15.5	16,852	73.5	9,842
Division									
Bahawalpur	8.5	22.2	30.0	8.4	10.6	19.0	7,905	61.2	3,875
D.G.Khan	7.6	18.3	25.8	9.7	9.6	19.3	8,606	57.2	3,877
Faisalabad	11.1	27.3	38.1	7.8	6.7	14.5	11,194	72.5	5,888
Gujranwala	11.0	25.0	36.0	9.8	8.7	18.5	12,716	66.0	6,929
Lahore	10.9	28.9	39.5	11.0	7.7	18.7	12,133	67.9	7,055
Multan	13.9	29.4	42.5	6.7	6.4	13.1	9,595	76.4	5,334
Rawalpindi	11.5	25.1	36.6	9.0	7.3	16.2	7,150	69.3	3,775
Sahiwal	9.9	23.8	33.7	9.2	7.5	16.7	6,259	66.9	3,152
Sargodha	7.7	22.0	29.6	7.9	9.8	17.8	5,947	62.5	2,820
Punjab	10.5	25.1	35.3	8.9	8.2	17.1	81,505	67.4	42,705

[1] MICS indicator 5.4; MDG indicator 5.6

(*) Figures that are based on less than 25 unweighted cases

Table RH.5: Unmet need for contraception

Percentage of currently married women aged 15-49 years with an unmet need for family planning and percentage of demand for contraception satisfied, MICS Punjab, 2011.

	Met need for contraception			Unmet need for contraception			Number of currently married women	Percentage of demand for contraception satisfied	Number of currently married women with need for contraception
	For spacing	For limiting	Total	For spacing	For limiting	Total [1]			
Punjab	10.5	25.1	35.3	8.9	8.2	17.1	81,505	67.4	42,705
District									
Bahawalpur	9.7	25.8	34.4	8.1	9.4	17.5	2,608	66.3	1,352
B. Nagar	5.6	20.9	26.1	9.3	12.8	22.1	2,109	54.1	1,015
RY Khan	9.5	20.1	29.0	8.1	10.2	18.3	3,188	61.4	1,508
DG Khan	7.2	15.4	22.2	10.1	11.9	22.0	1,694	50.2	748
Layyah	5.8	21.1	26.5	9.5	8.5	18.0	1,737	59.6	772
M. Garh	7.3	19.8	27.1	9.9	9.4	19.3	4,000	58.4	1,858
Rajanpur	12.2	13.2	25.2	8.6	8.7	17.2	1,175	59.4	499
Faisalabad	11.8	29.6	40.9	8.3	6.7	14.9	5,875	73.3	3,277
Chiniot	13.1	28.4	41.4	7.5	6.1	13.7	1,107	75.2	610
Jhang	10.4	22.9	33.3	6.5	7.5	14.0	2,425	70.5	1,146
TT Singh	8.7	24.9	33.6	8.2	6.0	14.2	1,787	70.3	854
Gujranwala	14.6	32.8	47.4	7.7	6.9	14.6	3,944	76.5	2,443
Gujrat	8.4	17.6	26.0	12.7	8.1	20.8	2,278	55.6	1,066
Hafizabad	4.7	19.2	23.9	10.4	17.4	27.8	851	46.2	440
M. Bahaudin	8.6	25.9	34.5	6.8	9.3	16.1	1,581	68.2	799
Narowal	13.7	11.4	25.1	11.7	9.8	21.5	1,267	53.9	590
Sialkot	10.0	27.5	37.5	10.9	8.5	19.4	2,795	65.9	1,590
Lahore	11.5	30.3	41.3	11.7	7.3	19.0	6,776	68.5	4,088
Kasur	7.8	21.7	29.3	12.4	10.3	22.7	2,247	56.3	1,168
N. Sahib	9.8	29.0	38.8	8.2	7.3	15.5	1,074	71.5	583
Sheikhupura	13.0	32.2	45.0	8.5	6.3	14.8	2,036	75.3	1,216
Multan	15.7	28.0	42.9	7.1	6.5	13.6	3,718	75.9	2,100
Khanewal	13.5	28.1	40.5	6.6	5.8	12.5	2,272	76.5	1,204
Lodhran	14.2	33.2	46.0	5.2	6.8	11.9	1,281	79.4	743
Vehari	11.1	30.6	41.7	6.9	6.8	13.7	2,324	75.3	1,287
Sahiwal	8.9	28.0	36.9	9.3	6.1	15.4	1,879	70.5	982
Pakpattan	8.0	24.2	32.1	9.6	9.6	19.2	1,429	62.6	734
Okara	11.5	21.0	32.4	8.9	7.4	16.3	2,951	66.5	1,436
Rawalpindi	13.7	26.9	40.5	9.6	6.9	16.5	3,617	71.1	2,060
Attock	9.2	27.5	36.7	7.3	6.9	14.2	1,358	72.1	690
Chakwal	8.4	17.1	25.6	10.3	8.2	18.5	1,132	58.0	499
Jhelum	10.5	24.4	34.9	7.6	7.9	15.5	1,043	69.2	526
Sargodha	6.6	26.0	32.6	8.0	10.3	18.3	2,716	64.0	1,384
Bhakkar	8.1	13.8	21.8	8.3	11.0	19.3	1,135	53.1	467
Khushab	7.9	19.7	27.5	8.4	8.3	16.7	1,025	62.1	453
Mianwali	9.8	22.5	32.3	7.0	8.9	15.9	1,071	67.1	516
Punjab	10.5	25.1	35.3	8.9	8.2	17.1	81,505	67.4	42,705

[1] MICS indicator 5.4; MDG indicator 5.6

(*) Figures that are based on less than 25 unweighted cases

Table RH.6: Antenatal care provider

Percent distribution of ever-married women aged 15-49 who gave birth in the two years preceding the survey by type of personnel providing antenatal care during the pregnancy for the last birth, MICS Punjab, 2011.

	Antenatal care provider									At least once by skilled personnel [1]	Number of ever-married women who gave birth in the preceding two years
	Doctor	Nurse / Midwife	Lady Health Visitor	Lady Health Worker	Traditional birth attendant	Relative / Friend	Other/ missing	No antenatal care received	Total		
Punjab	59.0	12.1	3.0	0.9	5.1	0.2	0.5	19.2	100	74.2	26,486
Area of residence											
Rural	52.7	13.7	3.3	0.9	5.7	0.2	0.4	23.1	100	69.6	19,296
All Urban	76.1	8.1	2.3	0.7	3.4	0.1	0.6	8.7	100	86.5	7,190
Major Cities	82.4	6.7	1.6	0.7	2.3	0.1	0.6	5.6	100	90.7	3,636
Other Urban	69.7	9.5	3.0	0.6	4.4	0.1	0.6	11.9	100	82.3	3,554
Mother's age at birth											
Less than 20	54.2	15.1	4.9	1.0	4.9	0.2	0.1	19.6	100	74.1	1,781
20-34	60.8	12.0	2.8	0.8	5.1	0.2	0.5	17.8	100	75.7	21,297
35-49	50.5	11.3	3.1	1.1	5.1	0.1	0.6	28.1	100	65.0	3,396
Missing	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	100	(*)	11
Women's education											
None/Preschool	43.7	13.2	3.5	1.0	7.4	0.3	0.4	30.5	100	60.4	13,086
Primary	62.3	14.9	3.8	1.0	4.8	0.2	0.4	12.7	100	81.0	4,874
Middle	71.1	13.6	2.3	0.8	2.6	0.1	0.6	8.7	100	87.0	2,571
Secondary	80.7	9.1	2.0	0.8	1.8	0.1	0.3	5.3	100	91.8	3,225
Higher	90.0	4.5	1.1	0.1	0.6	0.1	0.8	2.9	100	95.6	2,729
Wealth index quintiles											
Lowest	37.6	10.1	3.7	0.7	7.5	0.3	0.3	39.9	100	51.3	5,861
Second	47.0	15.2	3.8	1.1	7.5	0.3	0.5	24.6	100	66.0	5,310
Middle	57.4	17.4	3.6	1.2	4.5	0.2	0.4	15.3	100	78.4	5,190
Fourth	69.9	12.5	2.7	1.0	3.9	0.2	0.5	9.4	100	85.1	5,280
Highest	88.0	5.3	1.1	0.3	1.4	0.1	0.6	3.2	100	94.4	4,845
Division											
Bahawalpur	54.5	10.9	1.6	0.4	4.0	0.7	0.3	27.6	100	67.0	2,822
D.G.Khan	49.0	5.5	3.6	0.5	2.6	0.0	0.4	38.4	100	58.1	3,082
Faisalabad	60.0	13.5	2.7	0.6	4.0	0.2	0.5	18.5	100	76.2	3,631
Gujranwala	55.6	24.2	2.7	2.1	5.1	0.1	0.3	9.8	100	82.6	3,981
Lahore	64.8	11.2	1.4	1.0	5.7	0.3	0.5	15.1	100	77.4	3,899
Multan	58.3	9.3	6.0	0.8	7.5	0.2	0.4	17.5	100	73.6	3,026
Rawalpindi	83.0	2.6	1.2	0.5	2.0	0.1	0.8	9.6	100	86.8	2,081
Sahiwal	49.4	17.7	1.9	0.3	11.5	0.0	0.7	18.6	100	68.9	2,124
Sargodha	61.2	7.6	7.2	0.7	3.7	0.2	0.3	18.9	100	76.0	1,841
Punjab	59.0	12.1	3.0	0.9	5.1	0.2	0.5	19.2	100	74.2	26,486

[1] MICS indicator 5.5a; MDG indicator 5.5

(*) Figures that are based on less than 25 unweighted cases

Table RH.6: Antenatal care provider

Percent distribution of ever-married women aged 15-49 who gave birth in the two years preceding the survey by type of personnel providing antenatal care during the pregnancy for the last birth, MICS Punjab, 2011.

	Antenatal care provider									At least once by skilled personnel [1]	Number of ever-married women who gave birth in the preceding two years
	Doctor	Nurse / Midwife	Lady Health Visitor	Lady Health Worker	Traditional birth attendant	Relative / Friend	Other / missing	No antenatal care received	Total		
Punjab	59.0	12.1	3.0	0.9	5.1	0.2	0.5	19.2	100	74.2	26,486
District											
Bahawalpur	63.8	4.3	1.2	1.1	7.1	1.5	0.0	21.0	100	69.3	855
B. Nagar	56.4	13.6	1.3	0.0	1.3	0.0	0.6	26.8	100	71.3	811
RY Khan	46.3	13.8	2.2	0.2	3.5	0.6	0.3	33.1	100	62.3	1,156
DG Khan	42.2	7.0	1.3	1.0	5.6	0.0	0.3	42.6	100	50.5	608
Layyah	47.7	7.2	4.6	0.5	1.2	0.1	0.0	38.7	100	59.5	624
M. Garh	56.4	5.5	2.2	0.2	0.6	0.0	0.7	34.4	100	64.1	1,406
Rajanpur	36.8	0.9	9.9	0.5	6.7	0.0	0.0	45.2	100	47.6	444
Faisalabad	63.6	15.6	2.5	0.7	6.1	0.3	0.5	10.7	100	81.7	1,834
Chiniot	58.9	6.5	2.6	0.0	1.9	0.0	0.0	30.2	100	67.9	384
Jhang	48.6	12.8	4.4	0.7	1.4	0.0	0.1	32.1	100	65.7	857
TT Singh	66.9	12.5	0.5	0.5	2.6	0.2	1.4	15.5	100	79.8	556
Gujranwala	57.4	24.5	3.8	2.1	5.7	0.2	0.5	5.8	100	85.7	1,284
Gujrat	78.3	9.1	3.5	1.0	2.0	0.0	0.0	6.0	100	90.9	725
Hafizabad	49.8	23.3	1.5	0.6	1.8	0.0	0.4	22.5	100	74.7	295
M. Bahaudin	45.8	23.2	5.0	1.1	5.2	0.0	0.0	19.8	100	74.0	409
Narowal	36.0	44.6	1.0	2.9	11.3	0.0	0.4	3.7	100	81.7	409
Sialkot	49.9	27.7	0.6	3.8	4.8	0.4	0.2	12.6	100	78.2	859
Lahore	79.4	5.8	0.9	0.5	3.8	0.1	0.4	9.1	100	86.1	2,103
Kasur	34.1	15.7	3.6	1.2	7.6	0.6	0.9	36.3	100	53.4	800
N. Sahib	49.4	25.2	1.1	2.5	11.1	0.0	0.1	10.6	100	75.7	338
Sheikhupura	63.1	15.8	0.6	2.0	7.0	0.7	0.2	10.6	100	79.6	658
Multan	63.1	9.5	8.4	0.7	3.3	0.2	0.4	14.4	100	81.0	1,206
Khanewal	53.5	3.8	6.0	0.6	15.5	0.0	0.7	19.9	100	63.3	711
Lodhran	56.3	15.5	2.1	1.0	8.1	0.0	0.5	16.4	100	73.9	349
Vehari	56.3	11.4	3.8	0.9	6.2	0.5	0.2	20.8	100	71.5	760
Sahiwal	64.9	10.1	3.2	0.0	10.2	0.0	0.1	11.5	100	78.2	576
Pakpattan	50.8	18.7	2.2	0.1	7.3	0.0	0.1	20.9	100	71.6	503
Okara	40.2	21.4	1.0	0.7	14.2	0.0	1.3	21.3	100	62.5	1,046
Rawalpindi	86.0	1.5	0.8	0.4	1.4	0.0	1.5	8.4	100	88.3	1,046
Attock	75.1	3.6	1.7	0.5	2.5	0.0	0.0	16.6	100	80.4	395
Chakwal	78.3	5.3	1.9	1.3	4.3	0.0	0.4	8.4	100	85.6	297
Jhelum	86.6	2.7	1.6	0.4	1.4	0.7	0.2	6.4	100	90.9	343
Sargodha	69.2	8.6	2.5	0.6	3.6	0.1	0.0	15.3	100	80.3	919
Bhakkar	44.3	6.1	12.0	0.3	3.7	0.0	0.6	33.0	100	62.4	360
Khushab	67.4	5.1	6.5	1.6	4.1	0.8	0.6	13.8	100	79.1	283
Mianwali	50.7	8.6	17.2	0.7	3.9	0.3	0.8	17.8	100	76.5	279
Punjab	59.0	12.1	3.0	0.9	5.1	0.2	0.5	19.2	100	74.2	26,486

[1] MICS indicator 5.5a; MDG indicator 5.5

(*) Figures that are based on less than 25 unweighted cases

Table RH.7: Number of antenatal care visits

Percentage of ever-married women who had a live birth during the two years preceding the survey by number of antenatal care visits by any provider, MICS Punjab, 2011.

	Percent of women who had						Total	Number of ever-married women who gave birth in the preceding two years
	No antenatal care visits	One visit	Two visits	Three visits	4 or more visits [1]	Missing/DK		
Punjab	19.3	8.4	14.9	15.8	40.5	1.1	100	26,486
Area of residence								
Rural	23.3	10.1	16.8	16.5	32.2	1.2	100	19,296
All Urban	8.7	3.7	9.6	14.1	62.7	1.1	100	7,190
Major Cities	5.6	2.2	6.5	11.4	73.0	1.4	100	3,636
Other Urban	12.0	5.2	12.9	16.8	52.2	0.9	100	3,554
Mother's age at birth								
Less than 20	19.8	12.4	17.7	17.1	32.4	0.6	100	1,781
20-34	17.9	8.0	14.6	15.8	42.6	1.2	100	21,297
35-49	28.3	8.6	15.0	15.5	31.2	1.4	100	3,396
Missing	(*)	(*)	(*)	(*)	(*)	(*)	100	11
Women's education								
None/Preschool	30.7	11.3	18.0	15.4	23.5	1.2	100	13,086
Primary	12.9	9.0	15.7	18.4	42.9	1.0	100	4,874
Middle	8.8	5.8	12.8	18.3	53.3	1.0	100	2,571
Secondary	5.3	3.4	10.3	15.8	64.1	1.0	100	3,225
Higher	3.0	1.1	5.8	11.2	77.5	1.4	100	2,729
Wealth index quintiles								
Lowest	39.9	13.9	18.1	12.2	15.0	1.0	100	5,861
Second	24.9	11.8	19.0	17.6	25.6	1.1	100	5,310
Middle	15.6	8.8	17.5	20.1	36.7	1.3	100	5,190
Fourth	9.4	4.2	12.8	19.1	53.5	1.1	100	5,280
Highest	3.2	2.0	5.8	10.3	77.5	1.3	100	4,845
Division								
Bahawalpur	27.6	15.2	17.9	16.7	22.2	0.4	100	2,822
D.G.Khan	38.4	12.2	16.9	11.4	20.4	0.7	100	3,082
Faisalabad	18.6	6.9	15.9	14.2	43.6	0.8	100	3,631
Gujranwala	10.0	5.1	14.9	19.8	47.9	2.3	100	3,981
Lahore	15.5	4.3	9.7	12.8	55.8	2.0	100	3,899
Multan	17.7	9.1	16.1	18.7	37.7	0.8	100	3,026
Rawalpindi	9.6	3.9	9.0	13.4	63.4	0.6	100	2,081
Sahiwal	18.7	10.3	16.7	19.7	33.4	1.2	100	2,124
Sargodha	19.0	11.4	18.3	16.5	34.1	0.7	100	1,841
Punjab	19.3	8.4	14.9	15.8	40.5	1.1	100	26,486

[1] MICS indicator 5.5b; MDG indicator 5.5

(*) Figures that are based on less than 25 unweighted cases

Table RH.7: Number of antenatal care visits

Percentage of ever-married women who had a live birth during the two years preceding the survey by number of antenatal care visits by any provider, MICS Punjab, 2011.

	Percent of women who had						Total	Number of ever-married women who gave birth in the preceding two years
	No antenatal care visits	One visit	Two visits	Three visits	4 or more visits [1]	Missing/DK		
Punjab	19.3	8.4	14.9	15.8	40.5	1.1	100	26,486
District								
Bahawalpur	21.0	18.1	20.0	17.5	23.0	0.4	100	855
B. Nagar	26.8	13.0	17.8	15.4	27.0	0.1	100	811
RY Khan	33.1	14.6	16.4	17.2	18.2	0.5	100	1,156
DG Khan	42.6	8.7	14.6	14.0	19.9	0.3	100	608
Layyah	38.7	14.9	13.8	10.2	22.4	0.0	100	624
M. Garh	34.4	11.9	18.6	12.0	22.9	0.1	100	1,406
Rajanpur	45.2	13.9	19.0	8.0	9.9	4.1	100	444
Faisalabad	10.7	6.6	14.1	12.6	54.9	1.1	100	1,834
Chiniot	30.2	3.1	17.5	19.6	28.2	1.3	100	384
Jhang	32.1	9.0	19.8	15.6	23.4	0.1	100	857
TT Singh	15.5	7.5	14.7	13.8	48.1	0.4	100	556
Gujranwala	5.8	4.1	10.9	20.8	57.5	0.9	100	1,284
Gujrat	6.0	5.5	12.0	18.4	57.8	0.3	100	725
Hafizabad	22.5	9.2	20.7	16.5	31.0	0.2	100	295
M. Bahaudin	19.8	4.2	22.1	19.1	34.0	0.8	100	409
Narowal	3.7	11.2	26.9	19.7	28.7	9.8	100	409
Sialkot	13.6	2.4	12.1	21.1	46.8	4.1	100	859
Lahore	9.1	2.8	6.8	9.4	69.2	2.6	100	2,103
Kasur	36.4	6.6	11.0	16.7	27.1	2.3	100	800
N. Sahib	13.4	7.5	18.4	18.7	41.9	0.2	100	338
Sheikhupura	11.8	4.4	12.7	15.7	54.9	0.5	100	658
Multan	14.4	5.9	9.7	17.4	52.1	0.4	100	1,206
Khanewal	19.9	16.1	23.1	17.9	21.0	1.9	100	711
Lodhran	16.4	5.2	18.4	24.4	35.3	0.2	100	349
Vehari	21.3	9.3	18.5	19.0	31.5	0.4	100	760
Sahiwal	11.5	6.2	16.1	21.4	44.1	0.6	100	576
Pakpattan	20.9	16.2	19.2	16.4	27.1	0.1	100	503
Okara	21.6	9.8	15.8	20.3	30.6	2.0	100	1,046
Rawalpindi	8.4	2.1	7.3	10.1	71.3	0.8	100	1,046
Attock	16.6	5.9	12.6	16.8	48.1	0.0	100	395
Chakwal	8.4	7.0	8.3	15.8	59.6	0.9	100	297
Jhelum	6.4	4.7	10.5	17.5	60.5	0.4	100	343
Sargodha	15.3	11.2	14.3	15.3	43.6	0.3	100	919
Bhakkar	33.0	12.6	21.2	16.9	15.9	0.4	100	360
Khushab	14.0	11.8	23.0	14.7	35.3	1.1	100	283
Mianwali	17.8	9.9	23.1	21.7	25.1	2.4	100	279
Punjab	19.3	8.4	14.9	15.8	40.5	1.1	100	26,486

[1] MICS indicator 5.5b; MDG indicator 5.5

(*) Figures that are based on less than 25 unweighted cases

Table RH.8: Content of antenatal care

Percentage of ever-married women age 15-49 years who had their blood pressure measured, urine sample taken, blood sample taken and weight taken as part of antenatal care, MICS Punjab, 2011.

	Percent of pregnant women who had				Blood pressure measured, urine specimen and blood test taken [1]	Blood pressure measured, urine specimen, blood test taken and Weight taken	Number of ever-married women who gave birth in the preceding two years
	Blood pressure measured	Urine specimen taken	Blood test taken	Weight taken			
Punjab	67.2	52.0	45.3	38.7	41.3	31.9	26,486
Area of residence							
Rural	61.4	44.3	37.8	30.5	33.5	23.9	19,296
All Urban	82.7	72.5	65.3	60.7	62.3	53.4	7,190
Major Cities	87.6	80.0	74.6	73.9	72.5	66.5	3,636
Other Urban	77.5	64.9	55.7	47.3	51.9	40.1	3,554
Mother's age at birth							
Less than 20	61.6	43.5	37.2	27.4	32.1	21.1	1,781
20-34	69.1	54.0	47.4	40.7	43.4	33.9	21,297
35-49	58.1	43.5	36.4	31.9	33.2	25.4	3,396
Missing	(*)	(*)	(*)	(*)	(*)	(*)	11
Women's education							
None/Preschool	50.7	33.2	26.7	20.3	22.4	14.0	13,086
Primary	74.3	57.2	48.5	40.9	44.4	33.0	4,874
Middle	81.9	67.9	59.4	52.4	55.2	44.1	2,571
Secondary	88.6	77.2	71.5	64.6	67.8	57.6	3,225
Higher	94.6	87.9	84.5	79.6	82.1	74.1	2,729
Wealth index quintiles							
Lowest	40.4	21.3	17.6	11.5	12.7	6.4	5,861
Second	55.9	38.0	29.9	20.3	25.6	14.2	5,310
Middle	70.8	53.7	43.5	35.8	39.6	27.7	5,190
Fourth	81.1	66.8	60.3	53.2	55.9	45.2	5,280
Highest	93.0	86.3	81.1	79.0	79.2	72.5	4,845
Division							
Bahawalpur	55.1	33.5	29.9	19.3	24.1	14.0	2,822
D.G.Khan	45.7	24.1	21.1	15.6	14.8	8.9	3,082
Faisalabad	72.0	56.5	49.5	38.4	46.0	33.5	3,631
Gujranwala	79.1	67.7	53.6	52.1	50.3	42.9	3,981
Lahore	71.6	61.3	55.3	54.1	53.6	47.8	3,899
Multan	65.3	47.0	38.4	32.2	33.2	22.3	3,026
Rawalpindi	85.4	79.0	75.7	71.7	74.7	67.1	2,081
Sahiwal	58.7	42.4	37.7	29.6	32.4	21.3	2,124
Sargodha	69.5	53.1	47.4	30.0	43.6	26.2	1,841
Punjab	67.2	52.0	45.3	38.7	41.3	31.9	26,486

[1] MICS indicator 5.6

(*) Figures that are based on less than 25 unweighted cases

Table RH.8: Content of antenatal care

Percentage of ever-married women age 15-49 years who had their blood pressure measured, urine sample taken, blood sample taken and weight taken as part of antenatal care, MICS Punjab, 2011.

	Percent of pregnant women who had				Blood pressure measured, urine specimen and blood test taken [1]	Blood pressure measured, urine specimen, blood test taken and Weight taken	Number of ever-married women who gave birth in the preceding two years
	Blood pressure measured	Urine specimen taken	Blood test taken	Weight taken			
Punjab	67.2	52.0	45.3	38.7	41.3	31.9	26,486
District							
Bahawalpur	52.2	32.8	29.4	23.3	24.4	18.3	855
B. Nagar	63.2	38.9	36.3	12.2	27.8	8.3	811
RY Khan	51.5	30.1	25.8	21.2	21.4	14.9	1,156
DG Khan	31.8	17.1	18.8	16.2	14.5	11.4	608
Layyah	49.0	29.3	25.9	18.6	20.6	12.0	624
M. Garh	52.3	28.9	20.6	13.7	14.8	7.6	1,406
Rajanpur	38.8	11.1	19.1	16.4	7.2	4.8	444
Faisalabad	76.4	64.2	55.3	53.0	52.5	46.0	1,834
Chiniot	63.5	51.2	48.1	22.4	44.6	20.6	384
Jhang	62.3	40.3	36.3	15.2	32.8	13.9	857
TT Singh	78.3	59.5	51.7	37.1	45.8	31.2	556
Gujranwala	84.7	72.9	57.6	61.6	55.1	49.0	1,284
Gujrat	88.0	75.0	71.7	61.3	68.5	54.8	725
Hafizabad	59.2	47.8	33.6	22.2	26.7	17.2	295
M. Bahaudin	68.8	48.0	40.7	47.0	34.6	30.4	409
Narowal	76.6	65.6	23.0	15.7	21.5	14.0	409
Sialkot	76.3	70.7	59.9	60.3	56.9	52.3	859
Lahore	83.2	75.7	72.3	71.0	70.9	64.8	2,103
Kasur	45.4	35.4	23.4	18.5	22.3	14.7	800
N. Sahib	64.9	41.9	34.9	35.6	31.1	27.0	338
Sheikhupura	70.2	56.6	50.0	53.0	48.0	44.4	658
Multan	71.5	52.5	43.2	44.0	39.9	32.3	1,206
Khanewal	54.9	34.6	27.8	28.4	19.5	14.1	711
Lodhran	67.1	54.6	41.4	21.3	34.7	14.2	349
Vehari	64.3	46.3	39.3	22.0	34.9	17.8	760
Sahiwal	68.5	54.6	53.5	36.8	43.5	31.5	576
Pakpattan	59.0	44.6	41.0	20.5	33.2	17.7	503
Okara	53.1	34.6	27.4	30.0	25.9	17.3	1,046
Rawalpindi	87.9	83.5	80.4	77.8	80.2	74.9	1,046
Attock	74.8	66.7	62.4	57.5	61.1	52.8	395
Chakwal	84.9	78.9	76.6	65.7	75.3	61.6	297
Jhelum	90.3	79.7	76.1	74.5	73.0	64.4	343
Sargodha	73.9	56.4	52.3	36.1	48.5	31.7	919
Bhakkar	55.5	40.8	34.8	12.6	29.2	10.1	360
Khushab	75.0	57.0	50.5	40.5	48.6	36.2	283
Mianwali	67.9	54.1	44.6	21.6	40.8	18.8	279
Punjab	67.2	52.0	45.3	38.7	41.3	31.9	26,486

[1] MICS indicator 5.6

(*) Figures that are based on less than 25 unweighted cases

Table RH.9: Assistance during delivery

Percent distribution of ever-married women age 15-49 who had a live birth in the two years preceding the survey by person assisting at delivery and percentage of births delivered by C-section, MICS Punjab, 2011.

	Person assisting at delivery							Any skilled personnel [1]	Percent delivered by C-section [2]	Number of ever-married women who gave birth in the preceding two years		
	Doctor	Nurse / Midwife	Lady Health Visitor	Lady Health Worker	Traditional birth attendant	Relative / Friend	Other/ missing				No attendant	Total
Punjab	44.6	10.9	3.0	0.7	38.2	1.5	0.6	0.3	100.0	58.5	17.6	26,486
Area of residence												
Rural	37.0	12.1	3.2	0.7	44.1	1.9	0.6	0.4	100.0	52.3	14.9	19,296
All Urban	65.1	7.8	2.3	0.6	22.5	0.7	0.8	0.2	100.0	75.2	24.9	7,190
Major Cities	75.5	6.1	1.6	0.4	14.5	0.8	0.9	0.1	100.0	83.2	27.8	3,636
Other Urban	54.3	9.5	3.1	0.8	30.7	0.5	0.6	0.4	100.0	66.9	21.9	3,554
Mother's age at birth												
Less than 20	38.6	12.2	5.0	0.8	40.2	2.0	0.6	0.6	100.0	55.8	12.9	1,781
20-34	46.3	10.8	2.9	0.7	37.2	1.3	0.6	0.3	100.0	59.9	18.5	21,297
35-49	37.5	11.3	2.7	0.9	43.7	2.8	0.8	0.4	100.0	51.5	14.3	3,396
Missing	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	100.0	(*)	(*)	11
Place of delivery												
Public sector health facility	84.0	11.8	3.2	0.3	0.5	0.1	0.1	0.1	100.0	99.0	29.0	4,390
Private sector health facility	80.0	14.6	4.0	0.4	0.7	0.1	0.1	0.1	100.0	98.6	34.7	9,770
Home	2.5	7.8	2.1	1.1	82.6	3.2	0.1	0.6	100.0	12.3	0.0	12,137
Other	(36.3)	(18.6)	(0.0)	(0.0)	(34.0)	(11.1)	(0.0)	(0.0)	100.0	(54.9)	(0.0)	33
Missing/DK	5.9	0.0	0.1	0.0	0.3	0.0	93.7	0.0	100.0	6.1	1.7	155
Women's education												
None/Preschool	27.5	11.2	3.3	0.6	53.8	2.6	0.5	0.4	100.0	42.0	10.1	13,086
Primary	45.0	13.2	2.9	1.1	36.4	0.6	0.6	0.3	100.0	61.1	17.7	4,874
Middle	56.8	13.8	2.6	1.0	23.9	0.8	1.0	0.2	100.0	73.2	21.5	2,571
Secondary	70.0	8.8	3.0	0.8	16.2	0.4	0.7	0.3	100.0	81.7	29.2	3,225
Higher	84.6	5.1	2.0	0.4	6.6	0.2	1.0	0.0	100.0	91.7	36.0	2,729
Punjab	44.6	10.9	3.0	0.7	38.2	1.5	0.6	0.3	100.0	58.5	17.6	26,486

(*) Figures that are based on less than 25 unweighted cases

() Figures that are based on 25-49 unweighted cases

Table RH.9: Assistance during delivery

Percent distribution of ever-married women age 15-49 who had a live birth in the two years preceding the survey by person assisting at delivery and percentage of births delivered by C-section, MICS Punjab, 2011.

Person assisting at delivery											Percent delivered by C-section [2]	Number of ever-married women who gave birth in the preceding two years
Doctor	Nurse / Midwife	Lady Health Visitor	Lady Health Worker	Traditional birth attendant	Relative / Friend	Other/ missing	No attendant	Total	Any skilled personnel [1]			
Punjab	44.6	10.9	3.0	0.7	38.2	1.5	0.6	0.3	100.0	58.5	17.6	26,486
Wealth index quintiles												
Lowest	19.7	9.1	4.0	0.3	61.6	4.2	0.4	0.7	100.0	32.8	6.5	5,861
Second	30.6	12.5	3.2	0.8	50.8	1.3	0.5	0.3	100.0	46.2	11.0	5,310
Middle	41.2	14.4	3.1	1.1	38.3	0.9	0.7	0.3	100.0	58.7	16.7	5,190
Fourth	55.9	12.5	2.9	0.8	26.3	0.5	0.8	0.2	100.0	71.4	23.6	5,280
Highest	81.6	5.9	1.5	0.5	9.2	0.4	0.8	0.1	100.0	89.0	32.8	4,845
Division												
Bahawalpur	32.0	8.4	0.8	0.1	53.3	4.3	0.3	0.7	100.0	41.3	16.0	2,822
D.G.Khan	22.0	6.3	5.6	0.7	59.5	5.1	0.7	0.1	100.0	33.9	6.8	3,082
Faisalabad	47.3	11.4	3.7	0.6	36.1	0.5	0.3	0.1	100.0	62.5	19.1	3,631
Gujranwala	46.3	20.4	1.9	1.6	28.6	0.4	0.7	0.1	100.0	68.6	19.0	3,981
Lahore	59.3	10.1	1.6	1.2	26.0	0.4	0.8	0.5	100.0	71.1	22.4	3,899
Multan	43.1	7.1	4.5	0.0	43.3	0.7	1.1	0.3	100.0	54.7	19.7	3,026
Rawalpindi	68.0	5.9	1.3	0.6	20.6	1.8	1.2	0.5	100.0	75.2	20.5	2,081
Sahiwal	39.1	16.1	1.8	0.3	41.8	0.2	0.3	0.4	100.0	57.0	17.9	2,124
Sargodha	44.5	8.5	6.4	0.8	38.1	0.9	0.3	0.6	100.0	59.3	15.2	1,841
District												
Bahawalpur	34.2	2.5	0.6	0.5	61.4	0.4	0.2	0.2	100.0	37.3	16.4	855
B. Nagar	33.1	8.4	0.6	0.0	56.9	0.2	0.4	0.3	100.0	42.2	18.9	811
RY Khan	29.7	12.8	1.2	0.0	44.7	10.0	0.4	1.3	100.0	43.6	13.5	1,156
DG Khan	18.9	4.6	2.4	1.9	57.4	14.4	0.4	0.0	100.0	25.9	5.9	608
Layyah	25.5	9.6	13.5	0.1	48.4	1.6	1.0	0.4	100.0	48.6	7.5	624
M. Garh	24.5	7.3	4.4	0.4	61.3	1.5	0.6	0.0	100.0	36.2	7.8	1,406
Rajapur	13.4	1.0	2.4	0.5	72.7	8.9	0.7	0.4	100.0	16.8	3.7	444
Faisalabad	54.2	12.7	2.8	0.5	28.8	0.7	0.3	0.0	100.0	69.7	22.6	1,834
Chiniot	42.6	11.5	3.8	0.3	41.5	0.3	0.0	0.0	100.0	57.9	15.6	384
Jhang	31.3	12.8	7.6	0.9	46.4	0.1	0.6	0.4	100.0	51.6	12.0	857
TT Singh	52.7	5.1	0.6	0.2	40.6	0.3	0.5	0.0	100.0	58.4	21.0	556
Punjab	44.6	10.9	3.0	0.7	38.2	1.5	0.6	0.3	100.0	58.5	17.6	26,486

Table RH.9: Assistance during delivery

Percent distribution of ever-married women age 15-49 who had a live birth in the two years preceding the survey by person assisting at delivery and percentage of births delivered by C-section, MICS Punjab, 2011.

	Person assisting at delivery										Any skilled personnel [1]	Percent delivered by C-section [2]	Number of ever-married women who gave birth in the preceding two years
	Doctor	Nurse / Midwife	Lady Health Visitor	Lady Health Worker	Traditional birth attendant	Relative / Friend	Other/ missing	No attendant	Total				
Punjab	44.6	10.9	3.0	0.7	38.2	1.5	0.6	0.3	100.0	58.5	17.6		26,486
Gujranwala	50.9	19.2	3.2	2.2	23.5	0.3	0.8	0.0	100.0	73.2	20.2		1,284
Gujrat	61.6	9.9	1.6	0.6	24.8	0.7	0.6	0.2	100.0	73.1	26.3		725
Hafizabad	42.4	26.0	1.2	1.4	26.1	0.4	2.3	0.3	100.0	69.6	15.8		295
M. Bahaudin	26.8	21.6	3.1	0.7	47.0	0.0	0.8	0.0	100.0	51.5	12.1		409
Narawal	22.3	31.7	0.5	1.9	43.1	0.2	0.2	0.0	100.0	54.5	7.6		409
Sialkot	48.4	23.1	0.7	1.7	24.8	0.7	0.5	0.0	100.0	72.2	21.1		859
Lahore	73.6	6.9	1.2	0.3	16.9	0.0	0.9	0.2	100.0	81.7	27.2		2,103
Kasur	33.5	15.7	3.5	0.7	43.5	1.1	0.3	1.7	100.0	52.6	13.6		800
N. Sahib	42.3	16.4	1.2	4.4	33.2	1.1	0.6	0.9	100.0	59.9	17.8		338
Sheikhupura	53.7	10.5	0.9	3.0	29.9	0.6	1.2	0.2	100.0	65.1	20.4		658
Multan	50.2	7.7	6.6	0.0	32.8	0.9	1.7	0.1	100.0	64.5	23.8		1,206
Khanewal	40.8	3.2	4.7	0.1	49.9	0.5	0.8	0.0	100.0	48.7	13.9		711
Lodhran	31.4	10.2	1.6	0.0	53.6	1.3	0.7	1.1	100.0	43.2	8.4		349
Vehari	39.2	8.4	2.2	0.1	49.0	0.2	0.5	0.4	100.0	49.8	23.7		760
Sahiwal	55.6	10.5	2.3	0.1	30.8	0.0	0.5	0.3	100.0	68.3	25.9		576
Pakpattan	29.6	24.8	2.1	0.8	41.9	0.0	0.8	0.0	100.0	56.5	19.9		503
Okara	34.7	15.0	1.3	0.1	47.9	0.3	0.0	0.6	100.0	51.0	12.4		1,046
Rawalpindi	76.0	2.8	0.6	0.4	15.8	2.0	1.4	0.8	100.0	79.4	21.9		1,046
Attock	49.9	8.7	2.0	1.5	33.2	3.4	1.1	0.3	100.0	60.5	12.6		395
Chakwal	65.6	6.5	2.8	0.0	22.8	0.6	1.6	0.1	100.0	74.9	20.1		297
Jhelum	66.6	11.8	1.3	0.9	18.6	0.6	0.0	0.2	100.0	79.7	25.6		343
Sargodha	49.4	9.2	2.3	1.2	36.9	0.9	0.0	0.1	100.0	60.9	17.8		919
Bhakkar	27.9	10.3	11.6	0.4	47.9	0.7	0.8	0.4	100.0	49.8	6.1		360
Khushab	48.9	5.6	6.1	0.9	34.7	2.2	0.2	1.4	100.0	60.6	21.0		283
Mianwali	45.0	6.8	13.4	0.1	32.7	0.1	0.7	1.2	100.0	65.2	12.3		279
Punjab	44.6	10.9	3.0	0.7	38.2	1.5	0.6	0.3	100.0	58.5	17.6		26,486

[1] MICS indicator 5.7; MDG indicator 5.2

[2] MICS indicator 5.9

(*) Figures that are based on less than 25 unweighted cases

() Figures that are based on 25-49 unweighted cases

Table RH.10: Place of delivery

Percent distribution of ever-married women age 15-49 with a birth in two years preceding the survey by place of delivery, MICS Punjab, 2011.

	Place of delivery						Delivered in health facility [1]	Number of ever-married women who gave birth in the preceding two years
	Public sector health facility	Private sector health facility	Home	Other	Missing	Total		
Punjab	16.6	36.9	45.8	0.1	0.6	100.0	53.5	26,486
Area of residence								
Rural	13.2	33.7	52.4	0.1	0.5	100.0	46.9	19,296
All Urban	25.8	45.4	28.0	0.1	0.7	100.0	71.2	7,190
Major Cities	32.9	47.8	18.3	0.1	0.8	100.0	80.7	3,636
Other Urban	18.4	42.9	38.0	0.1	0.6	100.0	61.3	3,554
Mother's age at birth								
Less than 20	17.4	33.8	48.0	0.4	0.5	100.0	51.2	1,781
20-34	16.9	37.8	44.7	0.1	0.6	100.0	54.7	21,297
35-49	14.3	32.8	51.9	0.1	0.8	100.0	47.2	3,396
Missing	(*)	(*)	(*)	(*)	(*)	100.0	(*)	11
Percent of women who had:								
None	6.4	13.6	77.1	0.1	2.8	100.0	20.0	5,088
1-3 visits	14.1	31.3	54.5	0.1	0.0	100.0	45.3	10,342
4+ visits	23.8	53.6	22.3	0.1	0.1	100.0	77.5	10,716
Missing/DK	16.8	28.5	54.7	0.0	0.0	100.0	45.3	340
Women's education								
None/Preschool	11.4	25.6	62.4	0.2	0.5	100.0	37.0	13,086
Primary	18.8	36.5	44.0	0.1	0.6	100.0	55.3	4,874
Middle	21.6	46.4	31.2	0.1	0.7	100.0	68.0	2,571
Secondary	23.8	52.8	22.6	0.1	0.6	100.0	76.6	3,225
Higher	24.2	63.9	10.8	0.0	1.1	100.0	88.1	2,729
Wealth index quintiles								
Lowest	7.9	20.6	70.8	0.2	0.4	100.0	28.6	5,861
Second	12.6	27.6	59.5	0.0	0.4	100.0	40.1	5,310
Middle	15.5	37.2	46.6	0.2	0.6	100.0	52.7	5,190
Fourth	21.4	44.2	33.6	0.1	0.8	100.0	65.6	5,280
Highest	27.3	58.5	13.3	0.1	0.9	100.0	85.8	4,845
Division								
Bahawalpur	12.8	25.6	61.1	0.1	0.3	100.0	38.5	2,822
D.G.Khan	10.3	19.8	69.0	0.2	0.6	100.0	30.1	3,082
Faisalabad	12.2	45.5	41.9	0.1	0.3	100.0	57.8	3,631
Gujranwala	15.0	45.5	38.7	0.1	0.7	100.0	60.5	3,981
Lahore	27.1	39.6	32.4	0.1	0.7	100.0	66.8	3,899
Multan	13.2	36.0	49.7	0.1	1.0	100.0	49.2	3,026
Rawalpindi	37.3	35.1	26.7	0.2	0.7	100.0	72.4	2,081
Sahiwal	9.1	39.9	50.6	0.2	0.3	100.0	48.9	2,124
Sargodha	13.2	41.4	45.0	0.1	0.3	100.0	54.6	1,841
Punjab	16.6	36.9	45.8	0.1	0.6	100.0	53.5	26,486

[1] MICS indicator 5.8

(*) Figures that are based on less than 25 unweighted cases

Table RH.10: Place of delivery

Percent distribution of ever-married women age 15-49 with a birth in two years preceding the survey by place of delivery, MICS Punjab, 2011.

	Place of delivery						Delivered in health facility [1]	Number of ever-married women who gave birth in the preceding two years
	Public sector health facility	Private sector health facility	Home	Other	Missing	Total		
Punjab	16.6	36.9	45.8	0.1	0.6	100.0	53.5	26,486
District								
Bahawalpur	14.2	21.2	64.4	0.0	0.2	100.0	35.4	855
B. Nagar	8.2	32.6	58.7	0.3	0.3	100.0	40.8	811
RY Khan	15.1	24.0	60.5	0.1	0.3	100.0	39.1	1,156
DG Khan	6.8	17.7	75.1	0.0	0.4	100.0	24.5	608
Layyah	13.5	27.3	58.1	0.3	0.8	100.0	40.8	624
M. Garh	11.7	20.7	66.7	0.3	0.6	100.0	32.4	1,406
Rajanpur	6.3	9.3	83.8	0.0	0.7	100.0	15.5	444
Faisalabad	15.3	48.2	36.0	0.1	0.4	100.0	63.5	1,834
Chiniot	8.1	47.7	44.2	0.0	0.0	100.0	55.8	384
Jhang	7.1	40.6	51.8	0.0	0.6	100.0	47.7	857
TT Singh	13.0	42.7	44.3	0.0	0.0	100.0	55.7	556
Gujranwala	14.2	52.4	32.5	0.2	0.7	100.0	66.6	1,284
Gujrat	21.7	46.7	31.1	0.0	0.6	100.0	68.4	725
Hafizabad	8.5	54.5	35.0	0.0	2.0	100.0	63.0	295
M. Bahaudin	7.2	34.4	57.6	0.0	0.8	100.0	41.6	409
Narowal	7.7	35.7	56.6	0.0	0.1	100.0	43.4	409
Sialkot	20.2	40.9	38.0	0.2	0.7	100.0	61.1	859
Lahore	36.3	42.6	20.0	0.2	0.9	100.0	78.9	2,103
Kasur	13.3	31.3	55.1	0.0	0.3	100.0	44.6	800
N. Sahib	14.0	43.0	42.7	0.0	0.3	100.0	57.0	338
Sheikhupura	21.4	38.4	39.1	0.0	1.0	100.0	59.9	658
Multan	14.7	46.2	37.4	0.2	1.6	100.0	60.9	1,206
Khanewal	11.5	30.9	56.6	0.2	0.9	100.0	42.4	711
Lodhran	11.0	16.8	71.5	0.0	0.7	100.0	27.8	349
Vehari	13.4	33.3	52.8	0.0	0.5	100.0	46.7	760
Sahiwal	12.1	44.2	43.2	0.0	0.5	100.0	56.3	576
Pakpattan	9.7	35.9	53.5	0.3	0.6	100.0	45.6	503
Okara	7.1	39.3	53.3	0.3	0.0	100.0	46.5	1,046
Rawalpindi	44.1	35.1	19.8	0.0	0.9	100.0	79.3	1,046
Attock	27.9	27.0	43.6	0.7	0.8	100.0	54.9	395
Chakwal	33.1	38.3	27.4	0.0	1.2	100.0	71.4	297
Jhelum	30.9	41.6	27.5	0.0	0.0	100.0	72.5	343
Sargodha	13.7	45.5	40.8	0.0	0.0	100.0	59.2	919
Bhakkar	15.1	25.2	58.4	0.7	0.7	100.0	40.2	360
Khushab	9.6	44.0	46.3	0.0	0.2	100.0	53.5	283
Mianwali	12.9	46.3	40.2	0.0	0.7	100.0	59.1	279
Punjab	16.6	36.9	45.8	0.1	0.6	100.0	53.5	26,486

[1] MICS indicator 5.8

(*) Figures that are based on less than 25 unweighted cases

Table RH.10A: Postnatal care provider

Persons providing postnatal care to ever-married women aged 15–49 who gave birth in the preceding two years, MICS Punjab, 2011.

	Postnatal care provider								Total	Any skilled personnel	Number of ever-married women who gave birth in the preceding two years
	Doctor	Nurse / Midwife	Lady Health Visitor	Lady Health Worker	Traditional birth attendant	Relative / Friend	Other/missing	No attendant			
Punjab	29.9	6.2	1.9	0.6	15.8	0.8	1.0	43.9	100.0	37.9	26,486
Area of residence											
Rural	23.9	6.6	1.9	0.6	17.3	0.8	0.8	48.1	100.0	32.4	19,296
All Urban	46.1	5.1	1.8	0.5	11.7	0.7	1.5	32.7	100.0	52.9	7,190
Major Cities	52.8	4.8	1.2	0.7	8.9	0.7	1.8	29.1	100.0	58.8	3,636
Other Urban	39.2	5.3	2.3	0.4	14.5	0.7	1.2	36.3	100.0	46.8	3,554
Mother's age at birth											
Less than 20	25.7	6.0	3.2	0.8	15.2	0.9	0.9	47.3	100.0	34.9	1,781
20-34	31.3	6.3	1.8	0.5	15.3	0.7	1.0	43.1	100.0	39.4	21,297
35-49	23.4	5.6	1.8	0.7	19.0	1.5	1.1	46.9	100.0	30.7	3,396
Missing	(*)	(*)	(*)	(*)	(*)	(*)	(*)	(*)	100.0	(*)	11
Women's education											
None/Preschool	17.0	5.9	1.9	0.5	22.5	1.0	0.9	50.3	100.0	24.8	13,086
Primary	29.3	7.5	2.0	0.7	14.2	0.8	1.0	44.5	100.0	38.8	4,874
Middle	36.8	8.0	1.6	0.9	9.0	0.7	0.9	42.1	100.0	46.4	2,571
Secondary	48.6	5.7	1.9	0.7	7.0	0.3	1.2	34.5	100.0	56.2	3,225
Higher	64.1	4.1	1.4	0.3	2.8	0.5	1.7	25.1	100.0	69.7	2,729
Wealth index quintiles											
Lowest	12.0	4.9	1.9	0.2	25.2	1.5	0.5	53.8	100.0	18.8	5,861
Second	19.4	6.3	1.9	0.6	20.1	0.8	0.6	50.3	100.0	27.6	5,310
Middle	26.6	7.8	2.2	0.7	14.6	0.6	1.0	46.5	100.0	36.6	5,190
Fourth	36.5	7.3	2.3	0.8	12.3	0.6	1.5	38.7	100.0	46.1	5,280
Highest	59.4	4.6	0.9	0.6	4.6	0.4	1.6	27.9	100.0	64.9	4,845
Division											
Bahawalpur	24.3	4.0	0.5	0.2	18.2	1.4	0.6	50.8	100.0	28.8	2,822
D.G.Khan	15.3	3.0	2.5	0.2	18.8	1.9	0.8	57.5	100.0	20.7	3,082
Faisalabad	29.5	4.9	2.0	0.6	11.4	0.1	0.8	50.8	100.0	36.4	3,631
Gujranwala	31.6	11.8	1.5	1.4	12.5	0.3	1.3	39.5	100.0	44.9	3,981
Lahore	36.6	4.2	1.0	0.9	8.8	0.7	1.1	46.7	100.0	41.8	3,899
Multan	30.4	5.2	3.1	0.1	22.0	0.5	1.4	37.2	100.0	38.8	3,026
Rawalpindi	42.9	2.5	1.2	0.4	5.6	0.5	1.9	44.9	100.0	46.7	2,081
Sahiwal	29.9	13.4	1.9	0.4	30.8	0.1	0.6	23.0	100.0	45.1	2,124
Sargodha	30.3	7.0	3.8	0.6	21.0	2.1	0.4	34.7	100.0	41.2	1,841
Punjab	29.9	6.2	1.9	0.6	15.8	0.8	1.0	43.9	100.0	37.9	26,486

(*) Figures that are based on less than 25 unweighted cases

Table RH.10A: Postnatal care provider

Persons providing postnatal care to ever-married women aged 15–49 who gave birth in the preceding two years, MICS Punjab, 2011.

	Postnatal care provider								Total	Any skilled personnel	Number of ever-married women who gave birth in the preceding two years
	Doctor	Nurse / Midwife	Lady Health Visitor	Lady Health Worker	Traditional birth attendant	Relative / Friend	Other/missing	No attendant			
Punjab	29.9	6.2	1.9	0.6	15.8	0.8	1.0	43.9	100.0	37.9	26,486
District											
Bahawalpur	28.1	1.2	0.4	0.5	23.4	4.2	0.6	41.6	100.0	29.7	855
B. Nagar	17.1	1.4	0.1	0.0	1.3	0.0	0.4	79.8	100.0	18.6	811
RY Khan	26.6	7.8	0.9	0.0	26.3	0.3	0.7	37.4	100.0	35.3	1,156
DG Khan	17.2	1.0	2.2	0.3	16.0	3.5	0.8	59.0	100.0	20.4	608
Layyah	17.5	7.6	5.6	0.0	19.3	0.1	0.9	49.1	100.0	30.7	624
M. Garh	13.8	2.5	1.4	0.3	9.2	0.1	0.8	72.0	100.0	17.7	1,406
Rajanpur	14.3	0.8	1.7	0.1	52.6	8.3	0.7	21.6	100.0	16.7	444
Faisalabad	34.4	6.1	2.1	1.0	10.1	0.1	1.2	45.0	100.0	42.6	1,834
Chiniot	31.7	4.2	1.9	0.0	14.4	0.0	0.0	47.8	100.0	37.8	384
Jhang	18.6	4.9	2.9	0.2	18.0	0.2	0.7	54.4	100.0	26.4	857
TT Singh	28.8	1.3	0.1	0.0	3.3	0.1	0.1	66.2	100.0	30.3	556
Gujranwala	38.5	10.7	2.8	2.0	10.2	0.5	1.5	33.9	100.0	51.9	1,284
Gujrat	32.8	8.6	1.3	0.0	9.2	0.1	1.2	46.7	100.0	42.7	725
Hafizabad	25.6	12.4	0.7	1.1	18.0	0.0	2.5	39.7	100.0	38.8	295
M. Bahaudin	19.9	13.5	1.7	0.0	21.5	0.2	0.8	42.3	100.0	35.2	409
Narowal	17.5	19.0	1.2	2.7	18.2	0.0	0.6	40.8	100.0	37.7	409
Sialkot	34.8	11.5	0.2	1.9	9.8	0.7	1.4	39.7	100.0	46.5	859
Lahore	49.5	4.5	0.6	0.5	8.6	0.8	1.3	34.1	100.0	54.6	2,103
Kasur	14.2	3.4	2.4	0.2	12.5	0.1	0.6	66.6	100.0	20.0	800
N. Sahib	23.4	3.7	1.0	2.0	5.4	2.2	0.7	61.6	100.0	28.1	338
Sheikhupura	29.8	4.3	0.3	2.5	6.6	0.1	1.5	54.8	100.0	34.4	658
Multan	28.8	5.3	3.8	0.0	9.7	0.2	2.1	50.1	100.0	37.8	1,206
Khanewal	31.0	3.1	4.1	0.1	21.9	0.1	1.2	38.6	100.0	38.2	711
Lodhran	29.4	6.3	1.5	0.3	30.5	0.0	0.7	31.4	100.0	37.1	349
Vehari	32.9	6.6	2.0	0.1	37.9	1.6	0.8	18.1	100.0	41.5	760
Sahiwal	44.8	10.2	2.1	0.1	24.8	0.0	1.1	16.9	100.0	57.0	576
Pakpattan	29.1	18.2	1.9	1.1	35.1	0.0	0.8	13.9	100.0	49.1	503
Okara	22.0	12.9	1.7	0.3	32.0	0.2	0.3	30.7	100.0	36.6	1,046
Rawalpindi	48.5	1.8	0.7	0.7	6.2	0.8	2.1	39.3	100.0	51.0	1,046
Attock	28.9	4.1	1.2	0.2	8.2	0.8	2.5	54.1	100.0	34.2	395
Chakwal	45.8	2.2	2.2	0.1	3.6	0.0	1.9	44.3	100.0	50.2	297
Jhelum	39.6	3.2	2.1	0.2	2.7	0.0	0.5	51.8	100.0	44.8	343
Sargodha	35.5	8.8	1.3	0.8	24.7	1.0	0.2	27.8	100.0	45.6	919
Bhakkar	18.0	7.4	7.7	0.5	25.7	0.0	0.7	40.1	100.0	33.0	360
Khushab	32.2	3.9	2.5	0.6	16.0	10.4	0.2	34.2	100.0	38.6	283
Mianwali	27.6	3.8	8.5	0.1	7.8	0.0	1.0	51.3	100.0	39.8	279
Punjab	29.9	6.2	1.9	0.6	15.8	0.8	1.0	43.9	100.0	37.9	26,486

(*) Figures that are based on less than 25 unweighted cases

Table RH.12: Unwilling pregnancy

Percentage of pregnant women aged 15-49 years currently married by desire to get pregnant, MICS Punjab, 2011.

	Percentage of willing and Unwilling pregnancy			Number of ever-married women having birth in last two years preceding the survey	Wanted child later or did not want more children			Total unwilling women
	Willing	Unwilling	Missing		Later	No more	Missing	
Punjab	91.4	7.9	0.8	26,486	38.6	52.5	8.9	2,085
Area of residence								
Rural	91.8	7.6	0.7	19,296	36.5	55.2	8.3	1,457
All Urban	90.3	8.7	1.0	7,190	43.3	46.4	10.3	628
Major Cities	89.4	9.4	1.1	3,636	43.4	45.8	10.8	342
Other Urban	91.1	8.0	0.9	3,554	43.2	47.1	9.7	286
Age								
15-19	97.9	1.5	0.6	917	(*)	(*)	(*)	13
20-24	95.5	3.9	0.7	6,143	75.2	10.4	14.4	239
25-29	93.4	6.0	0.6	8,830	59.9	31.1	8.9	533
30-34	90.2	8.9	0.9	6,091	35.1	55.4	9.5	539
35-39	82.9	16.1	1.0	3,085	15.1	79.2	5.7	496
40-44	80.2	18.8	1.0	1,134	8.6	86.4	5.0	213
45-49	79.5	17.9	2.6	286	2.8	84.3	12.9	51
Number of living children								
0	97.3	0.2	2.6	402	(*)	(*)	(*)	1
1-2	96.4	3.0	0.6	12,485	76.5	5.5	17.9	369
3-4	91.2	8.0	0.8	8,584	56.2	34.8	9.0	686
4+	78.6	20.5	0.9	5,015	10.7	85.2	4.1	1,029
Women's education								
None/Preschool	91.2	8.1	0.7	13,086	28.5	63.5	7.9	1,059
Primary	90.7	8.4	0.9	4,874	45.3	45.5	9.2	409
Middle	90.9	8.4	0.7	2,571	45.2	47.2	7.6	215
Secondary	92.1	7.1	0.9	3,225	50.4	38.7	10.9	227
Higher	92.7	6.4	0.9	2,729	58.6	28.8	12.7	174
Wealth index quintiles								
Lowest	92.2	7.2	0.6	5,861	23.3	68.8	7.9	419
Second	91.8	7.6	0.6	5,310	40.3	52.6	7.2	402
Middle	89.8	9.5	0.8	5,190	39.5	53.0	7.6	491
Fourth	91.0	8.1	0.9	5,280	42.4	47.3	10.2	428
Highest	91.9	7.1	1.0	4,845	48.7	39.2	12.0	345
Division								
Bahawalpur	88.0	11.7	0.4	2,822	32.7	64.3	3.0	329
D.G.Khan	94.4	4.7	0.9	3,082	34.7	50.0	15.4	145
Faisalabad	92.1	7.5	0.4	3,631	51.0	43.9	5.1	274
Gujranwala	92.0	7.0	0.9	3,981	29.9	58.4	11.7	280
Lahore	91.5	7.6	0.9	3,899	40.4	49.0	10.6	298
Multan	89.9	8.8	1.3	3,026	37.7	49.4	12.9	266
Rawalpindi	88.7	10.3	1.0	2,081	42.5	48.4	9.1	214
Sahiwal	95.0	4.6	0.4	2,124	45.9	45.9	8.2	97
Sargodha	89.5	10.0	0.6	1,841	37.9	56.7	5.4	183
Punjab	91.4	7.9	0.8	26,486	38.6	52.5	8.9	2,085

(*) Figures that are based on less than 25 unweighted cases

() Figures that are based on 25-49 unweighted cases

Table RH.12: Unwilling pregnancy

Percentage of pregnant women aged 15-49 years currently married by desire to get pregnant , MICS Punjab, 2011.

	Percentage of willing and Unwilling pregnancy			Number of ever-married women having birth in last two years preceding the survey	Wanted child later or did not want more children			Total unwilling women
	Willing	Unwilling	Missing		Later	No more	Missing	
Punjab	91.4	7.9	0.8	26,486	38.6	52.5	8.9	2,085
District								
Bahawalpur	90.4	9.3	0.3	855	30.1	66.9	3.1	79
B. Nagar	86.6	13.1	0.3	811	39.8	57.8	2.5	106
RY Khan	87.2	12.4	0.4	1,156	28.9	67.8	3.3	144
DG Khan	92.4	7.0	0.6	608	(33.6)	(59.0)	(7.4)	43
Layyah	96.6	2.5	0.9	624	(*)	(*)	(*)	15
M. Garh	94.8	4.3	1.0	1,406	31.2	50.6	18.2	60
Rajanpur	93.1	6.0	0.9	444	(43.2)	(44.0)	(12.7)	27
Faisalabad	90.3	9.1	0.5	1,834	55.5	38.9	5.6	168
Chiniot	91.9	7.9	0.3	384	(48.3)	(48.5)	(3.2)	30
Jhang	96.0	3.5	0.4	857	(23.1)	(65.8)	(11.0)	30
TT Singh	91.8	8.2	0.0	556	56.2	43.8	0.0	46
Gujranwala	95.0	4.0	1.0	1,284	25.7	54.7	19.6	51
Gujrat	90.0	9.4	0.6	725	(41.8)	(52.4)	(5.8)	68
Hafizabad	89.9	7.4	2.7	295	(36.5)	(36.4)	(27.1)	22
M. Bahaudin	82.0	17.2	0.8	409	(*)	(*)	(*)	70
Narowal	98.6	0.5	0.9	409	(*)	(*)	(*)	2
Sialkot	91.6	7.8	0.6	859	37.8	54.7	7.5	67
Lahore	90.6	8.2	1.2	2,103	40.8	46.7	12.5	172
Kasur	89.1	10.7	0.3	800	37.7	59.9	2.3	85
N. Sahib	94.7	4.7	0.6	338	(35.2)	(52.8)	(12.0)	16
Sheikhupura	95.3	3.7	1.0	658	(48.5)	(30.8)	(20.7)	25
Multan	85.2	13.1	1.7	1,206	46.5	42.0	11.6	157
Khanewal	90.7	7.6	1.7	711	23.9	57.4	18.8	54
Lodhran	95.6	4.3	0.1	349	(*)	(*)	(*)	15
Vehari	94.0	5.2	0.8	760	(23.8)	(63.2)	(13.0)	40
Sahiwal	94.3	5.1	0.6	576	(*)	(*)	(*)	29
Pakpattan	90.2	9.2	0.6	503	(47.5)	(46.1)	(6.4)	46
Okara	97.8	2.0	0.2	1,046	(*)	(*)	(*)	21
Rawalpindi	88.0	10.8	1.2	1,046	44.1	46.0	9.9	113
Attock	92.2	7.2	0.6	395	(41.5)	(51.1)	(7.3)	29
Chakwal	82.6	15.2	2.2	297	(46.5)	(40.7)	(12.8)	45
Jhelum	92.1	7.9	0.0	343	(28.9)	(71.1)	(0.0)	27
Sargodha	89.3	10.4	0.3	919	35.4	62.0	2.7	95
Bhakkar	91.6	7.7	0.7	360	(33.9)	(58.0)	(8.0)	28
Khushab	90.0	10.0	0.0	283	(58.4)	(41.6)	(0.0)	28
Mianwali	86.6	11.5	2.0	279	(32.3)	(53.1)	(14.6)	32
Punjab	91.4	7.9	0.8	26,486	38.6	52.5	8.9	2,085

(*) Figures that are based on less than 25 unweighted cases

() Figures that are based on 25-49 unweighted cases